



ICC 700 Project Summary and Checklist Multifamily and Mixed Use Buildings New Construction

				Summary			
Date of							
Application							
Compliance Path							
Project							
Identification							
Project Address							
Owner							
Identification							
Architect							
Identification							
Contractor							
Identification							
Third Party						Registration No	D.
Provider							
Building Code		IPC Posidor	atial Oscupanov	1	1		
Type of Building		IDC Resider	ntial Occupancy	IBC Group R Occ	cupancy: (circle one)	Multifamily	
Type or ballaring				R-1. R-2. R-3. R-4	4	Ividitilatility	
Stories and Type	Number of	Unit Type:	Unit Type:	Unit Type:	Unit Type:	Unit Type:	Unit Type:
	Stories:	1 bed/1bath	2 bed/1 bath	2 bed/2 bath	3 bed/2 bath	3 bed/3 bath	Other
Garage	Attached	Detached	Carport	None			
Building Sq.	Lot Size:		Building Total S	Sq. Ft:	Area Under Roof:		Total Nonroof Area:
Footage	JE00 01:	- 7 0 A					
Danfannanaa Laval	IECC Climate		Points Awarded	<u> </u>			
Performance Level	Points Atten	iptea:	Points Awarded	i.			
Note: Ruildings shall	he designed	and constructe	d in accordance	with the Energy pro	ovisions of Dallas Fr	neray code. Com	pliance with IECC must be
demonstrated separa					O TIGIONIO OI DUNAS EI	iorgy code. Som	phanes with 1200 mast be

** Townhouse: As defined by the Dallas Residential Code; may not be multifamily building







City of Dalla				IC	CC 700	EA.730
ltana	One en Duildin a Due etie e	Comp	liance	Points	Plan Review/	Commanda
Item	Green Building Practice	Yes	No	Awarded	Inspection	Comments
	Chapter 4 Site Design and Development	Maxim	num Po	ints Availat	ole: 326	Refer to ICC 700 Standard Plan Review: Verify information is on drawings Inspection: Verify construction is same as drawings and submittal data
401	Site Selection					
401.1	Infill Site: Infill site selected					
401.2	Greyfield/Brownfield Site: EPA recognized site selected					
402	Project Team, Mission Statement, and Goals					Verify at green building plan review
402.1	Team: 1) Knowledgeable 2) Roles identified					
402.2	Training: Onsite training for supervisors and team members regarding green development practices					
402.3	Project Checklist: Green development practice checklist					
403	Site Design					Verify at green building plan review
403.1	Natural Resources 1) Inventory for site plan 2) Written plan for natural resources during construction 3) Builder's team participates in conservation program 4) Built features located to					
	conserve vegetation					
403.2	Building Orientation					Verify at green building plan review
403.3	Slope Disturbance: 1) Steep slope avoided 2) Soil study 3) Roads align with topography 4) Erosion reduction strategies					





City of Dalla				IC	CC 700	配料 不透明
11	One on Building Boards	Compl	iance	Points	Plan Review/	Q
Item	Green Building Practice	Yes	No	Awarded	Inspection	Comments
403.4	Soil Disturbance and Erosion 1) Minimize soil exposure 2) Utilities installed using alternative methods 3) Clearing and grading limits indicated on drawings					
403.5	Stormwater Management 1) Natural water and drainage features preserved 2) Stormwater management plan 3) Permeable paving					
403.6	Landscape Plan 1) Restoration plan 2) Conservation of native trees 3) Native vegetation 4) Limitation of turf areas 5) Water zones 6) Increased shading 7) Vegetative wind breaks 8) On site mulching 9) Integrated pest management plan 10) Landscape water system includes moisture based controller 11) Preservation of trees					
403.7	Wildlife Habitat					
403.8 3.9	Operation and Maintenance Plan Existing Building Reuse					
403.10	Existing Building Reuse Existing and Recycled Materials 1) Reuse of existing pavement and curbs 2) Recycled asphalt or concrete					





City of Dalla			IC	CC 700	ExCer 224
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
403.11	Environmentally Sensitive Areas 1) Avoided 2) Mitigated or restored			•	
403.12	Density: Average per acre				
403.13	Mixed Use Development				
404	Site Development and Construction				Verify at green building plan review
404.1	On Site Supervision and Coordination				
404.2	Trees and Vegetation 1) Protective fencing 2) Tree root zones protected 3) Tree damage mitigated				
4.3	 Soil Disturbance and Erosion Clearing and grading limits shown on drawings No disturbance zones Sediment and erosion controls Topsoil stockpiled and covered for reuse Reduce soil compaction from heavy equipment Disturbed areas stabilized within 14 days Soil amendments 				
404.4	Wildlife Habitat Habitat maintained Wildlife habitat measures instituted Open space preserved Builder participated in wildlife conservation program				
405	Innovative Practices				Verify at green building plan review
40.5.1	Driveways and Parking Areas				
405.2	Street Widths				
405.3	Cluster Development				



100	-	200	
Ю		-	
10			
		_	
	50		

City of Dalla	33			IC	CC 700	在地 不透明
Item	Green Building Practice	Compliance		Points Awarded	Plan Review/ Inspection	Comments
405.4	Zoning					
405.5	Wetlands					
405.6	Mass Transit					
	Chapter 5 Lot Design, Preparation, and Development	Maxim	um Po	ints Availat	ble: 263	Verify at green building plan review
501	Lot Selection					Verify at green building plan review
501.1	Lot: 1) Infill site selected 2) Greyfield lot or EPA recognized brownfield lot					
501.2	Greyfield/Brownfield Site: EPA recognized site selected					
502	Project Team, Mission Statement, and Goals					Verify at green building plan review
502.1	Knowledgeable, roles identified					
503	Lot Design					Verify at green building plan review; final inspection
503.1	Natural Resources 1) Inventory for site plan 2) Written conservation plan during construction 3) Protection of listed items 4) Basic training for on site supervisor 5) Tree pruning by certified arborist 6) On going vegetative maintenance					
503.2	Slope Disturbance: 1) Steep slope avoided 2) Soil study 3) Roads align with topography 4) Long term erosion reduction strategies 5) Underground parking uses natural slope					



100	м	N BALIS
ю		district.
10		
		_
-		

City of Dalla	ICC 700				
Item Green Building Practice		Compliance	Points Awarded	Plan Review/ Inspection	Comments
503.3	Soil Disturbance and Erosion 1) Minimize soil exposure 2) Utilities installed using alternative methods 3) Clearing and grading limits indicated on drawings				
503.4	Stormwater Management 1) Natural water and drainage features preserved 2) Stormwater management plan 3) Permeable paving 4) Vegetative roof, 75%				
503.5	Landscape Plan 1) Restoration plan 2) Native vegetation 3) Limitation of turf areas 4) Water zones 5) Increased shading 6) Vegetative wind breaks 7) On site mulching 8) IPM plan				
503.6	Wildlife Habitat				
503.7	Mixed Use Development				
503.8	Environmentally Sensitive Areas 1) Avoided 2) Mitigated or restored				
503.9	Density: Average per acre				
504	Lot Construction				Verify at green building plan review; final inspection
504.1	On Site Supervision and Coordination				
504.2	Trees and Vegetation 1) Protective fencing 2) Tree root zones protected 3) Tree damage mitigated				



	CRIAL.	
-		-
	_	

City of Dalla				IC	CC 700	
Item	Green Building Practice	Compli	ance	Points Awarded	Plan Review/ Inspection	Comments
504.3	 Soil Disturbance and Erosion 1) Clearing and grading limited shown on drawings 2) No disturbance zones 3) Sediment and erosion controls 4) Topsoil stockpiled and covered for reuse 5) Reduce soil compaction from heavy equipment 6) Disturbed areas stabilized within 14 days 7) Soil amendments 8) Utilities installed using alternative means 					
505	Innovative Practices					Submitted for approval at plan review
505.1	Driveways and Parking Areas					
505.2	Heat Island Mitigation 1) Shading of hardscape 2) Light colored hardscape					
	Chapter 6 Resource Efficiency	Maximu	um Po	ints Availab	ole: 290	
601	Quality of Construction Materials and Waste					Review at green plan review; as construction submittals, verify at intermediate and final inspection
601.1	Conditioned Floor Area calculation					
601.2	Material Usage					
601.3	Building Dimensions and Layout 1) Floor area 2) Wall area 3) Roof area 4) Cladding or siding area 5) Penetrations and trim areas					
601.4	Framing and Structural Plan					





City of Dalla			I	CC 700	BEACH SINS
Item			e Points Awarded	Plan Review/ Inspection	Comments
601.5	Prefabricated Components 1) Floor system 2) Wall system 3) Roof system 4) Modular construction 5) Manufactured home				
601.6	Stacked Stories 1) First stacked story 2) Each additional stacked story				
601.7	Site Applied Finishing Materials 1) 90% 2) 50%				
601.8	Foundations				
601.9	Above Grade Wall Systems				
602	Enhanced Durability and Reduced Maintenance				Verify at green building plan review; review as construction submittals, verify at inspections and final inspection
602.1	Exterior Doors				
602.2	Roof Overhangs				
602.3	Foundation Drainage 1) Drain tile 2) Perimeter drains				
602.4	Drip Edge				
602.5	Roof Water Discharge				
602.6	Finished Grade				
602.7	Termite Barrier				
602.8	Termite Resistant Materials				
602.9	Water Resistive Barrier				
602.10	Ice Barrier				
602.11	Foundation Waterproofing				
602.12	Flashing				
602.13	Roof Surfaces				
602.14	Recycling 1) Built in collection space 2) Compost				



12		IN BLALIES
×		_
900		_
	50	Series .

City of Dalla	ICC 700							
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments			
603	Reused or Salvaged Materials				Verify at green building plan review; review as construction submittals, verify at final inspection			
603.1	Existing Building Reused (up to 12 points)							
603.2	Salvaged Materials							
603.3	Scrap Materials							
604	Recycled Content Building Materials				Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections			
604.1	Recycled Content (See Table 604.1 for points)							
605	Recycled Construction Waste				Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections			
605.1	Construction Waste Management Plan							
605.2	On Site Recycling							
605.3	Recycled Construction Materials							
606	Renewable Materials				Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections			
606.1	Biobased Products (up to 8 points) 1) Two types for 0.5% 2) Two types for 1% 3) Each additional type for 0.5%							
606.2	Wood Based Products							
606.3	Manufacturing Energy							
607	Resource Efficient Materials							
607.1	Resource Efficient Materials (up to 9 points)							
608	Indigenous Materials							
608.1	Indigenous Materials 1) One type 2) Each additional type							
609	Life Cycle Analysis				Review by Final Inspection			
609.1	Life Cycle Analysis 1) Per product comparison 2) Whole Building LCA							



103	80	CPMA.	
16	-		۰
10			
		_	
	-	Section 2	

City of Dalla	ICC 700								
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments				
610	Innovative Practices								
610.1	Manufacturer's Environmental Management System Concepts (up to 10 points)				Submitted for approval at plan review				
	Chapter 7 Energy Efficiency	Maximum Po	ints Availat	ole: 120					
701	Minimum Energy Efficiency Requirements				Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections				
701.1	Mandatory Requirements								
701.2	Emerald Level Points								
701.3	Adopting Entity Review								
701.4	Mandatory Practices 1) HVAC system and industry approved installation 2) Duct system sealed per UL 181 3) Insulation and air sealing 4) Floors, foundations, and crawlspaces 5) Walls a) Band joists and rim joist b) Skylights/knee walls c) Exterior features 6) Ceilings and Attics a) Attic access b) Recessed lighting c) Eave vents 7) Fenestrations								
702	Performance Path				Performance path points cannot be combined with prescriptive path points)				
702.1	Point Allocation	NA							
702.2	Energy Cost Performance Levels 1) 15% 2) 30% 3) 50% 4) 60%								
703	Prescriptive Path				Prescriptive path points cannot be combined with performance path points)				



100	-	200	
Ю		-	
10			
		_	
	50		

City of Dall			IC	CC 700	E4.72
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
703.1	Building Envelope (refer to Table 703.1.1 for total building thermal envelope) (refer to Table 703.1.2 for insulation grades)				Refer to ICC 700 Table 703.1.1 for total building thermal envelope Refer to ICC 700 Table 703.1.2 for insulation grades
703.2	Insulation and Air Sealing 1) Third party verification 2) No third party verification 3) Air and thermal barriers 4) Plumbing and wiring 5) Walls				
703.3	Fenestration: NFRA certified or equivalent and SHGC for windows, exterior doors, skylights, and tubular daylighting devices				Refer to ICC 700 Table 703.3.1a for U values and SHGC
703.4	HVAC Equipment Efficiency 1) Combination space heating and water heating system 2) Furnace/boiler efficiency 3) Boiler equipped with temperature reset control 4) Efficient heat pump 5) Efficient cooling 4) Ground source heat pump 5) Energy Star ceiling fans 6) Whole dwelling unit fans with insulated louvers and sealed enclosure 7) Energy Star programmable thermostat				Refer to ICC 700 Tables 703.4.2 for types of heaters
703.5	Water Heating Design, Equipment, and Installation 1) Water heater Energy Factor 2) Drain water heat recovery 3) Insulating hot water pipes and lines				Refer to ICC 700 Table 703.5.1
704	Additional Practices			•	Submitted for approval at plan review
704.1	Application of Additional Practice Points				





City of Dalla	ICC 700							
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments			
704.2	Lighting and Appliances 1) Hardwired lighting installation 2) Recessed lighting fixture penetration 3) Occupancy sensors 4) Energy Star Appliances 5) Induction cooktop							
704.3	Renewable Energy and Solar Heating and Cooling 1) Solar space heating and cooling 2) Automated solar protection (shading) 3) Passive solar heating design 4) Solar Water Heating 5) Renewable energy options							
704.4	Ducts: System properly sized							
704.5	HVAC Design and Installation 1) Compliance with ACCA Manual D 2) Certified contractor/ technician 3) Performance verification 4) Alternative refrigerant 5) Leakage less than 2% of design airflow							
704.6	Installation and Performance Verification 1) Third party onsite verification 2) Third party testing 3) Balanced system							
705	Innovative Practices		,		Submitted for approval at plan review			
705.1	Energy Consumption Control							
705.2	Renewable Energy Service Plan							
	Chapter 8 Water Efficiency	Maximum Po	inte Availal	No: 288				
801	Indoor and Outdoor Water Use	Waxiiiluiii PO	iiilə Avallak	ле. 200	Plan Review, construction submittals, intermediate inspections, and final inspections: Verify			





City of Dalla	as		IC	CC 700	60%.73m
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
801.1	Indoor Hot Water Usage Hot water reduction by: 1) Piping runs less than 40 ft 2) Piping runs less than 30 ft 3) Piping System Design: a) Structure type plumbing with demand controlled hot water loops b) Engineered parallel piping system				
	c) Central core plumbing system 4) Pipe run exceeding 40 ft aided by: a) Tankless water heater b) On demand hot water recirculation				
801.2	Water Conserving Appliances 1) Dishwasher 2) Washing machine 3) Washing machine with water factor of 6.0 or less				
801.3 801.4	Food Waste Disposer Showerheads 1) 1.6 to less than 2.5 gpm total flow rates; comply with ASME A112.18.1; tested at 80 psi 2) 804.1.1 and a) 2.0 to less than 2.5 gpm b) 1.6 to less than 2.0 gpm				Average flow rate is per fixture.
801.5	Faucets 1. Water efficient lavatory faucets a) Bathroom installation b) All lavatory faucets installation 3) Self checking back valve, motion sensor, or pedal activated faucets				Faucets with maximum 1.5 gpm flow rate. tested at 60 psi per ASME A112.18.1





ICC 700						
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments	
801.6	Water Closets and Urinals 1) Water closet flush volume of 1.28 gallons or less per ASME A112.19.2 or ASME A112.19.14 and EPA Water Sense 2) Urinal flush volume of 0.5 gallons or less per ASME A112.19.2					
801.7	Irrigation Systems 1) Low volume irrigation system for each landscape type a) Hugh distribution uniformity rotating spray heads b) Drip irrigators c) Bubblers d) Drip emitters e) Soaker hose f) Subsurface irrigation 2) Professional design and installed in accordance with EPA Water Sense requirements 3) Separate zones for turf and bedding areas 4) Smart Controller: a) Evapotranspiration (EF) based controller with rain sensor b) Soil moisture sensor c) No irrigation and landscape plan complies with Section 503.3					
801.8	Rainwater Collection and Distribution 1) Rainwater collected and used 2) Rainwater distributed using renewable energy source or gravity Water Filters					



	CRIAL.	
-		-
	_	

City of Dalla			IC	CC 700	EA.725
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
802	Innovative Practices				Submitted for approval at plan review
802.1	Graywater 1) Compliant with IRC Appendix O, separate and reused, as permitted by local plumbing code 2) Used by each water closet fixture 3) Used by irrigation system				
802.2	Composting or Waterless Toilet or Urinals 1) Installed. 2) In accordance with Section 802.2(2)				
802.3	Automatic Shut off Water Devices 1) Excess water flow shut off OR 2) Leak detection system				
	Chapter 9 Indoor Environmental Quality	Maximum Po	ints Availat	ole: 173	Verify at green plan review, construction submittals, intermediate inspections, and final inspections
901	Pollutant Source Control				
901.1	Space and Water Heating Options: 1. Draft space heating located outside conditioned space 2. Air handling equipment, return ducts located outside of garage 3. Combustion space and water heating equipment located within conditions space 4. Location of heat pump equipment				Select option
901.2	Fireplaces and Fuel Burning Appliances 1. Code compliant, vented to outside, adequate combustion and ventilation air a. Natural gas compliant b. Solid fuel compliance 2. No fire places, wood stoves, similar				Refer to ICC 700 901.2.1(2) for compliance requirements



	썲	CRIAL DI BLALDING
18	B	COAST .
8		
	-6	

City of Dalla	City of Dallas ICC 700							
Item	Green Building Practice	Complian	Dointe	Plan Review/ Inspection	Comments			
901.3	Garages 1. Attached garage a. Door between garage and conditioned space sealed b. Continuous air barrier between walls and ceilings c. Ducted or unducted wall fan 2. Carport							
901.4	Wood Materials 1. Structural Wood: DOC PS 1/DOC PS 2 2. Particleboard, MDF: CPA A208.1, CPA A208.2 3. Hardwood Plywood: HPVA HP- 1, HUD Title 24, Part 3280 4. Particle board, MDF, hardwood plywood: CPA 2 5. NAUF composite wood 6. Nonemitting products				Minimum 85% of material within product group manufactured according to requirements			
901.5	Carpets 1. No carpet or pad around water closets or bathing fixtures 2. Low emission carpet materials				Emission limits minimum 85% comply with CDPH 01350, certified by Green Label Plus			
901.6	Hard Surface Flooring				Emission limits minimum 85% comply with CDPH 01350, certified by FloorScore or Greenguard			
901.7	Wall Coverings				Emission limits minimum 85% comply with CDPH 01350, certified by Scientific Certification Systems Indoor Gold Advantage or Greenguard			
901.8	Architectural Coatings 1. Interior Products a. Zero VOC determined by EPA Method 24 b. CARB c. GS-11 d. VOC limits 2. Applied in accordance with DPH 01350 and verified by Greenguard or SCS				VOC Limits: Flat: 50 gram/liter Nonflat: 100 grams/liter Clear Wood Varnish: 350 grams/liters Clear Wood Lacquer: 550 grams/liter			





City of Dalla	EA.729						
Item	Green Building Practice	Compliance		Points Awarded	Plan Review/ Inspection	Comments	
901.9	Adhesives and Sealants 1. Exterior: a. CARB b. GS-36 2. Interior: a) CDHP 01350, certified by Greenguard or SCS b) GS-36					Minimum of 85% of site applied exterior and interior sealants and adhesives comply with low VOC requirements CARB: 1) Adhesives: 75 g/l 2) Reactive Sealants: 50 g/l 3) Sealant: 30 g/l 4) Contact Adhesive: 480 g/l	
901.10	Cabinets 1. KCMA EPS 01 compliant 2. CARB compliant 3. NAUF cabinetry					Minimum of 85% of kitchen and bath vanities comply	
901.11	Insulation 1. Wall, Ceiling, Floor: Formaldehyde emissions comply with CDPH 01350, certified by Greenguard or SCS Indoor Gold Advantage Program 2. Duct: Formaldehyde emissions comply with CDPH 01350, certified by Greenguard or SCS Indoor Gold Advantage Program						
901.12	Carbon Monoxide (CO ²) Alarm 1. Located in central areas outside each sleeping area					Alarm certified by CSA 6.19 or UL2034	
901.13	Building Entrance Pollutant Control 1. Exterior grille or mats at main entrance 2. Indoor grille or mat						
902	Pollutant Control					Verify with construction submittals, and final inspections	
902.1	Spot Ventilation 1. Bathrooms vented to outdoor 2. Clothes dryer vented to outdoor 3. Kitchen exhaust units and range hood ducted to outdoor 4. Bathroom Laundry Exhaust: Automatic timer or humidistat 5. Kitchen range, bathroom, laundry exhaust fans verified to specifications					Exhaust Unit:100 cfm minimum ventilation rate for intermittent operation; 25 cfm for continuous operation	



100	-	200	
Ю		-	
10			
		_	
	50		

City of Dall	City of Dallas ICC 700									
Item	Green Building Practice	Compliance		Points Awarded	Plan Review/ Inspection	Comments				
902.1	6. Energy Star exhaust fans									
902.2	Building Ventilation Systems 1. Select one: a. Exhaust or supply fan ready for continuous operation with labeled controls b. Balanced exhaust and supply fans with supply intakes located per manufacturer directions c. Heat recover ventilator d. Energy recovery ventilator 2. Ventilation airflow tested to design fan airflow at point of exhaust 3. MERV 8 or greater filters on central air					Select one option				
902.3	Radon Control					Not applicable to Dallas				
902.4	HVAC System Protection 1. HVAC supply registers, grilles, and rough ins covered during construction 2. HVAC supply registers, return grilles, duct terminators inspected and vacuumed; coils inspected and cleaned, filter replaced									
902.5	Central Vacuum Systems 1. Installed and vented to outdoors									
902.6	Living Space Contaminants 1. Attic access, knee wall door, drop down stair sealed and gasketed 2. Penetration in attic, ceiling, walls, floors sealed									
903	Moisture Management: Vapor, Rainwater, Plumbing, HVAC				1	Verify with construction submittals, intermediate inspections, and final inspections				





	ICC 700								
Item	Green Building Practice	Compliance		Points Awarded	Plan Review/ Inspection	Comments			
903.1	Tile Backing Materials 1. Comply with ASTM C1178, C1279, C1288, or C 1325								
903.2	Capillary Breaks 1. Capillary break and vapor barrier installed a. Minimum 4 inch thick bed of aggregate covered with polyethylene sheeting, taped seams OR b. Minimum 4 inch thick uniform layer of sand overlain with geotextile drainage matting, covered with polyethylene sheeting								
903.2	2. Capillary break on footings								
903.3	Crawlspace 1. Vapor Retarder: Seams overlapped minimum 6 inches and taped b. Floor: Minimum 6 mil vapor retarder on crawlspace floor, extended up wall, glued and fastened with furring strips								
903.4	c. Walls: Dampproof wall before finished grade Moisture Control Measures 1. Moisture Control Measures: a. No visible mold on building materials b. Walls not enclosed if insulation has high moisture content c. Maximum moisture content of lumber is 19% 2. Moisture content of substrate, subfloor or concrete slab per standard for finished floor								



100	-	200	
Ю		-	
10			
		_	
	50		

	ICC 700									
Item	Green Building Practice	Compliance		Points Awarded	Plan Review/ Inspection	Comments				
903.5	Plumbing 1. Distribution lines not in exterior wall cavities 2. Cold water piping in unconditioned space insulated to minimum R-4 3. No plumbing in unconditioned spaces									
903.6	Duct Insulation 1. HVAC ducts, plenums, trunks in unconditioned space, basement, crawlspaces insulated to R-6; outdoor air supplies insulated to R-6.									
903.7	Relative Humidity 1. Equipment installed to maintain RH of 60% or below by: a. Additional dehumidification system b. Additional controls on central HVAC									
904	Innovative Practices					Submitted for approval at plan review				
904.1	Humidity Monitoring Systems									
904.2	Kitchen Exhaust									
1001	Chapter 10 Operation, Maintenance, and Building Owner Education Living Space Contaminants	Maximum Points Available: 10			ole: 10	Submittals required by Final Inspection				
1001.1	Building Owner's Manual					Refer to ICC 700 for required manual information				
1001.1 1002	Training of Building Owner on					Refer to ICC 700 for required manual information				
	Operations and Maintenance for One- and Two-Family Dwellings and Multifamily Buildings									
1002.1	Training of Building Owner									
	End of ICC 700 Checklist									