

Memorandum



DATE: May 6, 2016

TO: Honorable Members of the Public Safety Committee:
Adam Medrano (Chair), B. Adam McGough (Vice Chair), Sandy Greyson, Tiffinni A. Young,
Jennifer S. Gates, Philip T. Kingston

SUBJECT: **Administrative (Fire) Reports**

On Monday, May 9, 2016, you will be briefed on the Administrative (Fire) Reports.

This is an informational memo to provide the Public Safety Committee with a brief description of fire reports for March 19, 2016 – April 7, 2016.

During this period, the following significant fires occurred:

<u>Multiple Alarm Level</u>	<u>Totals</u>
4-Alarm	1
3-Alarm	1
2-Alarm	7

There was 2 (two) civilian injuries and 3 (three) civilian fatalities that occurred as a result of fire incidents.

Eric D. Campbell
Assistant City Manager

[Attachment]

cc: Honorable Mayor and Members of the City Council
A.C. Gonzalez, City Manager
Christopher D. Bowers, (I) City Attorney
Craig D. Kinton, City Auditor
Rosa A. Rios, City Secretary
Daniel F. Solis, Administrative Judge
Ryan S. Evans, First Assistant City Manager

Jill A. Jordan, P.E., Assistant City Manager
Mark McDaniel, Assistant City Manager
Joey Zapata, Assistant City Manager
Jeanne Chipperfield, Chief Financial Officer
Sana Syed, Public Information Officer
Elsa Cantu, Assistant to the City Manager – Mayor & Council

Public Safety Committee

Administrative Fire Reports

Summary

April 2016

DATE	ADDRESS	COUNCIL DISTRICT	TYPE	CAUSE	LOSS	ALARM
A. 03/19/16	7201 East Grand Service Road, West #245	District 2	2-Story Brick Commercial Motel	Undetermined	\$25,000.00	1 Alarm
B. 03/20/16	14255 Preston Road #828	District 11	3-Story Stucco Apartments	Accidental	\$1,000.00	2 Alarms
C. 03/21/16	8634 Wingate Drive	District 13	2-Story Detached Garage	Accidental	\$27,500.00	2 Alarms
D. 03/26/16	8204 Elmbrook Drive	District 2	3-Story Brick Commercial	Undetermined	\$45,000.00	2 Alarms
E. 03/26/16	14606 Dallas Parkway #1057	District 11	2-Story Frame Townhome Apartments	Accidental	\$120,000.00	2 Alarms
F. 03/27/16	3825 Latimer Street	District 7	1-Story Frame Residence	Accidental	\$42,500.00	1 Alarm
G. 03/29/16	1510 Dennison Street	District 6	1-Story Frame Dwelling	Accidental	\$5,000.00	1 Alarm
H. 03/29/16	13929 North Central Service Road, Southbound	District 11	1-Story Frame Restaurant	Accidental	\$10,000.00	2 Alarms
I. 04/04/16	9877 Brockbank Drive #135	District 6	2-Story Stucco Apartments	Accidental	\$230,000.00	4 Alarms
J. 04/05/16	12365 Plano Road	District 10	3-Story Frame Apartments	Incendiary	\$80,000.00	2 Alarms
K. 04/06/16	3353 Lombardy Lane #515	District 6	3-Story Frame Apartments	Accidental	\$49,250.00	3 Alarms
L. 04/06/16	2381 Blue Creek Drive	District 3	1-Story Frame Residential	Undetermined	\$20,000.00	1 Alarm
M. 04/07/16	1810 Park Row Avenue	District 7	2-Story Frame Commercial	Accidental	\$20,000.00	2 Alarms

One Alarm Fire (A)

Date of Fire:	March 19, 2016	Time of Fire	10:59 AM												
Response Time	3 Minutes 14 Seconds														
Location	7201 East Grand Service Road, West #245	Service Area	Central												
Bldg. Type	2-Story Brick Commercial Motel	Council District	2 (Medrano)												
Business Name	Tampico Motel														
Fire Alarm System	Unknown	Operational	N/A												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$650,000.00</td> <td style="text-align: right;">\$15,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$10,000.00</td> <td style="text-align: right;">\$10,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$660,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$25,000.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$650,000.00	\$15,000.00	Content:	\$10,000.00	\$10,000.00	TOTAL	\$660,000.00	\$25,000.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$650,000.00	\$15,000.00													
Content:	\$10,000.00	\$10,000.00													
TOTAL	\$660,000.00	\$25,000.00													
Narrative	<p>This is an undetermined fire that originated towards the center of the motel room, adjacent to the bed. The fire was contained to the motel room and exterior overhead structure causing major fire damage. This fire remains "under investigation". Engine 19 was the first arriving company.</p>														

Two Alarm Fire (B)

Date of Fire:	March 20, 2016	Time of Fire	3:29 PM												
Response Time	4 Minutes 26 Seconds														
Location	14255 Preston Road #828	Service Area	North Central												
Bldg. Type	3-Story Stucco Apartments	Council District	11 (Kleinman)												
Business Name	Clearview Apartments														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%; text-align: center;"><u>Value</u></th> <th style="width: 40%; text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$12,781,000.00</td> <td style="text-align: right;">\$1,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$0.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$12,781,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$1,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$12,781,000.00	\$1,000.00	Content:	\$0.00	\$0.00	TOTAL	\$12,781,000.00	\$1,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$12,781,000.00	\$1,000.00													
Content:	\$0.00	\$0.00													
TOTAL	\$12,781,000.00	\$1,000.00													
Narrative	<p>This is an accidental fire that resulted from a carelessly discarded cigarette which ignited the balcony of the apartment. The fire spread between the wood trusses causing minor damage to the balcony. Engine 56 was the first arriving company.</p>														

Two Alarm Fire (C)

Date of Fire:	March 21, 2016	Time of Fire	7:17 PM
Response Time	3 Minutes 14 Seconds		
Location	8634 Wingate Drive	Service Area	Northwest
Bldg. Type	2-Story Detached Garage	Council District	13 (Gates)
Business Name	N/A		
Fire Alarm System	No	Operational	N/A
Cause	Accidental		
Value/ Damage Estimate	<u>Value</u>	<u>Damage</u>	
	Building: \$180,000.00	\$17,500.00	
	Content: \$40,000.00	\$10,000.00	
	TOTAL \$220,000.00	\$27,500.00	
Narrative	<p>This is an accidental fire that originated in the shed area adjacent to the detached garage. The fire spread throughout the garage, storage, and surrounding fencing of the structures addressed #8627 and #8647. The fire caused severe smoke and fire damage to the structure and contents. Engine 42 was the first arriving company.</p>		

Two Alarm Fire (D)

Date of Fire:	March 26, 2016	Time of Fire	2:33 PM												
Response Time	1 Minute and 55 Seconds														
Location	8204 Elmbrook Drive #217	Service Area	Northwest												
Bldg. Type	3-Story Brick Commercial	Council District	2 (Medrano)												
Business Name	The Atrium on Elmbrook														
Fire Alarm System	Yes	Operational	Yes												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$1,850,000.00</td> <td style="text-align: right;">\$25,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$20,000.00</td> <td style="text-align: right;">\$20,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$1,870,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$45,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$1,850,000.00	\$25,000.00	Content:	\$20,000.00	\$20,000.00	TOTAL	\$1,870,000.00	\$45,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$1,850,000.00	\$25,000.00													
Content:	\$20,000.00	\$20,000.00													
TOTAL	\$1,870,000.00	\$45,000.00													
Narrative	<p>This is an undetermined fire. Firefighters arrived to find heavy flames coming from the second floor window towards the rear portion of the building. The fire caused major smoke and moderate structure damage throughout the second floor. Due to the extent of the fire damage, the physical evidence that could have been examined to determine the cause and the origin of the fire were destroyed. Engine 47 was the first arriving company.</p>														

Two Alarm Fire (E)

Date of Fire:	March 26, 2016	Time of Fire	4:00 PM												
Response Time	4 Minutes 50 Seconds														
Location	14606 Dallas Parkway #1057	Service Area	North Central												
Bldg. Type	2-Story Frame Townhome Apartments	Council District	11 (Kleinman)												
Business Name	The Davenport Apartments														
Fire Alarm System	Unknown	Operational	No												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$2,009,600.00</td> <td style="text-align: right;">\$100,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$20,000.00</td> <td style="text-align: right;">\$20,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$2,029,600.00</td> <td style="text-align: right; border-top: 1px solid black;">\$120,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$2,009,600.00	\$100,000.00	Content:	\$20,000.00	\$20,000.00	TOTAL	\$2,029,600.00	\$120,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$2,009,600.00	\$100,000.00													
Content:	\$20,000.00	\$20,000.00													
TOTAL	\$2,029,600.00	\$120,000.00													
Narrative	<p>This is an accidental fire that resulted from unattended cooking. An occupant of the apartment unit inadvertently left a burner in the "on" position on the stove, which continued to cook after the occupant walked away. The fire spread throughout the apartment resulting in a total loss. Engine 56 was the first arriving company.</p>														

One Alarm Fire (F)

Date of Fire:	March 27, 2016	Time of Fire	9:23 PM												
Response Time	2 Minutes 41 Seconds														
Location	3825 Latimer Street	Service Area	Southeast												
Bldg. Type	1-Story Frame Residence	Council District	7 (Young)												
Business Name	N/A														
Fire Alarm System	Unknown	Operational	Unknown												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$40,000.00</td> <td style="text-align: right;">\$40,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$2,500.00</td> <td style="text-align: right;">\$2,500.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$42,500.00</td> <td style="text-align: right; border-top: 1px solid black;">\$42,500.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$40,000.00	\$40,000.00	Content:	\$2,500.00	\$2,500.00	TOTAL	\$42,500.00	\$42,500.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$40,000.00	\$40,000.00													
Content:	\$2,500.00	\$2,500.00													
TOTAL	\$42,500.00	\$42,500.00													
Narrative	<p>This is an accidental fire that resulted from careless use of a heat source. An occupant of the residence utilized a lighter to check whether gasoline that was recently poured into the storage tank of a generator located in the living room exceeded the fill-line. The lighter ignited the vapors from the gasoline which then flashed to all available vapors to the room subsequently causing the living room and attic to burn. Major fire damage ensued to the structure and its contents. The fire also caused damage to the structure of address #3827. Truck 24 was the first arriving company.</p>														

One Alarm Fire (G)

Date of Fire:	March 29, 2016	Time of Fire	4:45 AM												
Response Time	2 Minutes 2 Seconds														
Location	1510 Dennison Street.	Service Area	Southwest												
Bldg. Type	1-Story Frame Dwelling	Council District	6 (Alonzo)												
Business Name	N/A														
Fire Alarm System	No	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$5,870.00</td> <td style="text-align: right;">\$4,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$1,500.00</td> <td style="text-align: right;">\$1,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$7,370.00</td> <td style="text-align: right; border-top: 1px solid black;">\$5,000.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$5,870.00	\$4,000.00	Content:	\$1,500.00	\$1,000.00	TOTAL	\$7,370.00	\$5,000.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$5,870.00	\$4,000.00													
Content:	\$1,500.00	\$1,000.00													
TOTAL	\$7,370.00	\$5,000.00													
Narrative	<p>This is an undetermined fire that originated in the living room. The fire spread from the living room to the adjacent bedroom and hallway before advancing to the attic. Major fire damage occurred resulting in damage so severe that investigators could not immediately identify its cause. This investigation is ongoing. Engine 36 was the first arriving company.</p>														

Two Alarm Fire (H)

Date of Fire:	March 29, 2016	Time of Fire	12:37 PM												
Response Time	4 Minutes 58 Seconds														
Location	13929 North Central Service Road, Southbound	Service Area	North Central												
Bldg. Type	1-Story Frame Restaurant	Council District	11 (Kleinman)												
Business Name	FIREPIT														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$1,189,630.00</td> <td style="text-align: right;">\$10,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$0.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$1,189,630.00</td> <td style="text-align: right; border-top: 1px solid black;">\$10,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$1,189,630.00	\$10,000.00	Content:	\$0.00	\$0.00	TOTAL	\$1,189,630.00	\$10,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$1,189,630.00	\$10,000.00													
Content:	\$0.00	\$0.00													
TOTAL	\$1,189,630.00	\$10,000.00													
Narrative	<p>This is an accidental fire that originated from combustibles located too close to a heat source. Construction workers, repairing the roof, ignited wooden members of the attic space while utilizing a propane fueled torch. The fire spread from the roof adjacent to the fire pit signage and spread downward causing moderate fire damage to the roof and the attic space. Truck 57 was the first arriving company.</p>														

Four Alarm Fire (I)

Date of Fire:	April 4, 2016	Time of Fire	10:33 AM												
Response Time	3 Minutes 10 Seconds														
Location	9877 Brockbank Drive #135	Service Area	Northwest												
Bldg. Type	2-Story Stucco Apartments	Council District	6 (Alonzo)												
Business Name	Southwood Apartments														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$150,000.00</td> <td style="text-align: right;">\$150,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$80,000.00</td> <td style="text-align: right;">\$80,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$230,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$230,000.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$150,000.00	\$150,000.00	Content:	\$80,000.00	\$80,000.00	TOTAL	\$230,000.00	\$230,000.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$150,000.00	\$150,000.00													
Content:	\$80,000.00	\$80,000.00													
TOTAL	\$230,000.00	\$230,000.00													
Narrative	<p>This is an accidental fire that resulted from careless hot-work operations performed by maintenance personnel. While repairing a leaky faucet in the kitchen of unit #135, a worker ignited wooden structures surrounding pipe utilizing welding equipment. The fire spread into the kitchen walls and advanced through the ceiling, attic, and then the roof. The roof eventually collapsed resulting in extensive fire damage and a total building loss. There were multiple exposures, including units #134 and units #136 through #141. Engine 43 was the first arriving company.</p>														

Two Alarm Fire (J)

Date of Fire:	April 5, 2016	Time of Fire	8:03 PM												
Response Time	3 Minutes 51 Seconds														
Location	12365 Plano Road	Service Area	Northeast												
Bldg. Type	3-Story Frame Apartments	Council District	10 (McGough)												
Business Name	Waterchase Apartments														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Incendiary														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$300,000.00</td> <td style="text-align: right;">\$80,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$0.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$300,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$80,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$300,000.00	\$80,000.00	Content:	\$0.00	\$0.00	TOTAL	\$300,000.00	\$80,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$300,000.00	\$80,000.00													
Content:	\$0.00	\$0.00													
TOTAL	\$300,000.00	\$80,000.00													
Narrative	<p>This is an incendiary fire that caused severe fire damage to the attic area and to one third floor apartment. First responding firefighters reported fire and smoke coming from the roof upon arrival. Engine 57 was the first responding company.</p>														

Three Alarm Fire (K)

Date of Fire:	April 6, 2016	Time of Fire	3:04 PM												
Response Time	1 Minute 27Seconds														
Location	3353 Lombardy Lane #515	Service Area	Northwest												
Bldg. Type	3-Story Frame Apartments	Council District	6 (Alonzo)												
Business Name	Bayou Bend														
Fire Alarm System	Unknown	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$8,000,000.00</td> <td style="text-align: right;">\$41,250.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$8,000.00</td> <td style="text-align: right;">\$8,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$8,008,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$49,250.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$8,000,000.00	\$41,250.00	Content:	\$8,000.00	\$8,000.00	TOTAL	\$8,008,000.00	\$49,250.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$8,000,000.00	\$41,250.00													
Content:	\$8,000.00	\$8,000.00													
TOTAL	\$8,008,000.00	\$49,250.00													
Narrative	<p>This is an accidental fire that originated in the kitchen of apartment #515 that was caused by a mechanical or electrical malfunction at the dishwasher. The fire spread from the structure to the breezeway of the first floor then vertically to the third floor breezeway before causing moderate fire damage and severe smoke damage throughout the apartment. Engine 43 was the first responding company.</p>														

One Alarm Fire (L)

Date of Fire:	April 6, 2016	Time of Fire	11:38 PM												
Response Time	1 Minute 55 Seconds														
Location	2381 Blue Creek Drive	Service Area	South Central												
Bldg. Type	1-Story Frame Residential	Council District	3 (Thomas)												
Business Name	N/A														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$48,550.00</td> <td style="text-align: right;">\$15,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$50,000.00</td> <td style="text-align: right;">\$5,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$98,550.00</td> <td style="text-align: right; border-top: 1px solid black;">\$20,000.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$48,550.00	\$15,000.00	Content:	\$50,000.00	\$5,000.00	TOTAL	\$98,550.00	\$20,000.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$48,550.00	\$15,000.00													
Content:	\$50,000.00	\$5,000.00													
TOTAL	\$98,550.00	\$20,000.00													
Narrative	<p>This fire is undetermined. The fire most probably originated near the front window area. Witnesses stated that fire vented from the living room area onto the front porch and began rolling out the front window and door. The fire then spread to the adjacent walls and ceiling before causing major fire damage. Truck 25 was the first arriving company.</p>														

Two Alarm Fire (M)

Date of Fire:	April 7, 2016	Time of Fire	12:28 AM												
Response Time	2 Minutes 7 Seconds														
Location	1810 Park Row Avenue	Service Area	Southeast												
Bldg. Type	2-Story Frame Commercial	Council District	7 (Young)												
Business Name	Lane Staffing														
Fire Alarm System	No	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$140,000.00</td> <td style="text-align: right;">\$20,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$14,000.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$154,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$20,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$140,000.00	\$20,000.00	Content:	\$14,000.00	\$0.00	TOTAL	\$154,000.00	\$20,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$140,000.00	\$20,000.00													
Content:	\$14,000.00	\$0.00													
TOTAL	\$154,000.00	\$20,000.00													
Narrative	<p>This is an accidental fire that resulted from an unspecified electrical short of fixed wiring. The fire originated on the second floor before responding firefighters found fire and smoke showing from an exterior south side wall. The fire spread throughout the open space and attic area causing moderate damage to the structure. Engine 6 was the first responding company.</p>														