

3-27-13

ORDINANCE NO. 28946

An ordinance changing the zoning classification on the following property:

BEING Lots 11 and 12 in City Block D/2172; fronting approximately 145 feet on the west side of Greenville Avenue; fronting approximately 100 feet on the south side of Vanderbilt Avenue; and containing approximately .33 acres,

from Conservation District No. 9 (the M Streets Conservation District) with Modified Delta No. 1 Overlay to Subarea 1 within Conservation District No. 9 with retention of the Modified Delta No. 1 Overlay; amending Ordinance No. 25116, passed by the Dallas City Council on November 13, 2002, which established Conservation District No. 9; creating a new Subarea 1; providing a new Exhibit A (M Street Conservation District Regulations) to reflect the creation of Subarea 1; providing a new Exhibit B-1 (conceptual plan for Subarea 1); providing a new Exhibit C (Subarea 1 existing conditions site plan); providing a penalty not to exceed \$2,000; providing a saving clause; providing a severability clause; and providing an effective date.

WHEREAS, the city plan commission and the city council, in accordance with the Charter of the City of Dallas, the state law, and the ordinances of the City of Dallas, have given the required notices and have held the required public hearings regarding this amendment to the Dallas City Code; and

WHEREAS, the city council finds that it is in the public interest to amend Conservation District No. 9 as specified in this ordinance; Now, Therefore,

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF DALLAS:

SECTION 1. That the zoning classification is changed from Conservation District No. 9 with Modified Delta No. 1 Overlay to Subarea 1 within Conservation District No. 9 with retention of the Modified Delta No. 1 Overlay on the following property ("the Property"):

BEING Lots 11 and 12 in City Block D/2172; fronting approximately 145 feet on the west side of Greenville Avenue; fronting approximately 100 feet on the south side of Vanderbilt Avenue; and containing approximately .33 acres.

SECTION 2. That the Exhibit A (M Streets Conservation District Regulations) attached to Ordinance No. 25116 is replaced by the Exhibit A (M Streets Conservation District Regulations) attached to this ordinance.

SECTION 3. That a person who violates a provision of this ordinance, upon conviction, is punishable by a fine not to exceed \$2,000.

SECTION 4. That the zoning ordinances of the City of Dallas, as amended, shall remain in full force and effect, save and except as amended by this ordinance.

SECTION 5. That the terms and provisions of this ordinance are severable and are governed by Section 1-4 of Chapter 1 of the Dallas City Code, as amended.

SECTION 6. That this ordinance shall take effect immediately from and after its passage and publication, in accordance with the Charter of the City of Dallas, and it is accordingly so ordained.

APPROVED AS TO FORM:

THOMAS P. PERKINS, JR., City Attorney

By

Assistant City Attorney

Passed

MAR 27 2013

28946

EXHIBIT A**M STREETS CONSERVATION DISTRICT REGULATIONS**Table of Contents

	<u>Page</u>
(a) Interpretations and definitions	4
(b) Conceptual plan	7
(c) Nonconforming structures	7
(d) Development standards <u>for single family uses</u>	7
(1) Use	7
(2) Conversions or additions	7
(3) Lot size.....	7
(4) Lot width.....	7
(5) Lot coverage	7
(6) Height.....	7
(7) Front yard setback for main structures	7
(8) Side yard setback for main structures	7
(9) Rear yard setback for main structures.....	7
(10) Stories	8
(11) Accessory structures, garages, and carports	8
(12) Roofing	8
(13) Fences and walls	8
(14) Driveways and curbing.....	9
(15) Front yards and parkways.....	9
(16) Retaining walls	9
(17) Parkway trees	10
(18) Windows and doors	10
(e) Architectural standards for new construction <u>for single family uses</u>	10
(1) Applicability	10
(2) Style	10
(3) Materials	11
(4) Front facade dimensions	11
(5) Roof form.....	11
(6) Foundation	12
(7) Steps.....	12
(8) Front porches	12
(9) Front facade windows.....	13
(10) Chimneys	13

Exhibit A

28946

(11)	Dormers and eyebrows	14
(12)	Optional architectural design features	14
(f)	Architectural standards for remodeling of High Tudor and Tudor Cottage houses	14
(1)	Applicability	14
(2)	Materials	14
(3)	Porte cocheres	14
(4)	Architectural design features	15
(g)	Demolition of High Tudor houses	15
(h)	Architectural standards for remodeling and reconstruction of non-Tudor houses	15
(i)	Architectural standards for craftsman houses	15
(1)	Applicability	15
(2)	Materials	16
(3)	Roof form.....	16
(4)	Windows	16
(5)	Front porches	16
(j)	Architectural standards for Spanish Revival houses.....	16
(1)	Applicability	16
(2)	Materials	16
(3)	Roofs.....	16
(4)	Windows	16
(5)	Arches	16
(k)	Architectural standards for Minimal Traditional houses	16
(1)	Applicability	16
(2)	Materials	16
(3)	Roofs.....	17
(4)	Windows	17
(5)	Front porches	17
(l)	Architectural standards for Neo-Colonial houses	17
(1)	Applicability	17
(2)	Materials	17
(3)	Roof form.....	17
(4)	Windows	17
(5)	Front door	17
(m)	Architectural standards for Ranch houses	17
(1)	Applicability	17
(2)	Materials	17
(3)	Roof form.....	17
(4)	Windows	17
(n)	Architectural standards for Contemporary houses.....	17
(1)	Applicability	17
(2)	Style and materials.....	17
(o)	<u>Development standards for Subarea 1</u>	18
(1)	<u>Permitted uses</u>	18
(2)	<u>Prohibited uses</u>	19
(3)	<u>Accessory uses</u>	19
(4)	<u>Development standards for the building existing as of March 27, 2013</u>	20

Exhibit A
28946

(5)	<u>Development standards for new construction</u>	20
(p)	<u>Architectural standards for remodeling the building in Subarea 1 existing as of March 27, 2013</u>	24
(1)	<u>In general</u>	24
(2)	<u>Doors</u>	24
(3)	<u>Equipment screening</u>	24
(4)	<u>Facade material</u>	24
(5)	<u>Fenestration</u>	24
(6)	<u>Roofs</u>	24
(7)	<u>Street-facing facades</u>	24
(8)	<u>Story setbacks</u>	24
(q)	<u>Architectural standards for new construction in Subarea 1</u>	25
(1)	<u>In general</u>	25
(2)	<u>Doors</u>	25
(3)	<u>Facade material</u>	25
(4)	<u>Fenestration</u>	25
(5)	<u>Street-facing facade</u>	25
(r)	<u>Procedures</u>	26
(1)	<u>Review form application</u>	26
(2)	<u>Posting of architectural plans</u>	26
(3)	<u>Work requiring a building permit</u>	26
(4)	<u>Work not requiring a building permit</u>	27
(5)	<u>Appeals</u>	27

EXHIBIT B: M Streets Conservation District Conceptual plan

EXHIBIT B-1: Conceptual Plan for Subarea 1

EXHIBIT C: Subarea 1 Existing Conditions Site Plan

Exhibit A

28946

(a) Interpretations and definitions.

- (1) Unless otherwise stated, all references to articles, divisions, or sections in this ordinance are to articles, divisions, or sections in Chapter 51A.
- (2) Unless otherwise stated, the definitions in Chapter 51A apply to this ordinance. In this ordinance:
 - (A) ARCHITECTURAL DESIGN FEATURES include chimneys; roof style, slope, and overhang; materials; window style; vent style; balconies; towers; wing walls; eave overhangs; window sashes; front porches; crowns; pilasters; and other exterior architectural features.
 - (B) CIRCULAR DRIVEWAY means a non-permeable surface located in a front yard or cornerside yard, used to access off-street parking or for off-street parking, and that has two curb cuts onto the same street or perpendicular streets.
 - (C) COMPATIBLE means consistent with the architectural design features found within the district, including architectural style, scale, massing, setbacks, colors, and materials.
 - (D) CONTEMPORARY means contemporary architectural style as shown in Exhibit B.
 - (E) CORNER LOT means a lot that has frontage on two different streets.
 - (F) CORNERSIDE FACADE means a main building facade facing a side street.
 - (G) CORNERSIDE LOT LINE means the lot line on a side street.
 - (H) CORNERSIDE YARD means a side yard that abuts a street. A NON-CORNERSIDE YARD means a side yard that is not a cornerside yard.
 - (I) CRAFTSMAN means craftsman architectural style as shown in Exhibit B.
 - (J) DEMOLITION means the razing of the entire building or structure.
 - (K) DIRECTOR means the director of the department of development services or the director's representative.
 - (L) DISTRICT means the M Streets Conservation District.
 - (M) FENCE means a structure or hedgerow that provides a physical barrier.

Exhibit A

28946

- (N) FRONT FACADE means the building elevation facing the front street.
- (O) FRONT STREET means Homer Street for houses with Homer Street addresses, McCommas Boulevard, Mercedes Avenue, Merrimac Avenue, Monticello Avenue, Morningside Avenue, Ridgedale Avenue, and Vanderbilt Avenue.
- (P) FRONT YARD means the portion of a lot that abuts a street and extends across the width of the lot between the street and a main building and lines parallel to and extending outward from the front facade of a main building. REQUIRED FRONT YARD means the portion of the front yard between the street and the setback line.
- (Q) HARDSCAPE means any non-plant landscape materials such as boulders, cobbles, decorative concrete, gravel, mulch, pavers, or stones.
- (R) HEIGHT means the vertical distance measured from grade to the highest point of the structure as shown in Exhibit B.
- (S) HIGH TUDOR means high tudor architectural style as shown in Exhibit B.
- (T) LARGE CANOPY TREES means those varieties of Maple, Oak, Elm, and Pecan designated as large canopy trees by the city arborist.
- (U) LINE-OF-SIGHT refers to an imaginary line extending from the viewpoint of a six-foot-tall person standing in the middle of the street to the apex of the roof of the main structure's side gable. (See Exhibit B.)
- (V) MAIN STRUCTURE means the building on a lot intended for occupancy by the main use.
- (W) MINIMAL TRADITIONAL means minimal traditional architectural style as shown in Exhibit B.
- (X) NEO-COLONIAL means neo-colonial architectural style as shown in Exhibit B.
- (Y) ONE-AND-ONE-HALF STORY STRUCTURE means a main structure in which the space within the roof structure has been converted to livable space.
- (Z) ORIGINAL HOUSE means a house constructed between 1920 and 1940 in the High Tudor style.

Exhibit A

28946

- (AA) PARKWAY means that area between the sidewalk and the curb, or that area between the sidewalk and the street pavement if there is no curb.
- (BB) RANCH means ranch architectural style as shown in Exhibit B.
- (CC) REAR YARD means:
 - (i) on an interior lot, the portion of the lot between the side lot lines that extends across the width of the lot between a main building and lines parallel to and extending outward from the rear facade of a main building and the rear lot line; and
 - (ii) on a corner lot, the portion of the lot that extends between the interior side lot line and a line parallel to and extending outward from the rear corner of the cornerside facade, and between the rear lot line and a main building and a line parallel to and extending outward from the interior side corner of the rear facade.
- (DD) REMODEL means improvements or repairs that change the appearance of the main structure or replace original materials of the main structure with another material.
- (EE) RETAINING WALL means a wall used to prevent the erosion of land.
- (FF) ROOF RIDGE means the apex of any roof structure, regardless of its style or form.
- (GG) SIDE-STREET means Central Expressway, Glencoe Street, Greenville Avenue, Homer Street for houses with non-Homer addresses, Laneri Avenue, McMillan Avenue, and Worcola Street.
- (HH) SIDE YARD means any portion of a lot not occupied by a main building that is not a front yard or rear yard. "Side yard" includes "cornerside yard."
- (II) SPANISH REVIVAL means spanish revival architectural style as shown in Exhibit B.
- (JJ) STREET FACADE means any part of a building that faces a public street.
- (KK) TUDOR COTTAGE means tudor cottage architectural style as shown in Exhibit B.
- (LL) WRAP-AROUND means that portion of a side facade of a main structure 25 feet behind the corner of the front facade.

28946

- (b) Conceptual plan. The M Streets Conservation District Conceptual Plan is attached to and made a part of this ordinance as Exhibit B. The M Streets Conservation District Conceptual Plan for Subarea 1 is attached to and made a part of this ordinance as Exhibit B-1. In the event of a conflict between Exhibit A, the M Streets Conservation District Regulations, and Exhibit B, the conceptual plan, or Exhibit B-1, the conceptual plan for Subarea 1, Exhibit A controls.
- (c) Nonconforming structures. Section 51A-4.704(c), "Nonconforming Structures," applies, except that if the degree of nonconformity is voluntarily reduced, all rights to the previous degree of nonconformity are lost.
- (d) Development standards. Except as [~~otherwise~~] provided in this Exhibit A, the development standards of the R-7.5(A) Single Family District apply. See Subsection (o) for development standards for Subarea 1.
- (1) Use. The only use allowed is single-family.
 - (2) Conversions or additions. The number of dwelling units on a lot may not be increased.
 - (3) Lot size. Lots must have a minimum area of 7,500 square feet.
 - (4) Lot width. Lots must have a minimum width of 50 feet. Lots may not exceed 60 feet in width.
 - (5) Lot coverage. The maximum lot coverage is 45 percent.
 - (6) Height. The maximum height for all structures is 30 feet, except that no part of the main structure may exceed the line-of-sight. Height must be calculated by a licensed architect or engineer. (See Exhibit B.)
 - (7) Front yard setback for main structures. The minimum front yard setback for main structures is the average of the front yard setback of the two adjacent houses. The maximum front yard setback for main structures is the greater setback of the two adjacent houses. Setback calculations must be prepared by a licensed architect or engineer.
 - (8) Side yard setback for main structures. Except for houses located on Homer Street, the minimum side yard setback for main structures is five feet on the west side and 10 feet on the east side. For houses on Homer Street, the minimum side yard setback for main structures is five feet on the north side and 10 feet on the south side.
 - (9) Rear yard setback for main structures. The minimum rear yard setback for main structures is 20 feet.

- (10) Stories. The front facade of main structures must have the appearance of a one- and one-half story structure as shown in Exhibit B.
- (11) Accessory structures, garages, and carports.
- (A) Location. Garages and carports must be located in the rear 30 percent of the lot. On corner lots, accessory structures may not be located closer to the cornerside lot line than the main structure.
 - (B) Access. Garages must have at least one vehicle entrance from the street.
 - (C) Style and materials. The color, style, design, and materials of garages that are visible from the street must be compatible with the main structure.
 - (D) Roof slope. If a garage is visible from the street, the slope of the roof must match either the roof slope of the main structure or the roof slope of original garages.
 - (E) Side yard setback. There is no required side yard setback for garages, except that no part of the garage may overhang adjacent property.
 - (F) Rear yard setback for garages.
 - (i) Garages over 15 feet in height must have a minimum five-foot rear yard setback.
 - (ii) Garages 15 feet or less in height must have a three-foot rear yard setback unless the property owner can document the original footprint, in which case the garage may be built on the original footprint.
 - (iii) The minimum rear yard setback for all rear-entry garages is 20 feet.
 - (G) Existing garages. Existing garages that are not located to the rear of the main structure may be repaired or maintained, but may not be enlarged or replaced.
- (12) Roofing materials. No corrugated plastic, standing-seam metal, rolled, or tar-and-gravel roofing is allowed on the front facade, the wrap-around, or any part of a garage that is visible from a street. Copper roofing accents are allowed on dormers and eyebrows.
- (13) Fences and walls.
- (A) Fences are not allowed in the front yard.

- (B) Fences and walls that can be seen from a street must be constructed of brick that matches the main structure, stone, wood, or wrought iron.
 - (C) Fences in cornerside yards must be located behind the mid-point of the main structure.
 - (D) Fences in non-cornerside yards must be located at least five feet behind the front corner of the house.
- (14) Driveways and curbing.
- (A) All houses must have a straight driveway located along the east side (south side for Homer lots) of the main structure. The driveway entry must be from the front street, except that corner lots may have a driveway entry from the side street.
 - (B) Circular driveways are prohibited. Lots may only have one driveway entry, except that additional access is allowed from the alley.
 - (C) All driveways and curbing located in a front yard or cornerside yard must be constructed of brushed concrete.
 - (D) The driveway entry must be between eight and ten feet wide. On corner lots, a driveway on the side street may be 24 feet wide if it is located behind the rearmost corner of the main structure or provides access to a garage.
 - (E) Existing driveways on cornerside lot lines may be removed if the entire driveway is removed, the curb and parkway is restored, and the driveway is relocated.
- (15) Front yards and parkways.
- (A) No more than 30 percent of the front yard may be paved or hardscaped. The parkway may not be paved or hardscaped except for curb cuts and sidewalk extensions.
 - (B) Mailboxes, pylons, satellite dishes, and other accessory structures are not allowed in the front yard or parkway.
- (16) Retaining walls.
- (A) Existing retaining walls may be repaired and maintained.

- (B) New retaining walls must be made of stone and may not exceed 30 inches in height as measured from the sidewalk or four inches above the yard it is retaining, whichever is less; and must match the materials and color of the main structure.
- (17) Parkway trees. Prior to final inspection on any new construction or additions over 100 square feet, at least two, two-caliper-inch large canopy trees must be planted in or adjacent to the parkway. This requirement does not apply if there are already two or more large canopy trees located in or adjacent to the parkway. A large canopy tree is considered adjacent to the parkway when the tree, fully grown, will provide a 10-foot-wide shaded area over the parkway and a portion of the street at midday. If trees are planted in the public right-of way, all applicable licensing requirements must be met.
- (18) Windows and doors.
 - (A) The following applies to windows and doors on the front facade and the wrap-around:
 - (i) Only transparent, stained, or leaded glass is allowed in windows and doors.
 - (ii) Window height must be greater than the window width.
 - (iii) All windows must fit the wall opening. Infill surrounding the window is not allowed.
 - (iv) Metal window frames must have a finish that is indistinguishable from the finish on original wood windows.
 - (v) Window air conditioner units are not allowed.
 - (vi) Window muntins and mullions must be expressed by a minimum of one-fourth inch. Window assemblies must have a profile depth of at least three inches.
- (e) Architectural standards for new construction.
 - (1) Applicability. The standards contained in this section apply to construction of new main structures, except Craftsman replacement houses. This section applies to the front facade and the wrap-around.
 - (2) Style. All new construction must be built in the High Tudor style and must be compatible with original houses.

28946

(3) Materials.

- (A) Except as otherwise provided in this paragraph, new houses must be constructed of brick and/or stone using the same colors, course patterns, material placement, and material combinations found in original houses.
- (B) Brick must be scratch-face or textured, with at least three subtle variations in tone. Brick colors and textures must be typical of the brick used on original houses. Brick must be modular or standard size.
- (C) Stone must be similar to the stone used on original houses.
- (D) Projecting front-facing gables and side gables must be constructed of brick, stone, or stucco with wood half-timbering. All decorative wood elements must be painted.
- (E) Non-gabled areas above the eaves on the sides of the house must be constructed of brick, hardiplank, siding that has the appearance of wood, stone, stucco with wood half-timbering, or wood.

- (4) Front facade dimensions. The width of the front facade of the new house must be at least 75 percent of available buildable lot width. The front facade may vary no more than six feet in depth along the front plane. The front facade may not face a side street.

- (5) Roof form. The roof of new houses must be side-gabled with a roof slope between 45 degrees and 70 degrees. Hipped roofs are not allowed. The maximum overhang for eaves is 18 inches. (See Exhibit B.)

(A) Projecting front-facing gables.

- (i) The front facade of new houses must have one dominant projecting front-facing gable, and one or two smaller subordinate projecting front-facing gable(s).
- (ii) Projecting front-facing gables must be placed asymmetrically along the front facade.
- (iii) Projecting front-facing gables may overlap.
- (iv) Projecting front-facing gables must have a roof slope between 45 degrees and 70 degrees. The roof slope of each projecting front-facing gable must be the same.

Exhibit A

28946

- (v) The height of the peak of the dominant projecting front-facing gable must be between 20 feet and 24 feet. The height of subordinate projecting front-facing gables must be at least 70 percent to 80 percent of the height of the dominant projecting front-facing gable.
- (B) Eaves. The eaves of all projecting front-facing gables and side gables must have a common height between 9 feet to 11 feet above grade.
- (C) Side gables. Side gables must be true gables, with both front and back roof slopes. At least 30 percent of the back slope must be maintained. The roof ridge of side gables must be flat and uninterrupted.
- (6) Foundation. The foundation must be raised a minimum of 12 inches above grade. The foundation must have a concrete exterior finish.
- (7) Steps.
 - (A) Original rolling or waterfall steps leading from the sidewalk to the house must be retained. Where the original rolling or waterfall steps have been removed, they should be replaced to match the original.
 - (B) Front porch steps must lead to building entrances.
 - (C) Steps must be made of concrete.
- (8) Front porches.
 - (A) New houses must have a front porch constructed with multiple arched openings compatible with original houses.
 - (B) The front porch must be a minimum of 25 percent of the ground floor front facade width. Front porches must have a minimum depth of six feet, measured from inside the column to the face of the front facade.
 - (C) Front porches may be open-air or enclosed. If front porches are enclosed, at least 95 percent of the material used to enclose the front porch openings must be transparent, stained, or leaded glass.

28946

(9) Front facade windows.

- (A) The following standards apply to front facade windows located below the eaves:
 - (i) New houses must have at least one pair of narrow, stained or leaded glass windows with a height-to-width ratio of at least 2-to-1.
 - (ii) All other windows must be clear glass configured as 9-over-9, 6-over-6, or 1-over-1 lights; leaded glass; or stained glass.
 - (iii) Windows must be asymmetrically positioned in groups along the front facade.
- (B) The following standards apply to front facade windows located above the eaves:
 - (i) Windows may only be located in front projecting gables, dormers, or eyebrows.
 - (ii) Casement and awning dimensions must be compatible with original houses.
 - (iii) Windows must be stained or leaded glass.

(10) Chimneys.

- (A) New houses must incorporate a brick and/or stone chimney into the front facade or the front 15 feet of a side facade. The chimney must be at least five feet in width.
- (B) New houses must incorporate at least one of the following elements into the chimney:
 - (i) Corbel chimney statue ledge.
 - (ii) Twin chimney flues with expressed masonry openings.
 - (iii) Complex brick or stone patterns.

Exhibit A

28946

- (11) Dormers and eyebrows.
- (A) One gabled dormer is allowed on the front facade. Gabled dormers may not be inset or recessed. The width of gabled dormers may not exceed six feet. The height of the gabled dormer may not exceed the width by more than one foot.
 - (B) Up to two eyebrow dormers are allowed on the front facade. Eyebrow dormers must be compatible with original houses.
- (12) Optional architectural design features.
- (A) New houses must incorporate at least four of the following architectural design features into the front facade (see Exhibit B):
 - (i) Arched doorway which matches the shape of the front porch arches.
 - (ii) Turned cast-stone front porch columns.
 - (iii) Stucco with wood half-timbering in projecting front-facing gables.
 - (iv) Decorative, articulated verge boards.
 - (v) Stone accents.
 - (vi) Massive chimney located on the front facade.
 - (vii) Blond or light-colored brick compatible with original houses.
 - (viii) Open-air front porch.
- (f) Architectural standards for remodeling of High Tudor and Tudor Cottage houses.
- (1) Applicability. Remodeling of houses that are identified as High Tudor or Tudor Cottage in Exhibit B must comply with the standards for new construction and the standards contained in this section. This section applies to the front facade and wrap-around.
 - (2) Materials. Any remodeling must match the original brick and stone in size, color, coursing, texture, mortaring, and joint detailing.
 - (3) Porte cocheres. Porte cocheres may not be enclosed.

Exhibit A

28946

- (4) Architectural design features.
- (A) The following architectural design features must be maintained or duplicated. These architectural design features may be relocated within the front facade or wrap-around.
- (i) Balustrades.
 - (ii) Chimneys.
 - (iii) Dormers.
 - (iv) Exterior stained and leaded glass.
 - (v) Front porches with columns.
 - (vi) Porte cocheres.
 - (vii) Roof eaves.
 - (viii) Turrets.
 - (ix) Window and door openings.
- (g) Demolition of High Tudor houses. Houses identified as High Tudor in Exhibit B may be demolished only if the cost of bringing the house into compliance with all applicable building code requirements using materials similar to the original materials is greater than 80 percent of the structure's value according to the Dallas Central Appraisal District.
- (h) Architectural standards for remodeling and reconstruction of non-Tudor houses. Non-Tudor houses may be remodeled in their own style, or in the High Tudor style, as long as the front facade and wrap-around reflects the chosen architectural style. Houses completely or partially destroyed due to acts of God may be rebuilt in the original architectural style or in the High Tudor style.
- (i) Architectural standards for Craftsman houses.
- (1) Applicability.
- (A) If a Craftsman house is demolished, it may be replaced by a High Tudor house or a Craftsman house. If the new house is a High Tudor house, it must comply with the architectural standards for new construction. If the new house is a Craftsman house, it must comply with these standards.
- (B) Houses that are identified as Craftsman in Exhibit B must be remodeled according to the following standards.

Exhibit A

28946

- (C) This section applies to the front facade and wrap-around.
- (2) Materials. Craftsman houses must be constructed of brick, hardiplank, or wood. Any remodeling must match the original materials in type, size, color, coursing, texture, and joint detailing.
 - (3) Roof form. Craftsman houses must have a front-gabled roof with a shallow roof slope between 20 degrees and 40 degrees, with a minimum roof overhang of at least 18 inches. Roof rafters must be exposed. Decorative beams or braces must be added under gables. Gables must have dentils.
 - (4) Windows. Windows must be double-hung with 1-over-1 lights, or must be mission-styled. Windows must be grouped in clusters of two or three.
 - (5) Front porches. An unenclosed front porch is required along a minimum of 50 percent of the front facade. The front porch roof must be supported by tapered, square box columns with a brick or stone base. The front porch must be surrounded by a wood balustrade or railing. The entryway must have a Craftsman wood door.
- (j) Architectural standards for Spanish Revival houses.
- (1) Applicability. Spanish Revival houses must be remodeled according to the following standards. This section applies to the front facade and wrap-around.
 - (2) Materials. Any renovations or additions must match the original brick, stone, or stucco in color, coursing, mortaring, size, and texture.
 - (3) Roofs. Spanish Revival houses must have a front-gabled roof with a shallow roof slope between 20 degrees and 40 degrees, with a maximum roof overhang of 8 inches.
 - (4) Windows. Windows must have 6-over-6 or 9-over-9 divided lights.
 - (5) Arches. Arches above doors and windows must be retained.
- (k) Architectural standards for Minimal Traditional houses.
- (1) Applicability. Minimal Traditional houses must be remodeled according to the following standards. This section applies to the front facade and wrap-around.
 - (2) Materials. Any remodeling must match the original brick or stone in color, coursing, joint detailing, mortaring, size, and texture.

Exhibit A

28946

- (3) Roofs. Minimal Traditional houses must have a cross-gabled roof with low to moderate roof slope between 30 degrees and 45 degrees, and a single projecting front-facing entryway. The maximum roof overhang is 12 inches.
- (4) Windows. Windows must have multi-pane sashes.
- (5) Front porches. A front porch entry feature is required.
- (l) Architectural standards for Neo-Colonial houses.
 - (1) Applicability. Neo-Colonial houses must be remodeled according to the following standards. This section applies to the front facade and wrap-around.
 - (2) Materials. Any remodeling must match the original brick or stone in color, coursing, joint detailing, mortaring, size, and texture.
 - (3) Roof form. Neo-Colonial houses must have a side-gabled roof with a low to moderate roof slope between 35 degrees and 60 degrees.
 - (4) Windows. Windows must be double hung with multi-pane sashes. Windows must be symmetrically balanced on both sides of the center door.
 - (5) Front door. The front door must be accentuated with a decorative pediment with crown, entry porch, slender columns, and pilasters.
- (m) Architectural standards for Ranch houses.
 - (1) Applicability. Ranch houses must be remodeled according to the following standards. This section applies to the front facade and wrap-around.
 - (2) Materials. Any remodeling must match the original brick, stone, or wood in color, coursing, joint detailing, mortaring, size, and texture.
 - (3) Roof form. Ranch houses must have a hipped roof with a low roof slope between 20 degrees and 35 degrees. The overhang must be a minimum of 12 inches but no more than 24 inches.
 - (4) Windows. Windows must be ribbon or picture style.
- (n) Architectural standards for Contemporary houses.
 - (1) Applicability. Contemporary houses must be remodeled according to the following requirements. This section applies to the front facade and wrap-around.
 - (2) Style and materials. Any remodeling must match the original materials, roof slope, and style of the main structure.

Exhibit A

28946

(o) Development standards for Subarea 1.(1) Permitted uses.(A) Agricultural uses.None.(B) Commercial and business service uses.

-- Catering service. [No on-premise consumption of food or beverages.]

-- Custom business services.

(C) Industrial uses.None(D) Institutional and community service uses.None(E) Lodging uses.None(F) Miscellaneous uses.None(G) Office uses. [The combined floor area of all office uses may not exceed 2,400 square feet.]

-- Office.

-- Medical clinic or ambulatory surgical center

(H) Recreation uses.None(I) Residential uses.None

Exhibit A

28946

(J) Retail and personal service uses.

- Dry cleaning or laundry store.
- Furniture store.
- General merchandise or food store 3,500 square feet or less.
- General merchandise or food store greater than 3,500 square feet.
- Liquor store.
- Nursery, garden shop, or plant sales. *[Inside a building only, with accessory outside display allowed.]*
- Personal service uses.
- Temporary retail use.

(K) Transportation uses.

- Transit passenger shelter.

(L) Utility and public service uses.

- Local utilities.

(M) Wholesale, distribution, and storage uses.

None

(2) Prohibited uses.

- (A) Alcoholic beverage establishments.
- (B) Dance hall as defined in Chapter 14 of the Dallas City Code, as amended.
- (C) Restaurant.
- (D) Any use not specifically listed as a permitted use is prohibited.

(3) Accessory uses.

(A) As a general rule, an accessory use is permitted in any district in which the main use is permitted. Some specific accessory uses, however, due to their unique nature, are subject to additional regulations in Section 51A-4.217. For more information regarding accessory uses, consult Section 51A-4.217.

(B) The following accessory uses are not permitted:

- (i) Any use of rooftops for customers or the public.
- (ii) Drive-in and drive through lanes, windows, or services.

Exhibit A
28946

(iii) Gasoline or fuel sales.

(4) Development standards for the building existing as of March 27, 2013.

(A) In general. Except as provided in this subsection, the environmental performance standards, landscaping regulations, sign regulations, and additional provisions for the CR Community Retail District apply.

(B) Yard, lot, and space regulations.

(i) The structure existing as of March 27, 2013 must comply with the site plan attached as Exhibit C.

(ii) The structure existing as of March 27, 2013 is a conforming structure, but may not be enlarged, except:

(aa) awnings may encroach up to five feet from the Greenville Avenue-facing facade; and

(bb) the building height may not be raised other than to improve the architectural compatibility of the structure. This may only be decorative in nature (for example, a parapet) and may not add usable square footage to the structure existing as of March 27, 2013. The maximum additional height allowed is five feet. Additional height may be added on the east facade. Additional height added on the north and south facades may only be in the first 25 percent of the structure measured from the east facade in order to create an architectural wraparound to the east facade. Additional height may not be added on the west facade.

(cc) Enlargement of the structure's awnings or height must comply with the architectural standards for remodeling for awnings, equipment screening, height, and roofs.

(C) Off-street parking and loading. Consult the use regulations in Division 51A-4.200 for the specific off-street parking/loading requirements for each use.

(5) Development standards for new construction.

(A) Yard, lot, and space regulations.

(i) Front yard.

(aa) Greenville Avenue. Minimum front yard is five feet. Maximum front yard is 15 feet. The minimum building frontage requirement between the minimum and maximum front yard is a minimum of 70 percent of the lot length.

Exhibit A

28946

(bb) Vanderbilt Avenue. Minimum front yard must be no less than the front yard setback of the adjacent property to the west at 5640 Vanderbilt Avenue.

(cc) Encroachments. Awnings may encroach up to five feet into the required front yard.

(ii) Interior side yard. Minimum interior side yard (side yard on the western property line) is 15 feet.

(iii) Alley side yard. No minimum side yard along the alley to the south is required.

(iv) Floor area ratio. Maximum floor area ratio is 1.

(v) Height. Minimum height of the first floor is 14 feet, measured from floor plate to floor plate. Maximum height is 20 feet.

(vi) Lot coverage. Maximum lot coverage is 60 percent. Aboveground parking structures are included in lot coverage calculations; surface parking lots and underground parking structures are not.

(vii) Lot size. No minimum lot size.

(viii) Stories. Maximum number of stories is one and one-half.

(B) Off-street parking and loading.

(i) Consult the use regulations in Division 51A-4.200 for the specific off-street parking and loading requirements for each use.

(ii) Ingress/egress for off-street parking and loading shall not be allowed from Vanderbilt Avenue. Any off-street parking ingress/egress from Vanderbilt Avenue existing as of March 27, 2013 shall be discontinued at the time of any remodeling, reconstruction, or new construction.

(C) Environmental performance standards. See Article VI.

(D) Landscaping.

(i) In general. Except as provided in this paragraph, landscaping must be provided in accordance with Article X.

(ii) Site trees. Site trees must be provided within the interior side yard (side yard on the western property line) landscape buffer and within the Vanderbilt Avenue required front yard. All site trees must be large canopy trees or a species bearing crown foliage no lower than six feet above grade and growing to 30 feet in height.

Exhibit A

28946

(iii) Interior side yard (side yard on the western property line) and Vanderbilt Avenue landscape buffer. A minimum of 10 feet of landscape buffer is required. The buffer plant materials in the interior side yard must be provided in accordance with 51A-10.125(b)(7)(B) at a density of one group per 40 linear feet.

(iv) Perimeter landscape buffer strip. A perimeter landscape buffer strip must:

(aa) be provided along the entire length of the portion of the perimeter of the lot where a residential adjacency exists;

(bb) be at least 10 feet wide; and

(cc) contain buffer plant materials as defined in Sec. 51A-10.125(b)(7).

(v) A screening fence is not required along Vanderbilt Avenue.

(vi) Parking lot trees. Trees within the interior side yard (side yard on the western property line) landscape buffer may be counted to satisfy the parking lot tree requirement.

(vii) Design standards. The following are mandatory design standards:

(aa) Greenville Avenue facade planting area. Foundation planting areas or planters (containers for plants), used alone or in combination, containing a mixture of small shrubs or seasonal plantings and large shrubs or small trees must be provided. If small trees are provided, the minimum planting area must be recommended for small trees. Foundation planting areas must be a minimum of three feet in width and extend for 50 percent of the length of the foundation that faces Greenville Avenue. The large shrubs or small trees must be provided at one plant per every six feet of foundation planting length. If planters are used, the density of required large shrubs or small trees must be maintained.

(bb) Enhanced pedestrian walkways. Enhanced pedestrian walkways as defined in Section 51A-10.126(i) must be provided along both street frontages and across driveways.

(viii) Maintenance. All plant materials must be maintained in a healthy, growing condition.

(E) Screening and visibility obstruction.

(i) A solid screening fence with a minimum height of eight feet must be provided on the western property line, exclusive of the area for visibility triangles. The solid screening fence must be wood or brick.

28946

(ii) Except as provided in this paragraph, the visual obstruction regulations in Section 51A-4.602(d) apply. For purposes of this section, the visibility triangle at street corners is the portion of a corner lot within a triangular area formed by connecting together the point of intersection of adjacent street curb lines (or, if there are no street curbs, what would be the street curb lines) and points on each of the street curb lines 30 feet from the intersection.

(F) Signs.

(i) Except as provided in this paragraph, the provisions for non-business zoning districts in Article VII apply.

(ii) Except for A-frame signs and movement control signs for parking, detached signs are prohibited. The detached pole sign existing as of March 27, 2013 is considered a nonconforming sign and may not be expanded, relocated, or enlarged.

(iii) A-frame signs are prohibited with the structure existing as of March 27, 2013. A-frame signs may only be used in connection with new construction, and must comply with the following:

(aa) Only one A-frame sign is permitted for each occupancy.

(bb) A-frame signs may identify an occupancy.

(cc) The maximum size of an A-frame sign is 32 inches wide and 36 inches tall.

(dd) An A-frame sign may only be displayed when the occupancy it identifies is open.

(ee) A-frame signs may be located on the sidewalk if a minimum of four feet of unobstructed sidewalk area is provided, and all necessary licenses and permits have been obtained.

(ff) A-frame signs may not be located within 25 feet of an intersection or within a visibility triangle.

(6) Additional provisions.

(A) No use is allowed to operate between 10:00 p.m. and 7:00 a.m. Monday through Sunday.

(B) No off-street parking may be used for another property pursuant to a remote parking agreement.

(p) Architectural standards for remodeling the building in Subarea 1 existing as of March 27, 2013.

(1) In general. Remodeling of the building existing as of March 27, 2013 must be in accordance with this section.

(2) Doors. Each front door must be composed of wood or other material deemed appropriate and have at least one large full-view window. Primary customer entrances must face Greenville Avenue or be corner-facing. Automatic sliding doors are prohibited.

(3) Equipment screening. All rooftop mechanical equipment must be screened with a parapet in order to not be visible from the street.

(4) Facade material. All buildings must have brick facades on all sides. Decorative accent materials are limited to cast stone and tile and may not exceed five percent of the facade area per building facade.

(5) Fenestration. At least 50 percent of the area of the first floor facade facing Greenville Avenue must consist of window or door area. Mirrored, opaque, and translucent glasses are not permitted in any window or door opening. Windows must have a minimum internal transparency depth of three feet. No transparent windows are allowed above eight feet on the west facade facing the adjacent residential property.

(6) Roofs. All roofs must be flat or hidden by parapets. In locations where a parapet is allowed, parapets, if provided, must be a minimum of three feet tall.

(7) Street-facing facades.

(A) Greenville Avenue-facing facades and the wrap-around must be visually divided into a base-middle portion and top portion. The base-middle portion must comply with the door, facade material, and fenestration requirements of this section. The top portion must be distinguished from the base-middle portion by cornice treatments, stepped parapets, corbelling, textured materials, or differently colored materials.

(B) Awnings may only be used over windows and doors.

(C) Panels as described in Section (q) are not required for remodeling the building existing as of March 27, 2013.

(8) Story setbacks. No story may be setback from another story. (The facade wall facing the street must be vertical.)

Exhibit A
28946

(q) Architectural standards for new construction in Subarea 1.

(1) In general. New construction must comply with the following architectural standards and the architectural standards for remodeling the building existing as of March 27, 2013. The purpose of these standards is to make new construction conform to the style for early 20th century commercial non-residential buildings. In the event of a conflict between Section (p) and Section (q), Section (q) controls.

(2) Doors. Primary customer entrances must be recessed a minimum of one foot.

(3) Facade material. All structures must have brick facades. Painted brick is prohibited.

(4) Fenestration.

(A) At least 60 percent of the area of the first floor facade facing Greenville Avenue must consist of window or door area.

(B) Transom windows must be above all first floor windows and doors.

(C) Mirrored, opaque, and translucent glasses are not permitted in any window or door opening. First floor windows must have a minimum internal transparency depth of three feet. No transparent window are allowed above eight feet on the west facade facing the adjacent residential property.

(D) Window frames must be wood, appropriately colored aluminum, or vinyl clad.

(5) Street-facing facades.

(A) The first floor facade must be divided into two, three, or four storefront bays. Each storefront bay must be distinguished by decorative finials or an architecturally detailed stepped parapet.

(B) Greenville Avenue-facing facades and the wrap-around must be visually divided into base, middle, and top portions. The base portion must comply with the panel requirements of this section. The middle portion must comply with the fenestration requirements of this section. The top portion must be distinguished from the middle portion by cornice treatments, stepped parapets, corbelling, textured materials, or differently colored materials.

(C) Signage, lighting, and awnings should be integrated into the storefront design.

(D) Panels less than three feet in height must be placed below all first floor windows. Panels must be made of wood, brick, tile, or other material deemed appropriate.

(r) Procedures.

- (1) Review form applications. A review form application must be submitted to the Director for any work covered by the standards contained in this ordinance.
- (2) Posting of architectural plans.
 - (A) Upon filing a review form application for new construction, the applicant must post a laminated minimum 11-inch-by-17-inch sign in the front yard with the following information, and provide a copy of the sign to the neighborhood association(s) for the area where the property is located.
 - (i) A scaled color rendering of the front facade of the completed new construction or remodeling and the two adjacent houses, indicating the dimensions of all structures.
 - (ii) A scaled site plan showing the front yards, driveways, and footprints of the completed new construction or remodeling and the two adjacent structures. The site plan must be sealed by a licensed architect or engineer.
- (3) Work requiring a building permit.
 - (A) Upon receipt of a review form application for work requiring a building permit, the building official shall refer the review form application to the Director to determine whether the new construction or remodeling meets the standards of this ordinance. The review of the review form application by the Director must be completed within 30 days after submission of a complete review form application.
 - (B) If the Director determines that the new construction or remodeling complies with the standards of this ordinance, the Director shall approve the review form application, and forward it to the building official, who shall issue the building permit if all requirements of the construction codes and other applicable ordinances have been met.

Exhibit A
28946

- (C) If the Director determines that the new construction or remodeling does not comply with the standards of this ordinance, the Director shall state in writing the specific requirements to be met before issuance of a building permit, deny the review form application, and forward it to the building official, who shall deny the building permit. The Director shall give written notice to the applicant stating the reasons for denial of the review form application. Notice is given by depositing the notice properly addressed and postage paid in the United States mail. The notice to the applicant must be sent to the address shown on the review form application.
- (4) Work not requiring a building permit.
 - (A) For work not requiring a building permit, the applicant must submit a review form application. The Director shall determine whether the proposed new construction or remodeling meets the standards of this ordinance. The review of the review form application by the Director must be completed within 10 days after submission of the review form application.
 - (B) If the Director determines that the new construction or remodeling complies with the standards of this ordinance, the Director shall approve the review form application and give written notice to the applicant.
 - (C) If the Director determines that the new construction or remodeling does not comply with the standards of this ordinance, the Director shall state in writing the specific requirements to be met before an approval can be granted. The Director shall give written notice to the applicant stating the reasons for denial. Notice is given by depositing the notice properly addressed and postage paid in the United States mail. Notice to the applicant must be sent to the address shown on the review form application.
- (5) Appeals.
 - (A) An applicant may appeal any decision made by the Director to the board of adjustment. See Section 51A-4.703, "Board of Adjustment Hearing Procedures," as amended.
 - (B) In considering the appeal, the sole issue before the board of adjustment is whether the Director erred in the decision. The board of adjustment shall consider the same standards that were required to be considered by the Director.
 - (C) Appeal to the board of adjustment is the final administrative remedy.

Exhibit B-1

Conceptual plan for Subarea 1

BACKGROUND:

The creation of Conservation District No. 9, M-Streets / Greenland Hills, included over 900 single family homes and two non-residential properties. One property is mentioned in the original conceptual plan as an office in a converted single family structure but does not receive any special treatment in the use, development standards or architectural requirements of CD No. 9. The other property is not mentioned within the conceptual plan or regulating ordinance. That property consists of Lots 11 and 12 of Block D/2172 and has been occupied with a liquor store use in part or all of the 4,800 square foot structure since 1966.

Review of some historical aerial photographs available online¹ showed the property within Subarea 1 was developed as two single family lots, containing single family structures in 1930 and again visible in 1956. In 1956, commercial development existed to the south and southeast along Greenville Avenue. According to available building permit records, the property was redeveloped for commercial uses in 1966.

On October 17, 2012, the property owner filed an application to change the zoning of this property in order to make the land use and structure conforming. Staff supported the amendment to CD No. 9 because of the opportunity to enhance the architectural style and improve upon the building siting in the event of remodeling or redevelopment.

PURPOSE FOR SUBAREA 1 REGULATIONS:

The development of the property was typical for building siting in 1966 where the building is set back away from the street with off-street parking between the building and the street. The commonality of the automobile made it desirable to have parking as



the prominent feature of a development, in addition to the City having minimum parking requirements. This development pattern is unique in this commercial node along Greenville Avenue. Even new construction of a bank in 2006 at the southern end of the commercial node placed the building closer to the street than the parking.

Remodeling conditions are drafted to be a reasonable improvement in the building's façade and maintain some favorable characteristics of the existing building.

- Flat roof or hidden by parapet
- Brick façade with limited accent materials
- No automatic sliding doors
- Awnings are limited to cover entryways and windows
- Minimum 50% of Greenville Avenue-facing façade be window or door area




The Greenville-Avenue facing facades of Café Brazil and Stan's Blue Note to the southeast of the property are ideal representations of remodeling regulations. Many of the older buildings in Deep Ellum fit the remodeling regulations as well.

The redevelopment regulations for Subarea 1 are intended to allow the property to become a compatible commercial development, matching the architectural detail and siting as other properties in the commercial node as well as the single family neighborhood. By bringing the building up to the street, redevelopment will be pedestrian-friendly and walkable. Increased architectural detail will enhance the sense of place while maintaining the scale and character of the area.

- Recessed customer entrances
- Painted brick is prohibited
- Paneling required under windows
- Building must contain two to four bays
- Greenville Avenue-facing façade and wrap around to have base, middle, and top with decorative cornices on each bay
- Minimum 60% windows or doors on Greenville Avenue-facing façade

Guidance on the Early 20th Century Commercial style include Terilli's (both before and after reconstruction from fire damage in 2009) and retail buildings found along Davis Street in Oak Cliff and Haskell Avenue near Baylor Hospital.




¹ <http://digitalcollections.smu.edu/all/cul/dmp/> and <http://www.historicaerials.com/> visited as recently as December 31, 2012.

28946

130527

Exhibit C

A Land Title Survey of
Lots 11 and 12, Block D/2172,
GREENLAND HILLS
An addition to the City of Dallas, Dallas County, Texas



MILLER SURVEYING
EST. 1985

NORTH



NTS

FLOOD NOTE: Based on scaling the surveyed lot shown hereon onto the FEMA Flood Insurance Rate Map No. 4813AC0335 J (Eff. 8-23-01), said lot lies within FEMA Zone X and does not lie within the FEMA designated 100-year flood plain. Miller Surveying, Inc. makes no statement as to the likelihood of the actual flooding of said surveyed lot.

In reference to the Commitment for Title Insurance issued on September 19, 2012 by Fidelity National Title Insurance Company, GF No. R812641195, J, Jason B. Rawlings, Registered Professional Land Surveyor No. 5665 in the State of Texas, certify to Centric Capital Partners, Inc., and Fidelity National Title Insurance Company that this plat represents an accurate survey of Lots 11 and 12, Block D/2172, Greenland Hills, an addition to the City of Dallas, Texas, according to the plat thereof recorded in Volume 2, Page 342, Map Records, Dallas County, Texas, that survey being made on the ground under my supervision on September 25, 2012, and the boundary lines, corners and dimensions shown herein are as indicated; the size, type and location of all buildings and improvements shown are as indicated; said improvements are within the boundaries of said tract, except as shown, and set back from the boundary lines the distances as indicated; said tract adjoins and has vehicular access to Vandervelt Avenue and Greenville Avenue, both public rights-of-way; there are no apparent encroachments, protrusions, boundary line conflicts, visible easements or easements of record as furnished to me, except as shown or noted otherwise. This survey substantially conforms to the current Texas Society of Professional Land Surveyor Standards and Specifications for a Category 1A Condition II Survey.



MILLER

Surveying, Inc.

Residential • Commercial • Municipal
430 Mid Cities Blvd.
Hurst, Texas 76054
817.577.1052 Fax 817.577.0972
www.MillerSurveying-inc.com

Job No. 12097 • Plat File 12097

Appendix A: Architectural Style Property Index

5203	McCommas	MinimalTraditional	1946	5401	McCommas	Neo Colonial	1945
5206	McCommas	MinimalTraditional	1948	5402	McCommas	High Tudor	1927
5207	McCommas	MinimalTraditional	1946	5405	McCommas	High Tudor	1934
5210	McCommas	Ranch	1950	5408	McCommas	High Tudor	1927
5211	McCommas	TudorCottage	1948	5410	McCommas	High Tudor	1927
5214	McCommas	MinimalTraditional	1950	5411	McCommas	High Tudor	1934
5215	McCommas	TudorCottage	1948	5414	McCommas	High Tudor	1932
5218	McCommas	MinimalTraditional	1950	5415	McCommas	High Tudor	1928
5219	McCommas	TudorCottage	1940	5418	McCommas	High Tudor	1930
5223	McCommas	NeoColonial	1940	5419	McCommas	High Tudor	1925
5302	McCommas	Contemporary	1940	5422	McCommas	High Tudor	1930
5303	McCommas	NeoColonial	1939	5423	McCommas	High Tudor	1928
5306	McCommas	MinimalTraditional	1939	5426	McCommas	High Tudor	1927
5307	McCommas	MinimalTraditional ^{High Tudor}	1938 2015	5430	McCommas	High Tudor	1927
5310	McCommas	NeoColonial	1939	5431	McCommas	High Tudor	1929
5311	McCommas	NeoColonial	1939	5433	McCommas	Contemporary	1994
5314	McCommas	TudorCottage	1938	5434	McCommas	High Tudor	1930
5315	McCommas	NeoColonial	1938	5435	McCommas	Tudor Cottage	1937
5317	McCommas	TudorCottage	1935	5438	McCommas	Tudor Cottage	1941
5318	McCommas	HighTudor	1928 2016	5439	McCommas	High Tudor	1928
5321	McCommas	TudorCottage	1935	5440	McCommas	High Tudor	1929
5322	McCommas	NeoColonial	1935	5443	McCommas	High Tudor	1928
5326	McCommas	NeoColonial	1936	5446	McCommas	High Tudor	1929
5327	McCommas	TudorCottage	1935	5447	McCommas	High Tudor	1928
5330	McCommas	MinimalTraditional	1936	5450	McCommas	High Tudor	1928
5331	McCommas	TudorCottage	1935	5451	McCommas	High Tudor	1928
5334	McCommas	TudorCottage	1935	5502	McCommas	High Tudor	1931
5335	McCommas	TudorCottage	1935	5503	McCommas	High Tudor	1928
5338	McCommas	MinimalTraditional	1950	5506	McCommas	High Tudor	1925
5339	McCommas	NeoColonial	1935	5507	McCommas	Tudor Cottage	1928
5342	McCommas	MinimalTraditional	1937	5510	McCommas	High Tudor	1928
5343	McCommas	TudorCottage	1935	5511	McCommas	High Tudor	1928
5346	McCommas	Ranch	1949	5514	McCommas	High Tudor	1925
5347	McCommas	TudorCottage	1935	5515	McCommas	High Tudor	1928
5351	McCommas	HighTudor	1935	5518	McCommas	High Tudor	1928
5355	McCommas	TudorCottage	1946	5519	McCommas	High Tudor	1928
5446	McCommas	HighTudor	1932	5522	McCommas	High Tudor	1926
5449	McCommas	Contemporary	1975	5523	McCommas	High Tudor	1928
				5526	McCommas	High Tudor	1932
				5527	McCommas	TudorCottage	1928
				5530	McCommas	TudorCottage	1937
				5531	McCommas	HighTudor	1928
				5534	McCommas	HighTudor	1930
				5535	McCommas	HighTudor	1928
				5538	McCommas	HighTudor	1930
				5539	McCommas	HighTudor	1935
				5542	McCommas	HighTudor	1932

				5543 McCommas	HighTudor	1936	
5602	McCommas	HighTudor	1929	5202	Morningside	HighTudor	1933
5603	McCommas	HighTudor	1928	5203	Morningside	MinimalTraditional	1936
5605	McCommas	TudorCottage	1928	5206	Morningside	TudorCottage	1940
5606	McCommas	HighTudor	1930	5210	Morningside	NeoColonial	1937
5610	McCommas	HighTudor	1930	5211	Morningside	MinimalTraditional	1987
5614	McCommas	HighTudor	1930	5214	Morningside	TudorCottage	1936
5618	McCommas	HighTudor	1929	5215	Morningside	HighTudor	1927
5619	McCommas	HighTudor	1928	5218	Morningside	HighTudor	1938
5621	McCommas	HighTudor	1928	5219	Morningside	HighTudor	1927
5622	McCommas	HighTudor	1930	5222	Morningside	HighTudor	1938
5623	McCommas	TudorCottage	1949	5223	Morningside	MinimalTraditional	1948
5625	McCommas	HighTudor	1928	5226	Morningside	TudorCottage	1938
5626	McCommas	HighTudor	1926	5227	Morningside	HighTudor	1929
5629	McCommas	HighTudor	1928				
5630	McCommas	NeoColonial	1926	5302	Morningside	MinimalTraditional ^{HighTudor}	1940
5634	McCommas	Contemporary	1930	5303	Morningside	HighTudor	1926
				5306	Morningside	HighTudor	1927
				5307	Morningside	HighTudor	1926
				5310	Morningside	HighTudor	1927
				5311	Morningside	HighTudor	1926
				5314	Morningside	HighTudor	1927
				5315	Morningside	HighTudor	1927
				5318	Morningside	HighTudor	1927
				5319	Morningside	MinimalTraditional	1947
				5322	Morningside	HighTudor	1925
				5323	Morningside	TudorCottage	1926
				5326	Morningside	HighTudor	1925
				5327	Morningside	HighTudor	1926
				5330	Morningside	HighTudor	1925
				5331	Morningside	HighTudor	1926
				5334	Morningside	HighTudor	1929
				5335	Morningside	HighTudor	1926
				5338	Morningside	HighTudor	1926
				5339	Morningside	HighTudor	1925
				5342	Morningside	Contemporary	1977
				5343	Morningside	HighTudor	1926
				5346	Morningside	HighTudor	1926
				5347	Morningside	HighTudor	1926

5402Morningside	HighTudor	1929	5500Morningside	TudorCottage	1927
5403Morningside	TudorCottage	1928	5503Morningside	HighTudor	1929
5406Morningside	HighTudor	1929	5506Morningside	NeoColonial	1939
5407Morningside	HighTudor	1929	5507Morningside	HighTudor	1930
5411Morningside	HighTudor	1929	5510Morningside	HighTudor	1928
5412Morningside	HighTudor	1928	5511Morningside	Contemporary	1987
5415Morningside	HighTudor	1929	5514Morningside	HighTudor	1928
5416Morningside	HighTudor	1929	5515Morningside	HighTudor	1928
5418Morningside	HighTudor	1946	5518Morningside	HighTudor	1929
5419Morningside	HighTudor	1928	5519Morningside	HighTudor	1928
5422Morningside	TudorCottage	1938	5522Morningside	HighTudor	1929
5423Morningside	HighTudor	1929	5523Morningside	HighTudor	1927
5426Morningside	HighTudor	1927	5526Morningside	HighTudor	1929
5427Morningside	HighTudor	1928	5527Morningside	HighTudor	1928
5430Morningside	HighTudor	1934	5530Morningside	HighTudor	1927
5431Morningside	HighTudor	1927	5531Morningside	HighTudor	1928
5434Morningside	HighTudor	1927	5534Morningside	HighTudor	1927
5435Morningside	HighTudor	1930	5535Morningside	Contemporary	1927
5438Morningside	HighTudor	1927	5538Morningside	HighTudor	1927
5439Morningside	HighTudor	1927	5539Morningside	HighTudor	1927
5442Morningside	HighTudor	1927	5542Morningside	HighTudor	1927
5443Morningside	HighTudor	1927	5543Morningside	HighTudor	1928
5446Morningside	HighTudor	1928	5546Morningside	HighTudor	1927
5447Morningside	HighTudor	1927	5547Morningside	HighTudor	1932
5450Morningside	HighTudor	1929			
5451Morningside	NeoColonial	1928			
			5601 Morningside	TudorCottage	1930
			5602 Morningside	HighTudor	1931
			5606 Morningside	HighTudor	1927
			5607 Morningside	HighTudor	1927
			5609 Morningside	HighTudor	1927
			5610 Morningside	HighTudor	1926
			5614 Morningside	TudorCottage	1926
			5615 Morningside	HighTudor	1930
			5617 Morningside	HighTudor	1927
			5618 Morningside	HighTudor	1926
			5622 Morningside	HighTudor	1926
			5623 Morningside	HighTudor	1927
			5626 Morningside	HighTudor	1926
			5627 Morningside	HighTudor	1926
			5630 Morningside	HighTudor	1925
			5631 Morningside	HighTudor	1927
			5634 Morningside	HighTudor	1925
			5635 Morningside	MinimalTraditional	1945
			5638 Morningside	HighTudor	1929
			5639 Morningside	HighTudor	1927
5202 Mercedes	MinimalTraditional	1937	5402 Mercedes	High Tudor	1929
5203 Mercedes	HighTudor	1938	5403 Mercedes	NeoColonial	1941
5206 Mercedes	MinimalTraditional	1930	5406 Mercedes	High Tudor	1929

5207	Mercedes	MinimalTraditional	1938	5407	Mercedes	High Tudor	1928
5210	Mercedes	NeoColonial	1930	5410	Mercedes	High Tudor	1928
5211	Mercedes	HighTudor	1929	5411	Mercedes	High Tudor	1928
5215	Mercedes	HighTudor	1929	5414	Mercedes	High Tudor	1927
5216	Mercedes	HighTudor	1929	5415	Mercedes	High Tudor	1928
5219	Mercedes	HighTudor	1929	5418	Mercedes	High Tudor	1927
5220	Mercedes	HighTudor	1930	5419	Mercedes	High Tudor	1930
5223	Mercedes	HighTudor	1929	5422	Mercedes	High Tudor	1927
5224	Mercedes	TudorCottage	1930	5423	Mercedes	High Tudor	1930
5227	Mercedes	HighTudor	1929	5426	Mercedes	High Tudor	1918
5228	Mercedes	HighTudor	1928	5427	Mercedes	High Tudor	1930
5231	Mercedes	HighTudor	1929	5430	Mercedes	High Tudor	1923
5232	Mercedes	HighTudor	1925	5431	Mercedes	High Tudor	1929
5235	Mercedes	NeoColonial	1939	5434	Mercedes	High Tudor	1928
5236	Mercedes	HighTudor	1930	5435	Mercedes	High Tudor	1928
5240	Mercedes	MinimalTraditional	1929	5437	Mercedes	High Tudor	1928
5300	Mercedes	High Tudor	1926	5438	Mercedes	High Tudor	1929
5303	Mercedes	High Tudor	1929	5442	Mercedes	High Tudor	1928
5306	Mercedes	High Tudor	1926	5443	Mercedes	High Tudor	1928
5307	Mercedes	High Tudor	1927	5446	Mercedes	High Tudor	1929
5310	Mercedes	High Tudor	1925	5447	Mercedes	High Tudor	1928
5311	Mercedes	High Tudor	1927	5450	Mercedes	High Tudor	1929
5314	Mercedes	High Tudor	1927	5451	Mercedes	Tudor Cottage	1929
5315	Mercedes	High Tudor	1926	5502	Mercedes	HighTudor	1926
5317	Mercedes	High Tudor	1926	5503	Mercedes	TudorCottage	1926
5318	Mercedes	High Tudor	1925	5506	Mercedes	HighTudor	1927
5322	Mercedes	High Tudor	1926	5507	Mercedes	HighTudor	1927
5323	Mercedes	High Tudor	1925	5510	Mercedes	HighTudor	1927
5326	Mercedes	High Tudor	1925	5511	Mercedes	HighTudor	1927
5327	Mercedes	High Tudor	1925	5514	Mercedes	HighTudor	1927
5330	Mercedes	High Tudor	1926	5515	Mercedes	HighTudor	1920
5331	Mercedes	High Tudor	1925	5518	Mercedes	HighTudor	1926
5334	Mercedes	Contemporary	1987	5519	Mercedes	HighTudor	1927
5335	Mercedes	High Tudor	1933	5522	Mercedes	HighTudor	1926
5337	Mercedes	High Tudor	1927	5523	Mercedes	HighTudor	1926
5338	Mercedes	High Tudor	1925	5526	Mercedes	HighTudor	1930
5341	Mercedes	High Tudor	1927	5527	Mercedes	HighTudor	1930
5342	Mercedes	High Tudor	1925	5530	Mercedes	HighTudor	1926
5345	Mercedes	Tudor Cottage	1926	5531	Mercedes	HighTudor	1927
5346	Mercedes	High Tudor	1925	5534	Mercedes	HighTudor	1926
				5535	Mercedes	HighTudor	1926
				5538	Mercedes	HighTudor	1926
				5539	Mercedes	HighTudor	1926
				5540	Mercedes	HighTudor	1927
				5543	Mercedes	HighTudor	1926
				5546	Mercedes	HighTudor	1930
5547	Mercedes	TudorCottage	1927				

5602Mercedes	HighTudor	1925	5200 Merrimac	Tudor Cottage	1930
5603Mercedes	TudorCottage	1940	5203 Merrimac	High Tudor	1930
5606Mercedes	TudorCottage	1926	5206 Merrimac	High Tudor	1930
5607Mercedes	HighTudor	1929	5210 Merrimac	High Tudor	1930
5610Mercedes	HighTudor	1926	5211 Merrimac	NeoColonial	1938
5611Mercedes	HighTudor	1929	5214 Merrimac	High Tudor	1930
5614Mercedes	HighTudor	1926	5215 Merrimac	Minimal Traditional	1938
5615Mercedes	HighTudor	1929	5218 Merrimac	Vacant Lot	2002
5618Mercedes	HighTudor	1925	5219 Merrimac	Minimal Traditional	1938
5619Mercedes	HighTudor	1925	5222 Merrimac	High Tudor	1930
5622Mercedes	HighTudor	1926	5223 Merrimac	High Tudor	1928
5623Mercedes	HighTudor	1929	5226 Merrimac	High Tudor	1935
5626Mercedes	HighTudor	1926	5227 Merrimac	High Tudor	1927
5627Mercedes	HighTudor	1930	5230 Merrimac	High Tudor	1992
5630Mercedes	HighTudor	1926	5231 Merrimac	High Tudor	1953
5631Mercedes	HighTudor	1926	5235 Merrimac	High Tudor	1927
5634Mercedes	TudorCottage	1929	5238 Merrimac	High Tudor	1930
5635Mercedes	Spanish	1926	5241 Merrimac	High Tudor	1927
5638Mercedes	Contemporary	1978	5242 Merrimac	Tudor Cottage	1930
			5245 Merrimac	High Tudor	1927
			5246 Merrimac	Tudor Cottage	1930
			5247 Merrimac	High Tudor	1927
			5248 Merrimac	Tudor Cottage	1926
			5301 Merrimac	Contemporary	1999
			5302 Merrimac	High Tudor	1929
			5306 Merrimac	Tudor Cottage	1930
			5307 Merrimac	High Tudor	1926
			5310 Merrimac	High Tudor	1930
			5311 Merrimac	Tudor Cottage	1930
			5314 Merrimac	High Tudor	1930
			5315 Merrimac	High Tudor	1926
			5318 Merrimac	NeoColonial	1932
			5319 Merrimac	High Tudor	1926
			5322 Merrimac	High Tudor	1928
			5323 Merrimac	High Tudor	1926
			5326 Merrimac	Tudor Cottage	1927
			5327 Merrimac	High Tudor	1926
			5330 Merrimac	Tudor Cottage	1927
			5331 Merrimac	High Tudor	1926
			5334 Merrimac	High Tudor	1926
			5335 Merrimac	High Tudor	1926
			5337 Merrimac	High Tudor	1926
			5338 Merrimac	High Tudor	1930
			5342 Merrimac	High Tudor	1929
			5343 Merrimac	High Tudor	1926
			5346 Merrimac	High Tudor	1934
			5347 Merrimac	High Tudor	1926
5402Merrimac	HighTudor	1932	5546Merrimac	HighTudor	1926

5403Merrimac	HighTudor	1928	5547Merrimac	TudorCottage	1927
5404Merrimac	HighTudor	1927			
5407Merrimac	HighTudor	1928			
5410Merrimac	HighTudor	1927	5601Merrimac	HighTudor	1926
5411Merrimac	HighTudor	1929	5602Merrimac	TudorCottage	1926
5414Merrimac	HighTudor	1928	5606Merrimac	HighTudor	1926
5415Merrimac	HighTudor	1929	5607Merrimac	HighTudor	1928
5418Merrimac	HighTudor	1927	5610Merrimac	NeoColonial	1926
5419Merrimac	HighTudor	1927	5611Merrimac	TudorCottage	1926
5422Merrimac	HighTudor	1927	5614Merrimac	Spanish	1925
5423Merrimac	HighTudor	1927	5615Merrimac	HighTudor	1928
5426Merrimac	HighTudor	1928	5618Merrimac	TudorCottage	1927
5427Merrimac	HighTudor	1929	5619Merrimac	HighTudor	1926
5430Merrimac	HighTudor	1927	5622Merrimac	TudorCottage	1926
5431Merrimac	HighTudor	1927	5623Merrimac	HighTudor	1926
5434Merrimac	HighTudor	1999	5626Merrimac	HighTudor	1926
5435Merrimac	HighTudor	1928	5627Merrimac	HighTudor	1926
5438Merrimac	HighTudor	1965	5630Merrimac	TudorCottage	1925
5439Merrimac	HighTudor	1927	5631Merrimac	HighTudor	1928
5442Merrimac	MinimalTraditional	1927	5634Merrimac	MinimalTraditional	1948
5443Merrimac	HighTudor	1929	5635Merrimac	Ranch	1949
5446Merrimac	HighTudor	1927	5638Merrimac	HighTudor	1929
5447Merrimac	TudorCottage	1927	5639Merrimac	HighTudor	1929
5450Merrimac	HighTudor	1927			
5451Merrimac	HighTudor	1927			
5501Merrimac	Ranch	1956			
5502Merrimac	HighTudor	1939	5130Monticello	MinimalTraditional	1936
5505Merrimac	NeoColonial	1925	5134Monticello	MinimalTraditional	1935
5506Merrimac	HighTudor	1929	5135Monticello	Ranch	1954
5510Merrimac	HighTudor	1926	5138Monticello	MinimalTraditional	1936
5511Merrimac	HighTudor	1929	5139Monticello	NeoColonial	1935
5514Merrimac	TudorCottage	1926	5142Monticello	HighTudor	1928
5515Merrimac	HighTudor	1926	5143Monticello	HighTudor	1934
5517Merrimac	HighTudor	1929	5146Monticello	HighTudor	1926
5518Merrimac	HighTudor	1925	5147Monticello	HighTudor	1933
5522Merrimac	HighTudor	1926	5150Monticello	HighTudor	1926
5523Merrimac	TudorCottage	1925	5151Monticello	HighTudor	1930
5526Merrimac	HighTudor	1926			
5527Merrimac	HighTudor	1925			
5530Merrimac	HighTudor	1926			
5531Merrimac	Ranch	1941			
5534Merrimac	HighTudor	1926			
5535Merrimac	HighTudor	1927			
5538Merrimac	HighTudor	1925			
5539Merrimac	HighTudor	1925			
5542Merrimac	Contemporary	1998			
5543Merrimac	NeoColonial	1979			

5200Monticello	TudorCottage	1930	5330Monticello	HighTudor	1930
5203Monticello	HighTudor	1930	5331Monticello	MinimalTraditional	1938
5206Monticello	HighTudor	1930	5334Monticello	HighTudor	1925
5207Monticello	HighTudor	1933	5335Monticello	HighTudor	1926
5210Monticello	HighTudor	1930	5338Monticello	HighTudor	1928
5211Monticello	HighTudor	1934	5339Monticello	TudorCottage	1927
5214Monticello	HighTudor	1930	5342Monticello	HighTudor	1929
5215Monticello	TudorCottage	1930	5343Monticello	HighTudor	1933
5218Monticello	HighTudor	1930	5346Monticello	HighTudor	1928
5219Monticello	HighTudor	1933	5347Monticello	HighTudor	1928
5222Monticello	HighTudor	1930	5350Monticello	HighTudor	1928
5223Monticello	HighTudor	1930	5351Monticello	HighTudor	1930
5226Monticello	HighTudor	1930	5354Monticello	Contemporary	1997
5227Monticello	HighTudor	1930	5355Monticello	HighTudor	1930
5230Monticello	HighTudor	1930			
5231Monticello	Contemporary	1997	5402Monticello	HighTudor	1926
5234Monticello	HighTudor	1930	5403Monticello	TudorCottage	1926
5235Monticello	HighTudor	1930	5406Monticello	NeoColonial	1923
5238Monticello	HighTudor	1930	5407Monticello	HighTudor	1922
5239Monticello	TudorCottage	1930	5410Monticello	HighTudor	1930
5242Monticello	TudorCottage	1930	5411Monticello	HighTudor	1928
5243Monticello	Contemporary	2000	5414Monticello	HighTudor	1926
5246Monticello	HighTudor	1928	5415Monticello	HighTudor	1926
5247Monticello	NeoColonial	1930	5418Monticello	HighTudor	1946
5250Monticello	HighTudor	1930	5419Monticello	HighTudor	1928
5251Monticello	HighTudor	1951	5422Monticello	TudorCottage	1946
5252Monticello	HighTudor	1930	5423Monticello	HighTudor	1926
5253Monticello	TudorCottage	1930	5426Monticello	NeoColonial	1926
			5427Monticello	TudorCottage	1920
			5430Monticello	HighTudor	1928
5301Monticello	Ranch	1979	5431Monticello	TudorCottage	1926
5302Monticello	HighTudor	1930	5435Monticello	NeoColonial	1926
5306Monticello	HighTudor	1925	5436Monticello	Spanish	1926
5307Monticello	HighTudor	1930	5439Monticello	TudorCottage	1926
5310Monticello	HighTudor	1930	5440Monticello	HighTudor	1925
5311Monticello	HighTudor	1930			
5314Monticello	HighTudor	1930			
5315Monticello	HighTudor	1927			
5318Monticello	NeoColonial	1930			
5319Monticello	TudorCottage	1927			
5322Monticello	HighTudor	1930			
5323Monticello	Contemporary	1996			
5326Monticello	NeoColonial	1935			
5327Monticello	TudorCottage	1925			

5442Monticello	Craftsman	1926	5602Monticello	HighTudor	1926
5443Monticello	HighTudor	1925	5603Monticello	HighTudor	1926
5446Monticello	HighTudor	1928	5606Monticello	TudorCottage	1926
5447Monticello	HighTudor	1925	5607Monticello	HighTudor	1926
5450Monticello	TudorCottage	1926	5610Monticello	TudorCottage	1926
5451Monticello	HighTudor	1930	5611Monticello	HighTudor	1926
5454Monticello	HighTudor	1926	5614Monticello	HighTudor	1926
5455Monticello	HighTudor	1931	5615Monticello	NeoColonial	1926
5458Monticello	HighTudor	1926	5618Monticello	TudorCottage	1924
5459Monticello	HighTudor	1929	5619Monticello	HighTudor	1926
			5622Monticello	HighTudor	1926
5502Monticello	MinimalTraditional	1939	5623Monticello	HighTudor	1926
5503Monticello	Contemporary	2000	5626Monticello	TudorCottage	1925
5506Monticello	TudorCottage	1926	5627Monticello	TudorCottage	1926
5507Monticello	TudorCottage	1926	5630Monticello	HighTudor	1926
5510Monticello	HighTudor	1926	5631Monticello	TudorCottage	1926
5511Monticello	HighTudor	1935	5634Monticello	TudorCottage	1931
5514Monticello	HighTudor	1926	5635Monticello	TudorCottage	1926
5515Monticello	MinimalTraditional	1926	5638Monticello	HighTudor	1926
5518Monticello	HighTudor	1926	5641Monticello	TudorCottage	1926
5519Monticello	HighTudor	1926	5642Monticello	NeoColonial	1926
5522Monticello	HighTudor	1929	5643Monticello	TudorCottage	1926
5523Monticello	HighTudor	1996	5646Monticello	TudorCottage	1926
5526Monticello	TudorCottage	1924	5647Monticello	Ranch	1926
5527Monticello	HighTudor	1926			
5530Monticello	HighTudor	1926	5102Ridgedale	Contemporary	2002
5531Monticello	HighTudor	1926	5106Ridgedale	Spanish	2001
5534Monticello	TudorCottage	1926	5122Ridgedale	HighTudor	1924
5535Monticello	TudorCottage	1926	5123Ridgedale	TudorCottage	1926
5538Monticello	MinimalTraditional	1926	5125Ridgedale	HighTudor	1926
5539Monticello	TudorCottage	1926	5126Ridgedale	MinimalTraditional	1924
5542Monticello	TudorCottage	1926	5130Ridgedale	TudorCottage	1926
5543Monticello	TudorCottage	1926	5131Ridgedale	HighTudor	1924
5546Monticello	HighTudor	1926	5134Ridgedale	TudorCottage	1924
5549Monticello	Craftsman	1935	5135Ridgedale	TudorCottage	1926
5550Monticello	NeoColonial	1926	5138Ridgedale	TudorCottage	1926
5551Monticello	HighTudor	1988	5139Ridgedale	TudorCottage	1924
5554Monticello	TudorCottage	1926	5142Ridgedale	MinimalTraditional	1926
5555Monticello	Craftsman	1926	5143Ridgedale	TudorCottage	1926
			5146Ridgedale	Contemporary	1999
			5147Ridgedale	HighTudor	1926
			5150Ridgedale	TudorCottage	1920
			5151Ridgedale	HighTudor	1924

5202Ridgedale	TudorCottage	1926	5331Ridgedale	NeoColonial	1938
5203Ridgedale	HighTudor	1930	5334Ridgedale	HighTudor	1924
5206Ridgedale	HighTudor	1926	5335Ridgedale	MinimalTraditional	1940
5207Ridgedale	MinimalTraditional	1930	5338Ridgedale	HighTudor	1929
5210Ridgedale	HighTudor	1926	5339Ridgedale	HighTudor	1928
5211Ridgedale	TudorCottage	1930	5342Ridgedale	HighTudor	1926
5214Ridgedale	Craftsman	1926	5343Ridgedale	HighTudor	1929
5215Ridgedale	HighTudor	1930	5346Ridgedale	HighTudor	1924
5218Ridgedale	Contemporary	1998	5347Ridgedale	HighTudor	1929
5219Ridgedale	MinimalTraditional	1930	5350Ridgedale	HighTudor	1924
5222Ridgedale	TudorCottage	1926	5351Ridgedale	HighTudor	1930
5223Ridgedale	Contemporary	1998			
5226Ridgedale	NeoColonial	1926	5402Ridgedale	HighTudor	1926
5227Ridgedale	TudorCottage	1930	5403Ridgedale	NeoColonial	1926
5230Ridgedale	HighTudor	1926	5406Ridgedale	TudorCottage	1926
5231Ridgedale	TudorCottage	1930	5407Ridgedale	HighTudor	1926
5234Ridgedale	NeoColonial	2002	5410Ridgedale	HighTudor	1930
5235Ridgedale	HighTudor	1928	5411Ridgedale	HighTudor	1926
5238Ridgedale	TudorCottage	1926	5414Ridgedale	HighTudor	1926
5239Ridgedale	HighTudor	1928	5415Ridgedale	HighTudor	1926
5242Ridgedale	Craftsman	1926	5418Ridgedale	NeoColonial	1930
5243Ridgedale	TudorCottage	1925	5419Ridgedale	HighTudor	1926
5246Ridgedale	TudorCottage	1926	5422Ridgedale	Ranch	1930
5247Ridgedale	HighTudor	1924	5423Ridgedale	HighTudor	1940
5250Ridgedale	HighTudor	1928	5426Ridgedale	HighTudor	1926
5251Ridgedale	HighTudor	1931	5427Ridgedale	NeoColonial	1930
5254Ridgedale	Craftsman	1930	5430Ridgedale	HighTudor	1926
5255Ridgedale	HighTudor	1939	5431Ridgedale	HighTudor	1926
			5434Ridgedale	TudorCottage	1926
5302Ridgedale	TudorCottage	1923	5435Ridgedale	HighTudor	1924
5303Ridgedale	HighTudor	1931	5438Ridgedale	MinimalTraditional	1926
5306Ridgedale	TudorCottage	1923	5439Ridgedale	TudorCottage	1926
5307Ridgedale	TudorCottage	1923	5442Ridgedale	HighTudor	1926
5310Ridgedale	MinimalTraditional	1923	5443Ridgedale	HighTudor	1926
5311Ridgedale	Contemporary	2000	5446Ridgedale	HighTudor	1926
5313Ridgedale	TudorCottage	1930	5447Ridgedale	HighTudor	1926
5314Ridgedale	TudorCottage	1923	5451Ridgedale	NeoColonial	1926
5318Ridgedale	HighTudor	1925	5454Ridgedale	HighTudor	1926
5319Ridgedale	TudorCottage	1925	5455Ridgedale	HighTudor	1926
5322Ridgedale	TudorCottage	1924	5458Ridgedale	HighTudor	1926
5323Ridgedale	NeoColonial	1925			
5326Ridgedale	TudorCottage	1924			
5327Ridgedale	NeoColonial	1938			
5330Ridgedale	HighTudor	1924			

5501Ridgedale	HighTudor	1926	5631Ridgedale	TudorCottage	1926
5502Ridgedale	TudorCottage	1926	5634Ridgedale	HighTudor	1926
5506Ridgedale	TudorCottage	1926	5635Ridgedale	HighTudor	1926
5507Ridgedale	TudorCottage	1926	5639Ridgedale	MinimalTraditional	1941
5510Ridgedale	HighTudor	1930	5640Ridgedale	HighTudor	1926
5511Ridgedale	HighTudor	1926	5642Ridgedale	TudorCottage	1926
5514Ridgedale	TudorCottage	1924	5643Ridgedale	Contemporary	2002
5515Ridgedale	HighTudor	1926	5644Ridgedale	TudorCottage	1926
5518Ridgedale	HighTudor	1926	5647Ridgedale	TudorCottage	1928
5519Ridgedale	TudorCottage	1926			
5523Ridgedale	Craftsman	1926	5106Vanderbilt	Contemporary	2001
5524Ridgedale	HighTudor	1926	5110Vanderbilt	HighTudor	1926
5525Ridgedale	Spanish	1926	5111Vanderbilt	VacantLot	2002
5526Ridgedale	HighTudor	1930	5114Vanderbilt	HighTudor	1926
5530Ridgedale	HighTudor	1926	5115Vanderbilt	TudorCottage	1930
5531Ridgedale	HighTudor	1926	5118Vanderbilt	HighTudor	1926
5534Ridgedale	HighTudor	1935	5119Vanderbilt	HighTudor	1934
5535Ridgedale	HighTudor	1926	5122Vanderbilt	TudorCottage	1926
5538Ridgedale	Ranch	1926	5123Vanderbilt	TudorCottage	1928
5539Ridgedale	HighTudor	1926	5126Vanderbilt	TudorCottage	1926
5542Ridgedale	TudorCottage	1924	5127Vanderbilt	TudorCottage	1924
5543Ridgedale	TudorCottage	1926	5130Vanderbilt	TudorCottage	1924
5546Ridgedale	TudorCottage	1926	5131Vanderbilt	TudorCottage	1928
5547Ridgedale	MinimalTraditional	1926	5134Vanderbilt	TudorCottage	1926
5550Ridgedale	NeoColonial	1924	5135Vanderbilt	HighTudor	1924
5551Ridgedale	TudorCottage	1925	5138Vanderbilt	HighTudor	1926
5554Ridgedale	Craftsman	1926	5139Vanderbilt	HighTudor	1926
5555Ridgedale	TudorCottage	1926	5141Vanderbilt	TudorCottage	1924
			5142Vanderbilt	Contemporary	2000
5602Ridgedale	HighTudor	1926	5145Vanderbilt	TudorCottage	1925
5603Ridgedale	HighTudor	1926	5146Vanderbilt	TudorCottage	1926
5604Ridgedale	TudorCottage	1926	5150Vanderbilt	HighTudor	1928
5605Ridgedale	HighTudor	1926	5151Vanderbilt	TudorCottage	1927
5609Ridgedale	HighTudor	1926			
5610Ridgedale	HighTudor	1926			
5614Ridgedale	HighTudor	1923			
5615Ridgedale	HighTudor	1926			
5618Ridgedale	HighTudor	1926			
5619Ridgedale	HighTudor	1926			
5622Ridgedale	TudorCottage	1926			
5623Ridgedale	MinimalTraditional	1926			
5625Ridgedale	TudorCottage	1927			
5626Ridgedale	TudorCottage	1926			
5630Ridgedale	TudorCottage	1926			

5202Vanderbilt	HighTudor	1926	5338Vanderbilt	NeoColonial	1924
5203Vanderbilt	TudorCottage	1926	5339Vanderbilt	Craftsman	1924
5206Vanderbilt	HighTudor	1924	5342Vanderbilt	NeoColonial	1924
5207Vanderbilt	Contemporary	1999	5343Vanderbilt	NeoColonial	1925
5210Vanderbilt	Craftsman	1926	5346Vanderbilt	TudorCottage	1924
5211Vanderbilt	HighTudor	1926	5347Vanderbilt	MinimalTraditional	1925
5214Vanderbilt	HighTudor	1926	5350Vanderbilt	HighTudor	1936
5215Vanderbilt	TudorCottage	1926	5351Vanderbilt	MinimalTraditional	1938
5218Vanderbilt	HighTudor	1924	5354Vanderbilt	HighTudor	1929
5219Vanderbilt	HighTudor	1928	5355Vanderbilt	TudorCottage	1950
5222Vanderbilt	HighTudor	1924			
5223Vanderbilt	TudorCottage	1928	5402 Vanderbilt	NeoColonial	1948
5226Vanderbilt	HighTudor	1926	5403 Vanderbilt	MinimalTraditional	1938
5227Vanderbilt	Craftsman	1924	5406 Vanderbilt	Craftsman	1922
5230Vanderbilt	HighTudor	1924	5407 Vanderbilt	MinimalTraditional	1937
5231Vanderbilt	TudorCottage	1924	5410 Vanderbilt	NeoColonial	1925
5233Vanderbilt	HighTudor	1926	5411 Vanderbilt	HighTudor	1935
5234Vanderbilt	TudorCottage	1936	5414 Vanderbilt	Craftsman	1923
5239Vanderbilt	TudorCottage	1926	5415 Vanderbilt	HighTudor	1933
5240Vanderbilt	TudorCottage	1924	5418 Vanderbilt	TudorCottage	1926
5242Vanderbilt	TudorCottage	1928	5419 Vanderbilt	TudorCottage	1930
5243Vanderbilt	Ranch	1926	5422 Vanderbilt	HighTudor	1926
5247Vanderbilt	Ranch	1930	5423 Vanderbilt	Craftsman	1930
5248Vanderbilt	TudorCottage	1924	5426 Vanderbilt	HighTudor	1925
5251Vanderbilt	MinimalTraditional	1942	5427 Vanderbilt	HighTudor	1926
5252Vanderbilt	TudorCottage	1926	5430 Vanderbilt	Craftsman	1926
5254Vanderbilt	Ranch	1946	5431 Vanderbilt	TudorCottage	1930
5255Vanderbilt	Ranch	1954	5434 Vanderbilt	HighTudor	1925
			5435 Vanderbilt	HighTudor	1924
5302Vanderbilt	MinimalTraditional	1924	5438 Vanderbilt	HighTudor	1926
5303Vanderbilt	HighTudor	1922	5439 Vanderbilt	HighTudor	1926
5306Vanderbilt	HighTudor	1924	5440 Vanderbilt	HighTudor	1926
5307Vanderbilt	HighTudor	1924	5443 Vanderbilt	HighTudor	1933
5310Vanderbilt	TudorCottage	1924	5446 Vanderbilt	HighTudor	1931
5311Vanderbilt	Craftsman	1920	5447 Vanderbilt	HighTudor	1933
5314Vanderbilt	HighTudor	1922	5450 Vanderbilt	HighTudor	1930
5315Vanderbilt	Craftsman	1922	5451 Vanderbilt	HighTudor	1930
5318Vanderbilt	Craftsman	1922	5454 Vanderbilt	HighTudor	1924
5319Vanderbilt	HighTudor	1935	5455 Vanderbilt	MinimalTraditional	1950
5322Vanderbilt	HighTudor	1922	5458 Vanderbilt	HighTudor	1926
5323Vanderbilt	HighTudor	1935	5459 Vanderbilt	MinimalTraditional	1950
5327Vanderbilt	TudorCottage	1922			
5328Vanderbilt	TudorCottage	1922			
5330Vanderbilt	NeoColonial	1922			
5331Vanderbilt	Contemporary	2000			
5334Vanderbilt	NeoColonial	1924			
5335Vanderbilt	TudorCottage	1924			

5502	Vanderbilt	Tudor Cottage	1938				
5503	Vanderbilt	High Tudor	1926				
5506	Vanderbilt	High Tudor	1933				
5507	Vanderbilt	Tudor Cottage	1926				
5510	Vanderbilt	High Tudor	1928				
5511	Vanderbilt	Contemporary	2000				
5514	Vanderbilt	Tudor Cottage	1926				
5515	Vanderbilt	High Tudor	1926				
5518	Vanderbilt	Tudor Cottage	1926				
5519	Vanderbilt	High Tudor	1911				
5522	Vanderbilt	Tudor Cottage	1928				
5523	Vanderbilt	Tudor Cottage	1926				
5526	Vanderbilt	Tudor Cottage	1924				
5527	Vanderbilt	Tudor Cottage	1926				
5530	Vanderbilt	Contemporary	2001				
5531	Vanderbilt	Tudor Cottage	1926				
5534	Vanderbilt	Tudor Cottage	1928				
5535	Vanderbilt	Contemporary	2001				
5538	Vanderbilt	Tudor Cottage	1924				
5539	Vanderbilt	Contemporary	2002				
5542	Vanderbilt	Tudor Cottage	1926				
5543	Vanderbilt	Minimal Traditional	1926				
5546	Vanderbilt	High Tudor	1928				
5547	Vanderbilt	Tudor Cottage	1926				
5550	Vanderbilt	High Tudor	1928				
5551	Vanderbilt	High Tudor	1926				
5554	Vanderbilt	Neo Colonial	1939				
5555	Vanderbilt	High Tudor	1926				
5600	Vanderbilt	Tudor Cottage	1940				
5603	Vanderbilt	High Tudor	1928				
5606	Vanderbilt	High Tudor	1928				
5607	Vanderbilt	Tudor Cottage	1926				
5610	Vanderbilt	Craftsman	1924				
5611	Vanderbilt	High Tudor	1931				
5614	Vanderbilt	Tudor Cottage	1926				
5615	Vanderbilt	Tudor Cottage	1935				
5618	Vanderbilt	High Tudor	1926				
5619	Vanderbilt	Tudor Cottage	1926				
5622	Vanderbilt	High Tudor	1931				
5623	Vanderbilt	Tudor Cottage	1926				
5626	Vanderbilt	High Tudor	1928				
5627	Vanderbilt	Neo Colonial	1928				
5630	Vanderbilt	Tudor Cottage	1930				
5631	Vanderbilt	Tudor Cottage	1924				
5634	Vanderbilt	Ranch	1985				
5635	Vanderbilt	High Tudor	1928				
5639	Vanderbilt	High Tudor	1928				
5640	Vanderbilt	High Tudor	1926				
5643	Vanderbilt	High Tudor	1925				
5647	Vanderbilt	Ranch	1926				
3215	Homer	Minimal Traditional	1942				
3219	Homer	Minimal Traditional	1942				
3223	Homer	Minimal Traditional	1939				
3227	Homer	Tudor Cottage	1925				
3231	Homer	Minimal Traditional	1937				
3235	Homer	Tudor Cottage	1935				
3239	Homer	High Tudor	1925				
3243	Homer	High Tudor	1925	High	Tudor Cottage	2025	2025
3247	Homer	High Tudor	1925			2025	2025
3251	Homer	High Tudor	1927	High	Tudor Cottage	2025	2025
3303	Homer	High Tudor	1929			2025	2025
3307	Homer	High Tudor	1926			2025	2025
3311	Homer	Tudor Cottage	1936				
3315	Homer	Neo Colonial	1936				
3319	Homer	Minimal Traditional	1936				
3323	Homer	Tudor Cottage	2000				
3403	Homer	Tudor Cottage	1936				
3407	Homer	Minimal Traditional	1936				
3411	Homer	Contemporary	1998				
3415	Homer	Contemporary	1996				
3301	Greenville	Tudor Cottage	1940				



ZONING AND LAND USE

CASE NO. Z012-287/11780(JG)