



CITY OF DALLAS

Grease Interceptor Submittal Guidelines

A Grease Interceptor Submittal shall be required on all Food Service Establishment locations where a Health Permit is required. This submittal shall be provided with construction documents submitted for plan review. This information shall also be required by the field plumbing inspector during construction.

The submittal shall verify compliance to the 2015 Dallas Plumbing Code - Chapter 10, Traps, Interceptors and Separators.

An acceptable submittal shall include:

1. Submittal documents shall be based on the *anticipated conditions of use for the proposed project*.

The address of the project shall be on all documents as well as the permit number or name of the proposed project.

2. Sizing Criteria: The size shall be determined by the requirements of Chapter 10-Traps, Interceptors and Separators, of the 2015 Dallas Plumbing Code (2015 IPC with Dallas Amendments).

Sizing calculations shall be provided in the submittal.

3. Grease Interceptor: The submittal shall provide the manufacturer's cut sheet for the designated grease interceptor of choice.

The manufacturer's cut sheet shall demonstrate compliance to at least one of the three approved listing as outlined in Chapter 10 of the Dallas Plumbing Code. The designated model shall be identified on the manufacturer's cut sheet as well.

4. **All documents shall be signed, sealed, and dated by the engineer of record or the manufacturer's engineer.**

Rd/052017