

320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



# ICC 700 Project Summary and Checklist Multifamily and Mixed Use Buildings Addition

				Summary			
Date of							
Application							
Compliance Path							
Project							
Identification							
Project Address							
Owner							
Identification							
Architect							
Identification							
Contractor							
Identification							
Third Party						Registration No.	
Provider							
	<u> </u>						
Building Code		IBC Resider	ntial Occupancy				
Type of Building				IBC Group R Occu R-1. R-2. R	pancy: (select one) -3. R-4	Multifamily	
Number of Stories	Number:	Unit Type:	Unit Type:	Unit Type:	Unit Type:	Unit Type:	Unit Type:
and Type		1 bed/1bath	2 bed/1 bath	2 bed/2 bath	3 bed/2 bath	3 bed/3 bath	Other
Garage	Attached	Detached	Carport	None			
Building Sq. Footage	Lot Size:		Building Total So	q. Ft:	Area Under Roof:		Total Nonroof Area:
	IECC Climate						
Performance Level	Points Attem	npted:	Points Awarded:				

Note: Buildings shall be designed and constructed in accordance with the Energy provisions of Dallas Energy code. Compliance with IECC must be demonstrated separately by City of Dallas registered Third Party Energy Inspector

\*\* Townhouse: As defined by the Dallas Residential Code; may not be multifamily building







				IC	CC 700	
Item	Groon Ruilding Practice	Comp	Compliance Points		Plan Review/	Comments
item	Green Building Practice	Yes	No	Awarded	Inspection	Comments
	Chapter 4 Site Design and Development	Maxim	ium Po	ints Availat	ole: 326	Refer to ICC 700 Standard Plan Review: Verify information is on drawings Inspection: Verify construction is same as drawings and submittal data
401	Site Selection					
401.1	Infill Site: Infill site selected					
401.2	Greyfield/Brownfield Site: EPA					
402	recognized site selected  Project Team, Mission Statement, and Goals					Verify at green building plan review
402.1	Team: 1) Knowledgeable 2) Roles identified					
402.2	Training: Onsite training for supervisors and team members regarding green development practices					
402.3	Project Checklist: Green development practice checklist					
403	Site Design			L		Verify at green building plan review
403.1	Natural Resources 1) Inventory for site plan 2)Written plan for natural resources during construction 3) Builder's team participates in conservation program 4) Built features located to conserve vegetation					
403.2	Building Orientation					Verify at green building plan review
403.3	Slope Disturbance: 1) Steep slope avoided 2) Soil study 3) Roads align with topography 4) Erosion reduction strategies					





				IC	CC 700	
14 - 11-	Creen Building Breetice	Comp	liance	Points	Plan Review/	Comments
Item	Green Building Practice	Yes	No	Awarded	Inspection	Comments
403.4	Soil Disturbance and Erosion  1) Minimize soil exposure  2) Utilities installed using alternative methods  3) Clearing and grading limits indicated on drawings					
403.5	Stormwater Management  1) Natural water and drainage features preserved  2) Stormwater management plan  3) Permeable paving					
403.6	Landscape Plan  1) Restoration plan  2) Conservation of native trees  3) Native vegetation  4) Limitation of turf areas  5) Water zones  6) Increased shading  7) Vegetative wind breaks  8) On site mulching  9) Integrated pest management plan  10) Landscape water system includes moisture based controller  11) Preservation of trees					
403.7	Wildlife Habitat					
403.8	Operation and Maintenance Plan					
3.9 403.10	Existing Building Reuse  Existing and Recycled Materials  1) Reuse of existing pavement and curbs  2) Recycled asphalt or concrete					



320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



				IC	C 700	
Item	Green Building Practice	Complia	nce	Points Awarded	Plan Review/ Inspection	Comments
403.11	Environmentally Sensitive Areas 1) Avoided 2) Mitigated or restored					
403.12	Density: Average per acre					
403.13	Mixed Use Development					
404	Site Development and Construction					Verify at green building plan review
404.1	On Site Supervision and Coordination					
404.2	Trees and Vegetation 1) Protective fencing 2) Tree root zones protected 3) Tree damage mitigated					
4.3	<ul> <li>Soil Disturbance and Erosion</li> <li>1) Clearing and grading limits shown on drawings</li> <li>2) No disturbance zones</li> <li>3) Sediment and erosion controls</li> <li>4) Topsoil stockpiled and covered for reuse</li> <li>5) Reduce soil compaction from heavy equipment</li> <li>6) Disturbed areas stabilized within 14 days</li> <li>7) Soil amendments</li> </ul>					
404.4	<ul> <li>Wildlife Habitat</li> <li>1) Habitat maintained</li> <li>2) Wildlife habitat measures instituted</li> <li>3) Open space preserved</li> <li>4) Builder participated in wildlife conservation program</li> </ul>					
405	Innovative Practices					Verify at green building plan review
40.5.1	Driveways and Parking Areas					
405.2	Street Widths					
405.3	Cluster Development					



320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



				IC	CC 700	
Item	Green Building Practice	Compl	iance	Points Awarded	Plan Review/ Inspection	Comments
405.4	Zoning					
405.5	Wetlands					
405.6	Mass Transit					
	Chapter 5 Lot Design,					
	Preparation, and	Mayim	ıım Po	ints Availat	nla: 263	Verify at green building plan review
	Development	Waxiiii	uiii i O	iiits Availat	71C. 200	Verify at green building plan review
501	Lot Selection					Verify at green building plan review
501.1	Lot: 1) Infill site selected 2) Greyfield lot or EPA recognized brownfield lot					, , ,
501.2	Greyfield/Brownfield Site: EPA recognized site selected					
502	Project Team, Mission Statement, and Goals					Verify at green building plan review
502.1	Knowledgeable, roles identified					
503	Lot Design					Verify at green building plan review; final inspection
503.1	Natural Resources 1) Inventory for site plan 2) Written conservation plan during construction 3) Protection of listed items 4) Basic training for on site supervisor 5) Tree pruning by certified arborist 6) On going vegetative maintenance					
503.2	Slope Disturbance: 1) Steep slope avoided 2) Soil study 3) Roads align with topography 4) Long term erosion reduction strategies 5) Underground parking uses natural slope					

Together we are planning and building a better Dallas for all!



320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



			I	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
503.3	Soil Disturbance and Erosion  1) Minimize soil exposure  2) Utilities installed using alternative methods  3) Clearing and grading limits indicated on drawings				
503.4	Stormwater Management 1) Natural water and drainage features preserved 2) Stormwater management plan 3) Permeable paving 4) Vegetative roof, 75%				
503.5	Landscape Plan 1) Restoration plan 2) Native vegetation 3) Limitation of turf areas 4) Water zones 5) Increased shading 6) Vegetative wind breaks 7) On site mulching 8) IPM plan				
503.6	Wildlife Habitat				
503.7	Mixed Use Development				
503.8	Environmentally Sensitive Areas  1) Avoided 2) Mitigated or restored				
503.9	Density: Average per acre				
504	Lot Construction				Verify at green building plan review; final inspection
504.1	On Site Supervision and Coordination				
504.2	Trees and Vegetation 1) Protective fencing 2) Tree root zones protected 3) Tree damage mitigated				



320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



			I	CC 700	
Item	Green Building Practice	Compliand	Points Awarded	Plan Review/ Inspection	Comments
504.3	<ul> <li>Soil Disturbance and Erosion</li> <li>1) Clearing and grading limited shown on drawings</li> <li>2) No disturbance zones</li> <li>3) Sediment and erosion controls</li> <li>4) Topsoil stockpiled and covered for reuse</li> <li>5) Reduce soil compaction from heavy equipment</li> <li>6) Disturbed areas stabilized within 14 days</li> <li>7) Soil amendments</li> <li>8) Utilities installed using alternative means</li> </ul>				
505	Innovative Practices				Submitted for approval at plan review
505.1	Driveways and Parking Areas				
505.2	Heat Island Mitigation  1) Shading of hardscape  2) Light colored hardscape				
	Chapter 6 Resource Efficiency	Maximum	Points Availal	ole: 290	
601	Quality of Construction Materials and Waste				Review at green plan review; as construction submittals, verify at intermediate and final inspection
601.1	Conditioned Floor Area calculation				
601.2	Material Usage				
601.3	Building Dimensions and Layout 1) Floor area 2) Wall area 3) Roof area 4) Cladding or siding area 5) Penetrations and trim areas				
601.4	Framing and Structural Plan				

The banding a bette





			I	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
601.5	Prefabricated Components  1) Floor system  2) Wall system  3) Roof system  4) Modular construction  5) Manufactured home				
601.6	Stacked Stories 1) First stacked story 2) Each additional stacked story				
601.7	Site Applied Finishing Materials 1) 90% 2) 50%				
601.8	Foundations				
601.9	Above Grade Wall Systems				
602	Enhanced Durability and Reduced Maintenance				Verify at green building plan review; review as construction submittals, verify at inspections and final inspection
602.1	Exterior Doors				
602.2	Roof Overhangs				
602.3	Foundation Drainage 1) Drain tile 2) Perimeter drains				
602.4	Drip Edge				
602.5	Roof Water Discharge				
602.6	Finished Grade				
602.7	Termite Barrier				
602.8	Termite Resistant Materials				
602.9	Water Resistive Barrier				
602.10	Ice Barrier				
602.11	Foundation Waterproofing				
602.12	Flashing				
602.13	Roof Surfaces				
602.14	Recycling 1) Built in collection space 2) Compost				





			IC	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
603	Reused or Salvaged Materials				Verify at green building plan review; review as construction submittals, verify at final inspection
603.1	Existing Building Reused (up to 12 points)				
603.2	Salvaged Materials				
603.3	Scrap Materials				
604	Recycled Content Building Materials				Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections
604.1	Recycled Content (See Table 604.1 for points)				
605	Recycled Construction Waste				Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections
605.1	Construction Waste Management Plan				
605.2	On Site Recycling				
605.3	Recycled Construction Materials				
606	Renewable Materials				Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections
606.1	Biobased Products (up to 8 points) 1) Two types for 0.5% 2) Two types for 1% 3) Each additional type for 0.5%				
606.2	Wood Based Products				
606.3	Manufacturing Energy				
607	Resource Efficient Materials				
607.1	Resource Efficient Materials (up to 9 points)				
608	Indigenous Materials				
608.1	Indigenous Materials 1) One type 2) Each additional type				
609	Life Cycle Analysis				Review by Final Inspection
609.1	Life Cycle Analysis				The view by Final Inspection
009.1	Per product comparison     Whole Building LCA				



320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



			IC	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
610	Innovative Practices				
610.1	Manufacturer's Environmental Management System Concepts (up to 10 points)				Submitted for approval at plan review
	Chapter 7 Energy Efficiency	Maximum Po	ints Availab	ole: 120	
701	Minimum Energy Efficiency Requirements				Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections
701.1	Mandatory Requirements				
701.2	Emerald Level Points				
701.3	Adopting Entity Review				
701.4	Mandatory Practices  1) HVAC system and industry approved installation  2) Duct system sealed per UL 181  3) Insulation and air sealing  4) Floors, foundations, and crawlspaces  5) Walls  a) Band joists and rim joist b) Skylights/knee walls c) Exterior features  6) Ceilings and Attics a) Attic access b) Recessed lighting c) Eave vents  7) Fenestrations				
702	Performance Path				Performance path points cannot be combined with prescriptive path points)
702.1	Point Allocation	NA			
702.2	Energy Cost Performance Levels 1) 15% 2) 30% 3) 50% 4) 60%				
703	Prescriptive Path	1			Prescriptive path points cannot be combined with performance path points)

Together we are planning and building a better Dallas for all!

Revised: 04-02-25



320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



			IC	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
703.1	Building Envelope (refer to Table 703.1.1 for total building thermal envelope) (refer to Table 703.1.2 for insulation grades)				Refer to ICC 700 Table 703.1.1 for total building thermal envelope     Refer to ICC 700 Table 703.1.2 for insulation grades
703.2	Insulation and Air Sealing 1) Third party verification 2) No third party verification 3) Air and thermal barriers 4) Plumbing and wiring 5) Walls				
703.3	Fenestration: NFRA certified or equivalent and SHGC for windows, exterior doors, skylights, and tubular daylighting devices				Refer to ICC 700 Table 703.3.1a for U values and SHGC
703.4	HVAC Equipment Efficiency  1) Combination space heating and water heating system  2) Furnace/boiler efficiency  3) Boiler equipped with temperature reset control  4) Efficient heat pump  5) Efficient cooling  4) Ground source heat pump  5) Energy Star ceiling fans  6) Whole dwelling unit fans with insulated louvers and sealed enclosure  7) Energy Star programmable thermostat				Refer to ICC 700 Tables 703.4.2 for types of heaters
703.5	Water Heating Design, Equipment, and Installation  1) Water heater Energy Factor 2) Drain water heat recovery 3) Insulating hot water pipes and lines				Refer to ICC 700 Table 703.5.1
<b>704</b> 704.1	Additional Practices Application of Additional Practice Points				Submitted for approval at plan review





			IC	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
704.2	Lighting and Appliances  1) Hardwired lighting installation  2) Recessed lighting fixture penetration  3) Occupancy sensors  4) Energy Star Appliances  5) Induction cooktop				
704.3	Renewable Energy and Solar Heating and Cooling 1) Solar space heating and cooling 2) Automated solar protection (shading) 3) Passive solar heating design 4) Solar Water Heating 5) Renewable energy options				
704.4	Ducts: System properly sized				
704.5	HVAC Design and Installation  1) Compliance with ACCA Manual D  2) Certified contractor/ technician  3) Performance verification  4) Alternative refrigerant  5) Leakage less than 2% of design airflow				
704.6	Installation and Performance Verification 1) Third party onsite verification 2) Third party testing 3) Balanced system				
705	Innovative Practices	'			Submitted for approval at plan review
705.1	Energy Consumption Control				
705.2	Renewable Energy Service Plan				
	Chapter 8 Water Efficiency	Maximum Po	ints Availak	ile: 288	
801	Indoor and Outdoor Water Use	axiiiuiii 1 0	o , tvunuk		Plan Review, construction submittals, intermediate inspections, and final inspections: Verify





Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
801.1	Indoor Hot Water Usage Hot water reduction by: 1) Piping runs less than 40 ft 2) Piping runs less than 30 ft 3) Piping System Design: a) Structure type plumbing with demand controlled hot water loops b) Engineered parallel piping system c) Central core plumbing system 4) Pipe run exceeding 40 ft aided by: a) Tankless water heater b) On demand hot water				
801.2	recirculation  Water Conserving Appliances 1) Dishwasher 2) Washing machine 3) Washing machine with water factor of 6.0 or less				
801.3 801.4	Food Waste Disposer  Showerheads 1) 1.6 to less than 2.5 gpm total flow rates; comply with ASME A112.18.1; tested at 80 psi 2) 804.1.1 and a) 2.0 to less than 2.5 gpm b) 1.6 to less than 2.0 gpm				Average flow rate is per fixture.
801.5	Faucets 1. Water efficient lavatory faucets a) Bathroom installation b) All lavatory faucets installation 3) Self checking back valve, motion sensor, or pedal activated faucets				Faucets with maximum 1.5 gpm flow rate. tested at 60 psi per ASME A112.18.1





	ICC 700									
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments					
801.6	Water Closets and Urinals 1) Water closet flush volume of 1.28 gallons or less per ASME A112.19.2 or ASME A112.19.14 and EPA Water Sense 2) Urinal flush volume of 0.5 gallons or less per ASME A112.19.2									
801.7	Irrigation Systems  1) Low volume irrigation system for each landscape type  a) Hugh distribution uniformity rotating spray heads  b) Drip irrigators  c) Bubblers  d) Drip emitters  e) Soaker hose  f) Subsurface irrigation  2) Professional design and installed in accordance with EPA Water Sense requirements  3) Separate zones for turf and bedding areas  4) Smart Controller:  a) Evapotranspiration (EF) based controller with rain sensor  b) Soil moisture sensor  c) No irrigation and landscape plan complies with Section 503.3									
801.8	Rainwater Collection and Distribution 1) Rainwater collected and used 2) Rainwater distributed using renewable energy source or gravity Water Filters									





Item	Green Building Practice	Compliance	Points Plan Review Awarded Inspection		Comments
802	Innovative Practices				Submitted for approval at plan review
802.1	Graywater 1) Compliant with IRC Appendix O, separate and reused, as permitted by local plumbing code 2) Used by each water closet fixture 3) Used by irrigation system				
802.2	Composting or Waterless Toilet or Urinals 1) Installed. 2) In accordance with Section 802.2(2)				
802.3	Automatic Shut off Water Devices 1) Excess water flow shut off OR 2) Leak detection system				
	Chapter 9 Indoor Environmental Quality	Maximum Po	ints Availab	ole: 173	Verify at green plan review, construction submittals, intermediate inspections, and final inspections
901	Pollutant Source Control				
901.1	Space and Water Heating Options: 1. Draft space heating located outside conditioned space 2. Air handling equipment, return ducts located outside of garage 3. Combustion space and water heating equipment located within conditions space 4. Location of heat pump equipment				Select option
901.2	Fireplaces and Fuel Burning Appliances 1. Code compliant, vented to outside, adequate combustion and ventilation air a. Natural gas compliant b. Solid fuel compliance 2. No fire places, wood stoves, similar				Refer to ICC 700 901.2.1(2) for compliance requirements





			I	CC 700	
Item	Green Building Practice	Compliance	Points Plan Review/ Awarded Inspection		Comments
901.3	Garages 1. Attached garage a. Door between garage and conditioned space sealed b. Continuous air barrier between walls and ceilings c. Ducted or unducted wall fan 2. Carport				
901.4	Wood Materials 1. Structural Wood: DOC PS 1/DOC PS 2 2. Particleboard, MDF: CPA A208.1, CPA A208.2 3. Hardwood Plywood: HPVA HP- 1, HUD Title 24, Part 3280 4. Particle board, MDF, hardwood plywood: CPA 2 5. NAUF composite wood 6. Nonemitting products				Minimum 85% of material within product group manufactured according to requirements
901.5	Carpets 1. No carpet or pad around water closets or bathing fixtures 2. Low emission carpet materials				Emission limits minimum 85% comply with CDPH 01350, certified by Green Label Plus
901.6	Hard Surface Flooring				Emission limits minimum 85% comply with CDPH 01350, certified by FloorScore or Greenguard
901.7	Wall Coverings				Emission limits minimum 85% comply with CDPH 01350, certified by Scientific Certification Systems Indoor Gold Advantage or Greenguard
901.8	Architectural Coatings  1. Interior Products a. Zero VOC determined by EPA Method 24 b. CARB c. GS-11 d. VOC limits  2. Applied in accordance with DPH 01350 and verified by Greenguard or SCS				VOC Limits: Flat: 50 gram/liter Nonflat: 100 grams/liter Clear Wood Varnish: 350 grams/liters Clear Wood Lacquer: 550 grams/liter





320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



			IC	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
901.9	Adhesives and Sealants 1. Exterior: a. CARB b. GS-36 2. Interior: a) CDHP 01350, certified by Greenguard or SCS b) GS-36				Minimum of 85% of site applied exterior and interior sealants and adhesives comply with low VOC requirements CARB:  1) Adhesives: 75 g/l 2) Reactive Sealants: 50 g/l 3) Sealant: 30 g/l 4) Contact Adhesive: 480 g/l
901.10	Cabinets 1. KCMA EPS 01 compliant 2. CARB compliant 3. NAUF cabinetry				Minimum of 85% of kitchen and bath vanities comply
901.11	Insulation  1. Wall, Ceiling, Floor: Formaldehyde emissions comply with CDPH 01350, certified by Greenguard or SCS Indoor Gold Advantage Program  2. Duct: Formaldehyde emissions comply with CDPH 01350, certified by Greenguard or SCS Indoor Gold Advantage Program				
901.12	Carbon Monoxide (CO²) Alarm  1. Located in central areas outside each sleeping area				Alarm certified by CSA 6.19 or UL2034
901.13	Building Entrance Pollutant Control  1. Exterior grille or mats at main entrance  2. Indoor grille or mat				
902	Pollutant Control				Verify with construction submittals, and final inspections
902.1	Spot Ventilation 1. Bathrooms vented to outdoor 2. Clothes dryer vented to outdoor 3. Kitchen exhaust units and range hood ducted to outdoor 4. Bathroom Laundry Exhaust: Automatic timer or humidistat 5. Kitchen range, bathroom, laundry exhaust fans verified to specifications				Exhaust Unit:100 cfm minimum ventilation rate for intermittent operation; 25 cfm for continuous operation

Together we are planning and building a better Dallas for all!





320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



ICC 700								
Item	Green Building Practice	ng Practice Compliance		Points Awarded	Plan Review/ Inspection	Comments		
902.1	6. Energy Star exhaust fans							
902.2	Building Ventilation Systems  1. Select one:  a. Exhaust or supply fan ready for continuous operation with labeled controls  b. Balanced exhaust and supply fans with supply intakes located per manufacturer directions  c. Heat recover ventilator d. Energy recovery ventilator  2. Ventilation airflow tested to design fan airflow at point of exhaust  3. MERV 8 or greater filters on central air					Select one option		
902.3	Radon Control					Not applicable to Dallas		
902.4	HVAC System Protection  1. HVAC supply registers, grilles, and rough ins covered during construction  2. HVAC supply registers, return grilles, duct terminators inspected and vacuumed; coils inspected and cleaned, filter replaced							
902.5	Central Vacuum Systems 1. Installed and vented to outdoors							
902.6	Living Space Contaminants  1. Attic access, knee wall door, drop down stair sealed and gasketed  2. Penetration in attic, ceiling, walls, floors sealed							
903	Moisture Management: Vapor, Rainwater, Plumbing, HVAC			I		Verify with construction submittals, intermediate inspections, and final inspections		





	ICC 700								
Item	Green Building Practice	Compl	iance	Points Awarded	Plan Review/ Inspection	Comments			
903.1	Tile Backing Materials 1. Comply with ASTM C1178, C1279, C1288, or C 1325								
903.2	Capillary Breaks 1. Capillary break and vapor barrier installed a. Minimum 4 inch thick bed of aggregate covered with polyethylene sheeting, taped seams <b>OR</b> b. Minimum 4 inch thick uniform layer of sand overlain with geotextile drainage matting, covered with polyethylene sheeting								
903.2	2. Capillary break on footings								
cont	Onsulanas								
903.3	Crawlspace 1. Vapor Retarder: Seams overlapped minimum 6 inches and taped b. Floor: Minimum 6 mil vapor retarder on crawlspace floor, extended up wall, glued and fastened with furring strips c. Walls: Dampproof wall before finished grade								
903.4	Moisture Control Measures  1. Moisture Control Measures:  a. No visible mold on building materials  b. Walls not enclosed if insulation has high moisture content  c. Maximum moisture content of lumber is 19%  2. Moisture content of substrate, subfloor or concrete slab per standard for finished floor								



320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



Item	Green Building Practice	Compl	liance	Points Awarded	Plan Review/ Inspection	Comments
903.5	Plumbing 1. Distribution lines not in exterior wall cavities 2. Cold water piping in unconditioned space insulated to minimum R-4 3. No plumbing in unconditioned spaces					
903.6	Duct Insulation  1. HVAC ducts, plenums, trunks in unconditioned space, basement, crawlspaces insulated to R-6; outdoor air supplies insulated to R-6.					
903.7	Relative Humidity 1. Equipment installed to maintain RH of 60% or below by: a. Additional dehumidification system b. Additional controls on central HVAC					
904	Innovative Practices		<u> </u>		1	Submitted for approval at plan review
904.1	Humidity Monitoring Systems					
904.2	Kitchen Exhaust					
4004	Chapter 10 Operation, Maintenance, and Building Owner Education	Maxim	lum Po	ints Availat	 ble: 10	Submittals required by Final Inspection
1001	Living Space Contaminants					Defeate 100 700 fee as wised as a subject of
1001.1	Building Owner's Manual		<u> </u>			Refer to ICC 700 for required manual information
1002	Training of Building Owner on Operations and Maintenance for One- and Two-Family Dwellings and Multifamily Buildings					
1002.1	Training of Building Owner					
	End of ICC 700 Checklist					

D