

320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



#### **ICC 700 Project Summary and Checklist Multifamily and Mixed Use Buildings New Construction**

				Summary			
Date of							
Application							
Compliance Path							
Project							
Identification							
Project Address							
Owner							
Identification							
Architect							
Identification							
Contractor							
Identification							
Third Party						Registration No.	
Provider							
				Τ	Τ		
Building Code		IBC Resider	ntial Occupancy	1000 0 00	/ 1 / \	NA 1000 11	
Type of Building				R-1. R-2. F	pancy: (select one) R-3. R-4	Multifamily	
Stories and Type	Number of	Unit Type:	Unit Type:	Unit Type:	Unit Type:	Unit Type:	Unit Type:
	Stories:	1 bed/1bath	2 bed/1 bath	2 bed/2 bath	3 bed/2 bath	3 bed/3 bath	Other
Garage	Attached	Detached	Carport	None			r <del> </del>
Building Sq.	Lot Size:		Building Total So	q. Ft:	Area Under Roof:		Total Nonroof Area:
Footage	IFCC Climate	. <b>7</b> 0.4					
Performance Level	Reinte Atten		Points Awarded:				
renormance Level	Points Atten	ipiea:	roints Awarded:				
Note: Buildings shall	he designed	and constructo	d in accordance w	ith the Energy prov	visions of Dallas En	peray code Comp	liance with IECC must be
demonstrated separa					risions of Danas Li	icigy code. comp	nance with 1200 mast be

\*\* Townhouse: As defined by the Dallas Residential Code; may not be multifamily building







				IC	CC 700	
Item	Green Building Practice	Comp	Compliance Points Plan Review/			Comments
item	Green Building Practice	Yes	No	Awarded	Inspection	Comments
	Chapter 4 Site Design and Development	Maximum Points Available: 326			ble: 326	Refer to ICC 700 Standard Plan Review: Verify information is on drawings Inspection: Verify construction is same as drawings and submittal data
401	Site Selection					
401.1	Infill Site: Infill site selected					
401.2	Greyfield/Brownfield Site: EPA recognized site selected					
402	Project Team, Mission Statement, and Goals					Verify at green building plan review
402.1	Team: 1) Knowledgeable 2) Roles identified					
402.2	Training: Onsite training for supervisors and team members regarding green development practices					
402.3	Project Checklist: Green development practice checklist					
403	Site Design					Verify at green building plan review
403.1	Natural Resources 1) Inventory for site plan 2) Written plan for natural resources during construction 3) Builder's team participates in conservation program 4) Built features located to					
403.2	conserve vegetation  Building Orientation					Verify at green building plan review
403.3	Slope Disturbance: 1) Steep slope avoided 2) Soil study 3) Roads align with topography 4) Erosion reduction strategies					Verify at green building plan review



NATIONAL CARDINALIONG STANDARD

				IC	CC 700	
ltono	Crean Building Breatice	Compl	iance	Points	Plan Review/	Comments
Item Green Building Practice	Green Building Practice	Yes	No	Awarded	Inspection	Comments
403.4	Soil Disturbance and Erosion  1) Minimize soil exposure					
	Utilities installed using					
	alternative methods					
	3) Clearing and grading limits					
	indicated on drawings					
403.5	Stormwater Management					
	Natural water and drainage features preserved					
	Stormwater management plan					
	3) Permeable paving					
403.6	Landscape Plan					
	Restoration plan					
	<ul><li>2) Conservation of native trees</li><li>3) Native vegetation</li></ul>					
	4) Limitation of turf areas					
	5) Water zones					
	6) Increased shading					
	7) Vegetative wind breaks 8) On site mulching					
	Integrated pest management					
	plan					
	10) Landscape water system includes moisture based					
	controller					
	11) Preservation of trees					
403.7	Wildlife Habitat					
403.8	Operation and Maintenance Plan					
3.9	Existing Building Reuse					
403.10	Existing and Recycled Materials					
	Reuse of existing pavement and curbs					
	Recycled asphalt or concrete					



NATIONAL CARDINALIDAD STANDARD

320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480

			I	CC 700	
Item	Green Building Practice	Complian	ce Points Awarded	Plan Review/ Inspection	Comments
403.11	Environmentally Sensitive Areas 1) Avoided 2) Mitigated or restored				
403.12	Density: Average per acre				
403.13	Mixed Use Development				
404	Site Development and Construction				Verify at green building plan review
404.1	On Site Supervision and Coordination				
404.2	Trees and Vegetation 1) Protective fencing 2) Tree root zones protected 3) Tree damage mitigated				
4.3	<ul> <li>Soil Disturbance and Erosion</li> <li>1) Clearing and grading limits shown on drawings</li> <li>2) No disturbance zones</li> <li>3) Sediment and erosion controls</li> <li>4) Topsoil stockpiled and covered for reuse</li> <li>5) Reduce soil compaction from heavy equipment</li> <li>6) Disturbed areas stabilized within 14 days</li> <li>7) Soil amendments</li> </ul>				
404.4	Wildlife Habitat     Habitat maintained     Wildlife habitat measures instituted     Open space preserved     Builder participated in wildlife conservation program				
405	Innovative Practices				Verify at green building plan review
40.5.1	Driveways and Parking Areas				
405.2	Street Widths				
405.3	Cluster Development				



320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



				IC	CC 700	
Item	Green Building Practice	Compl	iance	Points Awarded	Plan Review/ Inspection	Comments
405.4	Zoning					
405.5	Wetlands					
405.6	Mass Transit					
	Chapter 5 Lot Design, Preparation, and Development	Maxim	um Po	ints Availak	ole: 263	Verify at green building plan review
501	Lot Selection					Verify at green building plan review
501.1	Lot: 1) Infill site selected 2) Greyfield lot or EPA recognized brownfield lot					
501.2	Greyfield/Brownfield Site: EPA recognized site selected					
502	Project Team, Mission Statement, and Goals					Verify at green building plan review
502.1	Knowledgeable, roles identified					
503	Lot Design					Verify at green building plan review; final inspection
503.1	Natural Resources 1) Inventory for site plan 2) Written conservation plan during construction 3) Protection of listed items 4) Basic training for on site supervisor 5) Tree pruning by certified arborist 6) On going vegetative maintenance					
503.2	Slope Disturbance: 1) Steep slope avoided 2) Soil study 3) Roads align with topography 4) Long term erosion reduction strategies 5) Underground parking uses natural slope					



MATIONAL GREEN BUILDING

			IC	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
503.3	Soil Disturbance and Erosion  1) Minimize soil exposure  2) Utilities installed using alternative methods  3) Clearing and grading limits indicated on drawings				
503.4	Stormwater Management 1) Natural water and drainage features preserved 2) Stormwater management plan 3) Permeable paving 4) Vegetative roof, 75%				
503.5	Landscape Plan 1) Restoration plan 2) Native vegetation 3) Limitation of turf areas 4) Water zones 5) Increased shading 6) Vegetative wind breaks 7) On site mulching 8) IPM plan				
503.6	Wildlife Habitat				
503.7	Mixed Use Development				
503.8	Environmentally Sensitive Areas  1) Avoided 2) Mitigated or restored				
503.9	Density: Average per acre				
504	Lot Construction		ı		Verify at green building plan review; final inspection
504.1	On Site Supervision and Coordination				
504.2	Trees and Vegetation 1) Protective fencing 2) Tree root zones protected 3) Tree damage mitigated				



GREEN RALDING STANDARD COMMENT

320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480

	ilias , ,		I	CC 700	
Item	Green Building Practice	Complian	Points Awarded	Plan Review/ Inspection	Comments
504.3	<ul> <li>Soil Disturbance and Erosion</li> <li>1) Clearing and grading limited shown on drawings</li> <li>2) No disturbance zones</li> <li>3) Sediment and erosion controls</li> <li>4) Topsoil stockpiled and covered for reuse</li> <li>5) Reduce soil compaction from heavy equipment</li> <li>6) Disturbed areas stabilized within 14 days</li> <li>7) Soil amendments</li> <li>8) Utilities installed using alternative means</li> </ul>				
505	Innovative Practices				Submitted for approval at plan review
505.1 505.2	Driveways and Parking Areas Heat Island Mitigation 1) Shading of hardscape 2) Light colored hardscape				
	Chapter 6 Resource Efficiency	Maximum	Points Availal	ole: 290	
601	Quality of Construction Materials and Waste				Review at green plan review; as construction submittals, verify at intermediate and final inspection
601.1 601.2	Conditioned Floor Area calculation  Material Usage				
601.3	Building Dimensions and Layout  1) Floor area  2) Wall area  3) Roof area  4) Cladding or siding area  5) Penetrations and trim areas				
601.4	Framing and Structural Plan				



STANDARD STANDARD

			I	CC 700	
Item	Green Building Practice	Complianc	Points Awarded	Plan Review/ Inspection	Comments
601.5	Prefabricated Components 1) Floor system 2) Wall system 3) Roof system 4) Modular construction 5) Manufactured home				
601.6	Stacked Stories 1) First stacked story 2) Each additional stacked story				
601.7	Site Applied Finishing Materials 1) 90% 2) 50%				
601.8	Foundations				
601.9	Above Grade Wall Systems				
602	Enhanced Durability and Reduced Maintenance				Verify at green building plan review; review as construction submittals, verify at inspections and final inspection
602.1	Exterior Doors				
602.2	Roof Overhangs				
602.3	Foundation Drainage 1) Drain tile 2) Perimeter drains				
602.4	Drip Edge				
602.5	Roof Water Discharge				
602.6	Finished Grade				
602.7	Termite Barrier				
602.8	Termite Resistant Materials				
602.9	Water Resistive Barrier				
602.10	Ice Barrier				
602.11	Foundation Waterproofing				
602.12	Flashing				
602.13	Roof Surfaces				
602.14	Recycling 1) Built in collection space 2) Compost				



NATIONAL GRIEN BALDING STANDARD

320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480

			IC	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
603	Reused or Salvaged Materials			-	Verify at green building plan review; review as construction submittals, verify at final inspection
603.1	Existing Building Reused (up to 12 points)				
603.2	Salvaged Materials				
603.3	Scrap Materials				
604	Recycled Content Building Materials				Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections
604.1	Recycled Content (See Table 604.1 for points)				
605	Recycled Construction Waste				Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections
605.1	Construction Waste Management Plan				
605.2	On Site Recycling				
605.3	Recycled Construction Materials				
606	Renewable Materials				Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections
606.1	Biobased Products (up to 8 points) 1) Two types for 0.5% 2) Two types for 1% 3) Each additional type for 0.5%				
606.2	Wood Based Products				
606.3	Manufacturing Energy				
607	Resource Efficient Materials				
607.1	Resource Efficient Materials (up to 9 points)				
608	Indigenous Materials				
608.1	Indigenous Materials 1) One type 2) Each additional type				
609	Life Cycle Analysis				Review by Final Inspection
609.1	Life Cycle Analysis  1) Per product comparison 2) Whole Building LCA				



320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



			IC	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
610	Innovative Practices				
610.1	Manufacturer's Environmental Management System Concepts (up to 10 points)				Submitted for approval at plan review
	Chapter 7 Energy Efficiency	Maximum Po	ints Availat	ole: 120	
701	Minimum Energy Efficiency Requirements		THE THURSDAY		Verify at green building plan review; review as construction submittals, verify at intermediate and final inspections
701.1	Mandatory Requirements				
701.2	Emerald Level Points				
701.3	Adopting Entity Review				
701.4	Mandatory Practices  1) HVAC system and industry approved installation  2) Duct system sealed per UL 181  3) Insulation and air sealing  4) Floors, foundations, and crawlspaces  5) Walls  a) Band joists and rim joist b) Skylights/knee walls c) Exterior features  6) Ceilings and Attics a) Attic access b) Recessed lighting c) Eave vents  7) Fenestrations				
702					Performance path points cannot be combined with prescriptive path points)
702.1	Point Allocation	NA			
702.2	Energy Cost Performance Levels 1) 15% 2) 30% 3) 50% 4) 60%				
703	Prescriptive Path		1	l	Prescriptive path points cannot be combined with performance path points)





320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480

			I	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
703.1	Building Envelope (refer to Table 703.1.1 for total building thermal envelope) (refer to Table 703.1.2 for insulation grades)				Refer to ICC 700 Table 703.1.1 for total building thermal envelope     Refer to ICC 700 Table 703.1.2 for insulation grades
703.2	Insulation and Air Sealing 1) Third party verification 2) No third party verification 3) Air and thermal barriers 4) Plumbing and wiring 5) Walls				
703.3	Fenestration: NFRA certified or equivalent and SHGC for windows, exterior doors, skylights, and tubular daylighting devices				Refer to ICC 700 Table 703.3.1a for U values and SHGC
703.4	HVAC Equipment Efficiency  1) Combination space heating and water heating system  2) Furnace/boiler efficiency  3) Boiler equipped with temperature reset control  4) Efficient heat pump  5) Efficient cooling  4) Ground source heat pump  5) Energy Star ceiling fans  6) Whole dwelling unit fans with insulated louvers and sealed enclosure  7) Energy Star programmable thermostat				Refer to ICC 700 Tables 703.4.2 for types of heaters
703.5	Water Heating Design, Equipment, and Installation  1) Water heater Energy Factor 2) Drain water heat recovery 3) Insulating hot water pipes and lines				Refer to ICC 700 Table 703.5.1
704	Additional Practices	,	•	•	Submitted for approval at plan review
704.1	Application of Additional Practice Points				

Revised: 04-15-25



NATIONAL OCHEN BALDING OSTANDADO

			IC	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
704.2	Lighting and Appliances 1) Hardwired lighting installation 2) Recessed lighting fixture penetration 3) Occupancy sensors 4) Energy Star Appliances 5) Induction cooktop				
704.3	Renewable Energy and Solar Heating and Cooling 1) Solar space heating and cooling 2) Automated solar protection (shading) 3) Passive solar heating design 4) Solar Water Heating 5) Renewable energy options				
704.4	Ducts: System properly sized				
704.5	HVAC Design and Installation  1) Compliance with ACCA Manual D  2) Certified contractor/ technician  3) Performance verification  4) Alternative refrigerant  5) Leakage less than 2% of design airflow				
704.6	Installation and Performance Verification 1) Third party onsite verification 2) Third party testing 3) Balanced system				
705	Innovative Practices	,	•		Submitted for approval at plan review
705.1	Energy Consumption Control				
705.2	Renewable Energy Service Plan				
	Chantas 9 Water Efficiency	Maximum Da	into Avoilel	No. 200	
801	Indoor and Outdoor Water Use	Maximum Po	omis Avallar	ле: 288	Plan Review, construction submittals, intermediate inspections, and final inspections: Verify



GREEN RALDING STANDARD COMMENT

Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
801.1	Indoor Hot Water Usage Hot water reduction by:  1) Piping runs less than 40 ft 2) Piping runs less than 30 ft 3) Piping System Design: a) Structure type plumbing with demand controlled hot water loops b) Engineered parallel piping system c) Central core plumbing system 4) Pipe run exceeding 40 ft aided by: a) Tankless water heater				
801.2	b) On demand hot water recirculation  Water Conserving Appliances 1) Dishwasher 2) Washing machine 3) Washing machine with water factor of 6.0 or less				
801.3	Food Waste Disposer  Showerheads 1) 1.6 to less than 2.5 gpm total flow rates; comply with ASME A112.18.1; tested at 80 psi 2) 804.1.1 and a) 2.0 to less than 2.5 gpm b) 1.6 to less than 2.0 gpm				Average flow rate is per fixture.
801.5	Faucets 1. Water efficient lavatory faucets a) Bathroom installation b) All lavatory faucets installation 3) Self checking back valve, motion sensor, or pedal activated faucets				Faucets with maximum 1.5 gpm flow rate. tested at 60 psi per ASME A112.18.1



NATIONAL CARDINALIONG STANDARD

	ICC 700								
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments				
801.6	Water Closets and Urinals  1) Water closet flush volume of 1.28 gallons or less per ASME A112.19.2 or ASME A112.19.14 and EPA Water Sense  2) Urinal flush volume of 0.5 gallons or less per ASME A112.19.2								
801.7	Irrigation Systems  1) Low volume irrigation system for each landscape type  a) Hugh distribution uniformity rotating spray heads  b) Drip irrigators  c) Bubblers  d) Drip emitters  e) Soaker hose  f) Subsurface irrigation  2) Professional design and installed in accordance with EPA Water Sense requirements  3) Separate zones for turf and bedding areas  4) Smart Controller:  a) Evapotranspiration (EF) based controller with rain sensor  b) Soil moisture sensor  c) No irrigation and landscape plan complies with Section 503.3								
801.8	Rainwater Collection and Distribution 1) Rainwater collected and used 2) Rainwater distributed using renewable energy source or gravity Water Filters								



GREEN RALDING STANDARD COMMENT

320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480

			I	CC 700	
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments
802	Innovative Practices				Submitted for approval at plan review
802.1	Graywater 1) Compliant with IRC Appendix O, separate and reused, as permitted by local plumbing code 2) Used by each water closet fixture 3) Used by irrigation system				
802.2	Composting or Waterless Toilet or Urinals 1) Installed. 2) In accordance with Section 802.2(2)				
802.3	Automatic Shut off Water Devices 1) Excess water flow shut off OR 2) Leak detection system				
	Chapter 9 Indoor Environmental Quality	Maximum Po	ints Availal	ole: 173	Verify at green plan review, construction submittals, intermediate inspections, and final inspections
901	Pollutant Source Control				
901.1	Space and Water Heating Options:  1. Draft space heating located outside conditioned space  2. Air handling equipment, return ducts located outside of garage  3. Combustion space and water heating equipment located within conditions space  4. Location of heat pump equipment				Select option
901.2	Fireplaces and Fuel Burning Appliances 1. Code compliant, vented to outside, adequate combustion and ventilation air a. Natural gas compliant b. Solid fuel compliance 2. No fire places, wood stoves, similar				Refer to ICC 700 901.2.1(2) for compliance requirements



NATIONAL OCHEN BALDING OSTANDADO

ICC 700									
Item	Green Building Practice	Complianc	Points Awarded	Plan Review/ Inspection	Comments				
901.3	Garages 1. Attached garage a. Door between garage and conditioned space sealed b. Continuous air barrier between walls and ceilings c. Ducted or unducted wall fan 2. Carport								
901.4	Wood Materials  1. Structural Wood: DOC PS 1/DOC PS 2  2. Particleboard, MDF: CPA A208.1, CPA A208.2  3. Hardwood Plywood: HPVA HP- 1, HUD Title 24, Part 3280  4. Particle board, MDF, hardwood plywood: CPA 2  5. NAUF composite wood  6. Nonemitting products				Minimum 85% of material within product group manufactured according to requirements				
901.5	Carpets 1. No carpet or pad around water closets or bathing fixtures 2. Low emission carpet materials				Emission limits minimum 85% comply with CDPH 01350, certified by Green Label Plus				
901.6	Hard Surface Flooring				Emission limits minimum 85% comply with CDPH 01350, certified by FloorScore or Greenguard				
901.7	Wall Coverings				Emission limits minimum 85% comply with CDPH 01350, certified by Scientific Certification Systems Indoor Gold Advantage or Greenguard				
901.8	Architectural Coatings  1. Interior Products a. Zero VOC determined by EPA Method 24 b. CARB c. GS-11 d. VOC limits  2. Applied in accordance with DPH 01350 and verified by Greenguard or SCS				VOC Limits: Flat: 50 gram/liter Nonflat: 100 grams/liter Clear Wood Varnish: 350 grams/liters Clear Wood Lacquer: 550 grams/liter				



320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480



	ICC 700									
Item	Green Building Practice	Compliance	Points Awarded	Plan Review/ Inspection	Comments					
901.9	Adhesives and Sealants 1. Exterior: a. CARB b. GS-36 2. Interior: a) CDHP 01350, certified by Greenguard or SCS b) GS-36				Minimum of 85% of site applied exterior and interior sealants and adhesives comply with low VOC requirements CARB:  1) Adhesives: 75 g/l 2) Reactive Sealants: 50 g/l 3) Sealant: 30 g/l 4) Contact Adhesive: 480 g/l					
901.10	Cabinets 1. KCMA EPS 01 compliant 2. CARB compliant 3. NAUF cabinetry				Minimum of 85% of kitchen and bath vanities comply					
901.11	Insulation 1. Wall, Ceiling, Floor: Formaldehyde emissions comply with CDPH 01350, certified by Greenguard or SCS Indoor Gold Advantage Program 2. Duct: Formaldehyde emissions comply with CDPH 01350, certified by Greenguard or SCS Indoor Gold Advantage Program									
901.12	Carbon Monoxide (CO <sup>2</sup> ) Alarm  1. Located in central areas outside each sleeping area				Alarm certified by CSA 6.19 or UL2034					
901.13	Building Entrance Pollutant Control  1. Exterior grille or mats at main entrance  2. Indoor grille or mat									
902	Pollutant Control				Verify with construction submittals, and final inspections					
902.1	Spot Ventilation 1. Bathrooms vented to outdoor 2. Clothes dryer vented to outdoor 3. Kitchen exhaust units and range hood ducted to outdoor 4. Bathroom Laundry Exhaust: Automatic timer or humidistat 5. Kitchen range, bathroom, laundry exhaust fans verified to specifications				Exhaust Unit:100 cfm minimum ventilation rate for intermittent operation; 25 cfm for continuous operation					

Together we are planning and building a better Dallas for all!

Revised: 04-15-25



MITCHAL GRISH BALDING STANDARD

320 E Jefferson Blvd, Dallas TX 75203 (214) 948-4480

	ICC 700								
Item	Green Building Practice	Compliance		Points Awarded	Plan Review/ Inspection	Comments			
902.1	6. Energy Star exhaust fans								
902.2	Building Ventilation Systems  1. Select one:  a. Exhaust or supply fan ready for continuous operation with labeled controls  b. Balanced exhaust and supply fans with supply intakes located per manufacturer directions  c. Heat recover ventilator d. Energy recovery ventilator  2. Ventilation airflow tested to design fan airflow at point of exhaust  3. MERV 8 or greater filters on central air					Select one option			
902.3	Radon Control					Not applicable to Dallas			
902.4	HVAC System Protection  1. HVAC supply registers, grilles, and rough ins covered during construction  2. HVAC supply registers, return grilles, duct terminators inspected and vacuumed; coils inspected and cleaned, filter replaced								
902.5	Central Vacuum Systems 1. Installed and vented to outdoors								
902.6	Living Space Contaminants  1. Attic access, knee wall door, drop down stair sealed and gasketed  2. Penetration in attic, ceiling, walls, floors sealed								
903	Moisture Management: Vapor, Rainwater, Plumbing, HVAC				1	Verify with construction submittals, intermediate inspections, and final inspections			



MATIONAL GREEN BUILDING STANDARD

	ICC 700								
Item	Green Building Practice	Compl	iance	Points Awarded	Plan Review/ Inspection	Comments			
903.1	Tile Backing Materials 1. Comply with ASTM C1178, C1279, C1288, or C 1325								
903.2	Capillary Breaks  1. Capillary break and vapor barrier installed  a. Minimum 4 inch thick bed of aggregate covered with polyethylene sheeting, taped seams OR  b. Minimum 4 inch thick uniform layer of sand overlain with geotextile drainage matting, covered with polyethylene sheeting								
903.2	Capillary break on footings								
903.3	Crawlspace 1. Vapor Retarder: Seams overlapped minimum 6 inches and taped b. Floor: Minimum 6 mil vapor retarder on crawlspace floor, extended up wall, glued and fastened with furring strips c. Walls: Dampproof wall before finished grade								
903.4	Moisture Control Measures  1. Moisture Control Measures: a. No visible mold on building materials b. Walls not enclosed if insulation has high moisture content c. Maximum moisture content of lumber is 19%  2. Moisture content of substrate, subfloor or concrete slab per standard for finished floor								



GREEN RALDING STANDARD COMMENT

Item	Green Building Practice	Compliance		Points Awarded	Plan Review/ Inspection	Comments
903.5	Plumbing 1. Distribution lines not in exterior wall cavities 2. Cold water piping in unconditioned space insulated to minimum R-4 3. No plumbing in unconditioned spaces					
903.6	Duct Insulation  1. HVAC ducts, plenums, trunks in unconditioned space, basement, crawlspaces insulated to R-6; outdoor air supplies insulated to R-6.					
903.7	Relative Humidity 1. Equipment installed to maintain RH of 60% or below by: a. Additional dehumidification system b. Additional controls on central HVAC					
904	Innovative Practices		l			Submitted for approval at plan review
904.1	Humidity Monitoring Systems					
904.2	Kitchen Exhaust					
1001	Chapter 10 Operation, Maintenance, and Building Owner Education Living Space Contaminants	Maximum Points Available: 10			ble: 10	Submittals required by Final Inspection
1001	Building Owner's Manual					Poter to ICC 700 for required manual information
1001.1	Training of Building Owner on Operations and Maintenance for One- and Two-Family Dwellings and Multifamily Buildings					Refer to ICC 700 for required manual information
1002.1	Training of Building Owner					
	End of ICC 700 Checklist					