

DALLAS WATER UTILITIES
APPROVED MATERIALS BY TRADE NAME IN COMPLIANCE WITH
AMERICAN IRON AND STEEL REGULATIONS

Revised July 2021 214-670-8017

| BASIC PRODUCT CATEGORY | PRODUCT SUB-CATEGORY | MANUFACTURER | MODEL, TYPE, OR STYLE APPROVED | GOVERNING SPECIFICATION | EXCEPTIONS | AIS CERTIFIED | NSF 61 CERTIFIED |
|---------------------------|----------------------|-------------------------------|--------------------------------|-------------------------|------------|---------------|------------------|
| Automatic Flushers | | Manufacturer | | | | | |
| AUTOMATIC FLUSHER | AUTOMATIC FLUSHER | The Kupferle Foundary Company | 9800-WC Eclipse | Bid Item 5756 | | N/A | N/A |
| AUTOMATIC FLUSHER | AUTOMATIC FLUSHER | The Kupferle Foundary Company | | | | N/A | N/A |

| | | | | | | | |
|-----------------------|---------------|------------------------------|----------------------|--------------------|----------------|----------------|-----|
| Casing Spacers | | Manufacturer | | | | | |
| CASING SPACER | CASING SPACER | ADVANCE PRODUCTS AND SYSTEMS | STAINLESS MODEL SSI | DWU SPECIFICATIONS | STAINLESS ONLY | AIS Cert. Only | N/A |
| CASING SPACER | CASING SPACER | PSI | STAINLESS MODEL | DWU SPECIFICATIONS | STAINLESS ONLY | AIS Cert. Only | N/A |
| CASING SPACER | CASING SPACER | Power Seal | MODEL 4810 STAINLESS | DWU SPECIFICATIONS | STAINLESS ONLY | AIS Cert. Only | N/A |
| CASING SPACER | CASING SPACER | BWM | SS - Series | DWU SPECIFICATIONS | STAINLESS ONLY | AIS Cert. Only | N/A |

| | | | | | | | |
|-----------------|-----------------|---------------------|--------------|----------------------|--|-----|-----|
| Coatings | | Manufacturer | | | | | |
| PIPE COATING | FITTING COATING | AQUAARMOR | METAL JACKET | ASTM B117 and NSF 61 | | N/A | NSF |

| | | | | | | | |
|------------------------------|-------------------------------|---------------------|----------------|---------------------------|--------------|-----|-----|
| Corporation Stop | | Manufacturer | | | | | |
| 3/4" & 1" CORPORATION STOP * | QUICK JOINT BALL VALVE | FORD | FB-1000-x-Q-NL | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | UL |
| 3/4" & 1" CORPORATION STOP * | CB Compression | CAMBRIDGE | 301NL-Series | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |
| 3/4" & 1" CORPORATION STOP * | Q-SERIES BALL VALVE CORP STOP | McDONALD | 74701BQ | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |
| 3/4" & 1" CORPORATION STOP * | 110 BALL VALVE | MUELLER** | B-25008N | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |

*MUST HAVE STAINLESS STEEL COMPRESSION GRIP RING.

** R-REDUCED NOT APPROVED

| | | | | | | | |
|--------------------------------|-------------------------------|---------------------|----------------|---------------------------|--------------|-----|-----|
| Corporation Stop | | Manufacturer | | | | | |
| 1 1/2" & 2" CORPORATION STOP * | QUICK JOINT BALL VALVE | FORD | FB-1000-x-Q-NL | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | UL |
| 1 1/2" & 2" CORPORATION STOP * | CB Compression | CAMBRIDGE | 301NL-Series | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |
| 1 1/2" & 2" CORPORATION STOP * | Q-SERIES BALL VALVE CORP STOP | McDONALD | 74701BQ | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |
| 1 1/2" & 2" CORPORATION STOP * | 110 BALL VALVE | MUELLER | B-25008N | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |

*MUST HAVE STAINLESS STEEL COMPRESSION GRIP RING.

| | | | | | | | |
|--------------------------|----------------------|---------------------|---------------------|----------------------|---------|----------------|-----|
| Coupling Straight | | Manufacturer | | | | | |
| COUPLING, STRAIGHT* | FOR GRAY AND DI PIPE | FORD | FC4 STYLE | AWWA C219 & DWU SPEC | 14"-60" | AIS Cert. Only | UL |
| COUPLING, STRAIGHT* | FOR GRAY AND DI PIPE | JCM | 210 SERIES | AWWA C219 & DWU SPEC | | AIS Cert. Only | NSF |
| COUPLING, STRAIGHT* | FOR GRAY AND DI PIPE | ROMAC | STYLE 501 | AWWA C219 & DWU SPEC | | AIS Cert. Only | NSF |
| COUPLING, STRAIGHT* | FOR GRAY AND DI PIPE | SMITH-BLAIR | 411, 441, 461 & 462 | AWWA C219 & DWU SPEC | | AIS Cert. Only | NSF |

* MUST HAVE 12 MILS FUSION BONDED EPOXY COATING & 316 SS BOLTS.

DALLAS WATER UTILITIES
APPROVED MATERIALS BY TRADE NAME IN COMPLIANCE WITH
AMERICAN IRON AND STEEL REGULATIONS

Revised July 2021 214-670-8017

| BASIC PRODUCT CATEGORY | PRODUCT SUB-CATEGORY | MANUFACTURER | MODEL, TYPE, OR STYLE APPROVED | GOVERNING SPECIFICATION | EXCEPTIONS | AIS CERTIFIED | NSF 61 CERTIFIED |
|----------------------------|----------------------|---------------------|--------------------------------|-------------------------|------------|----------------|------------------|
| Coupling Transition | | Manufacturer | | | | | |
| COUPLING, TRANSITION* | FOR GRAY AND DI PIPE | FORD | FC5 and FC6 STYLE | AWWA C219 & DWU SPEC | 24" - 60" | AIS Cert. Only | UL |
| COUPLING, TRANSITION* | FOR GRAY AND DI PIPE | ROMAC | XR-501 | AWWA C219 & DWU SPEC | | AIS Cert. Only | NSF |
| COUPLING, TRANSITION* | FOR GRAY AND DI PIPE | ROMAC | TC-400 | AWWA C219 & DWU SPEC | | AIS Cert. Only | NSF |
| COUPLING, TRANSITION* | FOR GRAY AND DI PIPE | SMITH-BLAIR | 413, 441, 461 & 462 | AWWA C219 & DWU SPEC | | AIS Cert. Only | NSF |
| COUPLING, TRANSITION* | FOR GRAY, DI AND AC | HYMAX | SERIES 2000 | AWWA C219 & DWU SPEC | | AIS Cert. Only | NSF |

*MUST HAVE 12 MILS FUSION BONDED EPOXY COATING & 316 SS BOLTS.

| | | | | | | | |
|-----------------------|------------------------|---------------------|-----------------|---------------------------|--------------|-----|-----|
| Curb Stop | | Manufacturer | | | | | |
| 3/4" & 1" CURB STOP * | QUICK JOINT BALL VALVE | FORD | B-41-xxx-W-Q-NL | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | UL |
| 3/4" & 1" CURB STOP * | CB Compression | CAMBRIDGE | 212NL-Series | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |
| 3/4" & 1" CURB STOP * | Q-SERIES BALL VALVE | McDONALD | 76102WQ | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |
| 3/4" & 1" CURB STOP * | 110 BALL VALVE | MUELLER | B-25170N | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |

*MUST HAVE STAINLESS STEEL COMPRESSION GRIP RING.

| | | | | | | | |
|-------------------------|------------------------|---------------------|-----------------|---------------------------|--------------|-----|-----|
| Curb Stop | | Manufacturer | | | | | |
| 1 1/2" & 2" CURB STOP * | QUICK JOINT BALL VALVE | FORD | B-41-xxx-W-Q-NL | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | UL |
| 1 1/2" & 2" CURB STOP * | CB Compression | CAMBRIDGE | 212NL-Series | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |
| 1 1/2" & 2" CURB STOP * | Q-SERIES BALL VALVE | McDONALD | 76102WQ | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |
| 1 1/2" & 2" CURB STOP * | 110 BALL VALVE | MUELLER | B-25170N | AWWA C800 & 502.5.1.3.COD | NO LEAD ONLY | N/A | NSF |

*MUST HAVE STAINLESS STEEL COMPRESSION GRIP RING.

| | | | | | | | |
|----------------------|--|-----------------------|------------------------|-------------------------|----------------------|----------------|----|
| Fire Hydrants | | Manufacturer | | | | | |
| FIRE HYDRANTS* | | American Flow Control | WATEROUS PACER | AWWA C502 & 502.6.3.COD | | AIS Cert. Only | NA |
| FIRE HYDRANTS* | | CLOW* | MEDALLION F2545* | AWWA C502 & 502.6.3.COD | MUST HAVE DWU ID TAG | AIS Cert. Only | NA |
| FIRE HYDRANTS* | | KENNEDY | K-81-A or D (GUARDIAN) | AWWA C502 & 502.6.3.COD | | AIS Cert. Only | NA |
| FIRE HYDRANTS* | | MUELLER | SUPER CENTURION 250 | AWWA C502 & 502.6.3.COD | | AIS Cert. Only | NA |
| FIRE HYDRANTS* | | US PIPE & FOUNDRY | MET 250 M-94 | AWWA C502 & 502.6.3.COD | | AIS Cert. Only | NA |

* MUST HAVE FULL BODY GLANDS AND RED PRIMER.

DALLAS WATER UTILITIES
APPROVED MATERIALS BY TRADE NAME IN COMPLIANCE WITH
AMERICAN IRON AND STEEL REGULATIONS

Revised July 2021 214-670-8017

| BASIC PRODUCT CATEGORY | PRODUCT SUB-CATEGORY | MANUFACTURER | MODEL, TYPE, OR STYLE APPROVED | GOVERNING SPECIFICATION | EXCEPTIONS | AIS CERTIFIED | NSF 61 CERTIFIED |
|------------------------|----------------------|-------------------------|--------------------------------|-------------------------|------------------|----------------|------------------|
| Fittings | | Manufacturer | | | | | |
| FITTINGS, FULL-BODIED | DUCTILE IRON | AMERICAN CAST IRON PIPE | | AWWA C110 & COG | Greater than 16" | AIS Cert. Only | NSF |
| FITTINGS, FULL-BODIED | DUCTILE IRON | TYLER/UNION/UFCC | Stamped USA | AWWA C110 & COG | | AIS Cert. Only | UL |
| FITTINGS, FULL-BODIED | DUCTILE IRON | US PIPE & FOUNDRY | | AWWA C110 & COG | | AIS Cert. Only | NSF |

COMPACT FITTINGS AND GLANDS ARE NOT ALLOWED.

| | | | | | | | |
|------------------------|-------------|---------------------|------------------------|----------------------|--|----------------|-----|
| Flange Adapters | | Manufacturer | | | | | |
| FLANGE ADAPTERS | FOR DI PIPE | EBAA IRON | SERIES 2100 MEGAFLANGE | AWWA C219 & DWU SPEC | | AIS Cert. Only | NSF |

| | | | | | | | |
|--------------------------------|-----------------------|---------------------|-----------------------|----------------------|--------------------------------|----------------|-----|
| Flange Coupling Adapter | | Manufacturer | | | | | |
| COUPLING ADAPTER* | FLANGED, IRON | FORD | FC5 SERIES | AWWA C219 & DWU SPEC | ANCHOR STUDS NOT ALLOWED | AIS Cert. Only | UL |
| COUPLING ADAPTER* | FLANGED, IRON | POWERSEAL | 3521 | AWWA C219 & DWU SPEC | ANCHOR STUDS NOT ALLOWED | AIS Cert. Only | NSF |
| COUPLING ADAPTER* | FLANGED, CARBON STEEL | HYMAX** | 2100 SERIES | AWWA C219 & DWU SPEC | ANCHOR STUDS NOT ALLOWED | AIS Cert. Only | NSF |
| COUPLING ADAPTER* | FLANGED, IRON | JCM | 301 SERIES | AWWA C219 & DWU SPEC | ANCHOR STUDS NOT ALLOWED | AIS Cert. Only | NSF |
| COUPLING ADAPTER* | FLANGED, IRON | ROMAC | FCA 501 | AWWA C219 & DWU SPEC | ANCHOR STUDS NOT ALLOWED | AIS Cert. Only | NSF |
| COUPLING ADAPTER* | FLANGED, IRON | SMITH-BLAIR | 912 (NEW & OLD) STYLE | AWWA C219 & DWU SPEC | 912-9 W/RED GLANDS NOT ALLOWED | AIS Cert. Only | NSF |

* MUST HAVE 12 MILS FUSION BONDED EPOXY COATING ** MAXIMUM SIZE 8".

| | | | | | | | |
|---|---------------|---------------------|------------|----------------------|--------------------------|----------------|-----|
| Flange Reducing Coupling Adapter | | Manufacturer | | | | | |
| COUPLING ADAPTER* | FLANGED, IRON | SMITH-BLAIR | 914 | AWWA C219 & DWU SPEC | W/RED GLANDS NOT ALLOWED | AIS Cert. Only | NSF |
| COUPLING ADAPTER* | FLANGED, IRON | FORD | FCA SERIES | AWWA C219 & DWU SPEC | ANCHOR STUDS NOT ALLOWED | AIS Cert. Only | NSF |

| | | | | | | | |
|------------------------------|----------------|---------------------|--|--|--|-----|--|
| Large Service Hatches | | Manufacturer | | | | | |
| LARGE SERVICE HATCH | ALUMINUM HATCH | U.S.F FABRICATION | | | | N/A | |

| | | | | | | | |
|--------------------------------|---------|---------------------|----------|--------------------------|------------------------------|----------------|----|
| Manhole Appurt. | | Manufacturer | | | | | |
| MANHOLE GRADE ADJUSTMENT RINGS | | CHILTON ASSOCIATES | | COG 502.1.1.1, ASTM C478 | | AIS Cert. Only | NA |
| MANHOLE RING & LID | 24-INCH | BASS & HAYS* | #400-24 | DWU DRAWING & SPEC | MUST HAVE BITUMINOUS COATING | AIS Cert. Only | NA |
| MANHOLE RING & LID | 24-INCH | BASS & HAYS* | #400-24D | DWU DRAWING & SPEC | MUST HAVE BITUMINOUS COATING | AIS Cert. Only | NA |
| MANHOLE RING & LID | 32-INCH | BASS & HAYS* | V1420 | DWU DRAWING & SPEC | MUST HAVE BITUMINOUS COATING | AIS Cert. Only | NA |
| MANHOLE RING & LID | 40-INCH | BASS & HAYS* | #1225-40 | DWU DRAWING & SPEC | MUST HAVE BITUMINOUS COATING | AIS Cert. Only | NA |
| MANHOLE RING & LID | 40-INCH | NEENAH | R-1901 | DWU DRAWING & SPEC | MUST HAVE BITUMINOUS COATING | AIS Cert. Only | NA |

DALLAS WATER UTILITIES
APPROVED MATERIALS BY TRADE NAME IN COMPLIANCE WITH
AMERICAN IRON AND STEEL REGULATIONS

Revised July 2021 214-670-8017

| BASIC PRODUCT CATEGORY | PRODUCT SUB-CATEGORY | MANUFACTURER | MODEL, TYPE, OR STYLE APPROVED | GOVERNING SPECIFICATION | EXCEPTIONS | AIS CERTIFIED | NSF 61 CERTIFIED |
|------------------------|----------------------|--------------|--------------------------------|-------------------------|------------|---------------|------------------|
|------------------------|----------------------|--------------|--------------------------------|-------------------------|------------|---------------|------------------|

| Pipe Material | | Manufacturer | | | | | |
|---------------|-------|---------------|--|-----------|--|-----|--|
| PVC | DR-14 | VARIOUS | | AWWA C900 | | N/A | |
| PVC | DR-14 | VinylPlex | | AWWA C900 | | N/A | |
| PVC | DR-14 | Sanderson PVC | | AWWA C900 | | N/A | |

| Pipe Lubricant | | Manufacturer | | | | | |
|----------------|--|----------------|-----------------------------------|--------------------------|--|-----|-----|
| PIPE LUBRICANT | | W. CANNING | VINOLEO PIPE JOINT LUBE | PURCHASING DESC. 16-0575 | | N/A | NSF |
| PIPE LUBRICANT | | JTM PRODUCTS | PHOENIX PIPE JOINT LUBE | PURCHASING DESC. 16-0575 | | N/A | NSF |
| PIPE LUBRICANT | | SEACORD CORP. | TYTON JOINT LUBRICANT AND EASE ON | PURCHASING DESC. 16-0575 | | N/A | NSF |
| PIPE LUBRICANT | | J. C. WHITLAM | BLUE LUBE | PURCHASING DESC. 16-0575 | | N/A | NSF |
| PIPE LUBRICANT | | MANUSPEC COMP. | TRUE BLUE | PURCHASING DESC. 16-0575 | | N/A | NSF |
| PIPE LUBRICANT | | ACCUCAST | ACCUCAST | PURCHASING DESC. 16-0575 | | N/A | NSF |
| PIPE LUBRICANT | | MANUSPEC COMP. | JPL PIPE LUBRICANT | PURCHASING DESC. 16-0575 | | N/A | NSF |

| Polywrap | | | | | | | |
|----------|---|--|--|--|--|-----|--|
| POLYWRAP | WRAP MUST BE LLDPE, t= 0.008", MANUFACTURED AND LABELED IN ACCORDANCE WITH AWWA C105. | | | | | N/A | |

| Retainer Glands | | Manufacturer | | | | | |
|-----------------|--------------|--------------|--------------------------|----------------|---------|----------------|---|
| RETAINER GLANDS | FOR DI PIPE | EBAA IRON | MEGALUG 1100 & 1100SD | DWU SPEC & COG | 3" -54" | AIS Cert. Only | - |
| RETAINER GLANDS | FOR DI PIPE | UNI-FLANGE | SERIES 1400-D | DWU SPEC & COG | 3" -54" | AIS Cert. Only | - |
| RETAINER GLANDS | FOR PVC PIPE | EBAA IRON | MEGALUG - SERIES 2000 PV | DWU SPEC & COG | < 17" | AIS Cert. Only | - |
| RETAINER GLANDS | FOR PVC PIPE | UNI-FLANGE | SERIES 1500 | DWU SPEC & COG | < 17" | AIS Cert. Only | - |
| RETAINER GLANDS | FOR PVC PIPE | ROMAC | RomaGrip | DWU SPEC & COG | < 17" | AIS Cert. Only | - |

| Service Saddles | | Manufacturer | | | | | |
|-----------------|---------------------|--------------|-------|----------------------------|-----------------------------|----------------|-----|
| SERVICE SADDLES | BRONZE DOUBLE STRAP | JAMES JONES | J-979 | AWWA C800 & COG 502.10.2.1 | | AIS Cert. Only | UL |
| SERVICE SADDLES | BRONZE DOUBLE STRAP | FORD* | 202B | AWWA C800 & COG 502.10.2.1 | NEW MAIN INSTALLATIONS ONLY | N/A | UL |
| SERVICE SADDLES | BRONZE DOUBLE STRAP | McDONALD | 3825 | AWWA C800 & COG 502.10.2.1 | - | N/A | UL |
| SERVICE SADDLES | BRONZE DOUBLE STRAP | MUELLER | BR2B | AWWA C800 & COG 502.10.2.1 | | N/A | NSF |
| SERVICE SADDLES | BRONZE DOUBLE STRAP | SMITH-BLAIR* | 323 | AWWA C800 & COG 502.10.2.1 | NEW MAIN INSTALLATIONS ONLY | N/A | NSF |

DALLAS WATER UTILITIES
APPROVED MATERIALS BY TRADE NAME IN COMPLIANCE WITH
AMERICAN IRON AND STEEL REGULATIONS

Revised July 2021 214-670-8017

| BASIC PRODUCT CATEGORY | PRODUCT SUB-CATEGORY | MANUFACTURER | MODEL, TYPE, OR STYLE APPROVED | GOVERNING SPECIFICATION | EXCEPTIONS | AIS CERTIFIED | NSF 61 CERTIFIED |
|------------------------|----------------------|---------------------|--------------------------------|----------------------------|-----------------------------|---------------|------------------|
| Speciality Item | | Manufacturer | | | | | |
| SERVICE SADDLES | BRONZE DOUBLE STRAP | JAMES JONES | J-979 | AWWA C800 & COG 502.10.2.1 | | N/A | UL |
| SERVICE SADDLES | BRONZE DOUBLE STRAP | FORD* | 202B | AWWA C800 & COG 502.10.2.1 | NEW MAIN INSTALLATIONS ONLY | N/A | UL |
| SERVICE SADDLES | BRONZE DOUBLE STRAP | McDONALD | 3825 | AWWA C800 & COG 502.10.2.1 | - | N/A | UL |
| SERVICE SADDLES | BRONZE DOUBLE STRAP | MUELLER | BR2B | AWWA C800 & COG 502.10.2.1 | | N/A | NSF |
| SERVICE SADDLES | BRONZE DOUBLE STRAP | SMITH-BLAIR* | 323 | AWWA C800 & COG 502.10.2.1 | NEW MAIN INSTALLATIONS ONLY | N/A | NSF |

| Tapping Sleeve | Carbon Steel | Manufacturer | | | | | |
|-----------------------|---------------------|---------------------|--------------|---------------------------|-------------------------------|----------------|-----|
| TAPPING SLEEVE | CARBON STEEL* | FORD | FTSC-xxxx-SH | DWU SPEC & COG 502.6.1.17 | | ASI Cert. Only | UL |
| TAPPING SLEEVE | CARBON STEEL* | POWERSEAL | 3460CS | DWU SPEC & COG 502.6.1.17 | | ASI Cert. Only | NSF |
| TAPPING SLEEVE | CARBON STEEL* | ROMAC | FTS420 | DWU SPEC & COG 502.6.1.17 | MUST HAVE 3/8" MIN. THICKNESS | ASI Cert. Only | NSF |
| TAPPING SLEEVE | CARBON STEEL* | SMITH-BLAIR | 622 SERIES | DWU SPEC & COG 502.6.1.17 | | ASI Cert. Only | NSF |

*STEEL SLEEVES SHALL BE RESTRICTED TO PIPE SIZES 12" AND LARGER AND SHALL NOT BE USED FOR TAPS GREATER THAN 75% OF THE MAIN SIZE.

*MUST HAVE SS BOLTS AND NUTS. TAPPING SLEEVE MUST BE EPOXY COAT NO SIZE ON SIZE TAPPING SLEEVES

| Tapping Sleeve | Gray or DI | Manufacturer | | | | | |
|-----------------------|--------------------------|---------------------|-------|---------------------------|--------------|----------------|-----|
| TAPPING SLEEVE | GRAY OR DI, FULL BODIED* | MUELLER | H-615 | DWU SPEC & COG 502.6.1.17 | 12" PIPE MIN | AIS Cert. Only | NSF |
| TAPPING SLEEVE | GRAY OR DI, FULL BODIED* | U. S. PIPE | - | DWU SPEC & COG 502.6.1.17 | 12" PIPE MIN | AIS Cert. Only | NSF |

*GRAY OR DI SHALL BE RESTRICTED TO PIPE SIZES 12" AND LARGER AND SHALL NOT BE USED FOR TAPS GREATER THAN 75% OF THE MAIN SIZE.

| Tapping Sleeve | Stainless Steel | Manufacturer | | | | | |
|-----------------------|------------------------|---------------------|---------|---------------------------|--------------|----------------|-----|
| TAPPING SLEEVE | STAINLESS STEEL* | CASCADE | CST-EX | DWU SPEC & COG 502.6.1.17 | 12" PIPE MAX | AIS Cert. Only | UL |
| TAPPING SLEEVE | STAINLESS STEEL* | FORD | FTSS | DWU SPEC & COG 502.6.1.17 | 12" PIPE MAX | AIS Cert. Only | UL |
| TAPPING SLEEVE | STAINLESS STEEL* | JCM | 432 | DWU SPEC & COG 502.6.1.17 | 12" PIPE MAX | AIS Cert. Only | NSF |
| TAPPING SLEEVE | STAINLESS STEEL* | MUELLER | H304 | DWU SPEC & COG 502.6.1.17 | 12" PIPE MAX | AIS Cert. Only | NSF |
| TAPPING SLEEVE | STAINLESS STEEL* | ROMAC | SST III | DWU SPEC & COG 502.6.1.17 | 12" PIPE MAX | AIS Cert. Only | NSF |
| TAPPING SLEEVE | STAINLESS STEEL* | SMITH-BLAIR | 665 | DWU SPEC & COG 502.6.1.17 | 12" PIPE MAX | AIS Cert. Only | NSF |

*OUTLET FLANGES MUST ALSO BE STAINLESS STEEL. SHALL BE RESTRICTED TO PIPE SIZES 8" AND SMALLER AND SHALL NOT BE USED FOR TAPS GREATER THAN 75% OF THE MAIN SIZE.

| Air Valves | | Manufacturer | | | | | |
|-------------------|--------------------------------|-----------------------|------------|-----------------|--|----------------|---|
| VALVES, AIR | AIR RELEASE AND VACUUM BREAKER | CLA-VAL | | COG 502.6.3.COD | | AIS Cert. Only | - |
| VALVES, AIR | AIR RELEASE AND VACUUM BREAKER | CRISPIN | | COG 502.6.3.COD | | AIS Cert. Only | - |
| VALVES, AIR | AIR RELEASE AND VACUUM BREAKER | VAL-MATIC | | COG 502.6.3.COD | | AIS Cert. Only | - |
| VALVES, AIR | AIR RELEASE AND VACUUM BREAKER | VALVE & PRIMER (APCO) | | COG 502.6.3.COD | | AIS Cert. Only | - |
| VALVES, AIR | AIR RELEASE AND VACUUM BREAKER | VENT-O-MAT | RBX SERIES | COG 502.6.3.COD | | AIS Cert. Only | - |

| Valve Box Risers | | Manufacturer | | | | | |
|-------------------------|--------------------------|---------------------|----------------------|------------------------------|--|----------------|----|
| VALVE BOX RISERS* | ADJUSTABLE - ANCHOR TYPE | BASS & HAYS | #1824 SET SCREW TYPE | COG 806.4 & DWU 7360-2525-91 | | AIS Cert. Only | NA |

* MAY ONLY BE USED FOR ADVANCE OF PAVING.

DALLAS WATER UTILITIES
APPROVED MATERIALS BY TRADE NAME IN COMPLIANCE WITH
AMERICAN IRON AND STEEL REGULATIONS

Revised July 2021 214-670-8017

| BASIC PRODUCT CATEGORY | PRODUCT SUB-CATEGORY | MANUFACTURER | MODEL, TYPE, OR STYLE APPROVED | GOVERNING SPECIFICATION | EXCEPTIONS | AIS CERTIFIED | NSF 61 CERTIFIED |
|------------------------|----------------------------------|---------------------|--------------------------------|-------------------------|------------|----------------|------------------|
| Valves | Butterfly | Manufacturer | | | | | |
| VALVES, BUTTERFLY | MECHANICALLY RETAINED SEATS ONLY | M & H | 48-INCH & SMALLER | AWWA C504 & DWU SPECS | | AIS Cert. Only | NSF |
| VALVES, BUTTERFLY | MECHANICALLY RETAINED SEATS ONLY | CRISPIN K-FLO | 24-INCH & LARGER | AWWA C504 & DWU SPECS | | AIS Cert. Only | UL |
| VALVES, BUTTERFLY | MECHANICALLY RETAINED SEATS ONLY | VALMATIC | 84-INCH & SMALLER | AWWA C504 & DWU SPECS | | AIS Cert. Only | UL |
| VALVES, BUTTERFLY | MECHANICALLY RETAINED SEATS ONLY | MUELLER | 16-INCH & LARGER | AWWA C504 & DWU SPECS | | AIS Cert. Only | UL |
| VALVES, BUTTERFLY | MECHANICALLY RETAINED SEATS ONLY | DEZURIK | 72-INCH & SMALLER | AWWA C504 & DWU SPECS | | AIS Cert. Only | UL |

| Valve Stack | Covers and Lid | Manufacturer | | | | | |
|--------------------|-----------------------|---------------------|--------|-----------|--|----------------|----|
| VALVE COVERS | LID | BASS & HAYS | #340-1 | COG 806.4 | | AIS Cert. Only | NA |
| VALVE COVERS | 10" COVER | BASS & HAYS | #340-1 | COG 806.4 | | AIS Cert. Only | NA |
| VALVE COVERS | 18" COVER | BASS & HAYS | #348-1 | COG 806.4 | | AIS Cert. Only | NA |

| Valves | Double-Disc | Manufacturer | | | | | |
|---------------|---------------------------|---------------------|--------------|--------------------------------|-------------|----------------|-----|
| VALVES, GATE* | DOUBLE-DISC, METAL SEATED | CLOW KENNEDY M&H | | C500, DWU SPEC & COG 502.6.COD | | AIS Cert. Only | NSF |
| VALVES, GATE* | DOUBLE-DISC, METAL SEATED | MUELLER | | C500, DWU SPEC & COG 502.6.COD | W/RV bypass | AIS Cert. Only | NSF |
| VALVES, GATE* | DOUBLE-DISC, METAL SEATED | U. S. PIPE | METROPOLITAN | C500, DWU SPEC & COG 502.6.COD | | AIS Cert. Only | NSF |
| VALVES, GATE* | DOUBLE-DISC, METAL SEATED | American R/D | METROPOLITAN | C500, DWU SPEC & COG 502.6.COD | Up to 12" | AIS Cert. Only | NSF |

* MUST HAVE 316 SS BOLTS.

| Valves | Vertical Resilient | Manufacturer | | | | | |
|---------------|---------------------------|---------------------|----------------------------|--------------------------------|----------|----------------|-----|
| VALVES, GATE* | VERTICAL, RESILIENT WEDGE | CLOW | F-6100 Series 2639 or 2640 | C509, COG 502.6.COD & DWU RSGV | 12" MAX. | AIS Cert. Only | NSF |
| VALVES, GATE* | VERTICAL, RESILIENT WEDGE | KENNEDY | KENSEAL II | C509, COG 502.6.COD & DWU RSGV | 12" MAX. | AIS Cert. Only | NSF |
| VALVES, GATE* | VERTICAL, RESILIENT WEDGE | M & H | 4067 | C509, COG 502.6.COD & DWU RSGV | 12" MAX. | AIS Cert. Only | NSF |
| VALVES, GATE* | VERTICAL, RESILIENT WEDGE | MUELLER | 2360, 2362 | C509, COG 502.6.COD & DWU RSGV | 12" MAX. | AIS Cert. Only | NSF |
| VALVES, GATE* | VERTICAL, RESILIENT WEDGE | U. S. PIPE | USPO, USP2 | C509, COG 502.6.COD & DWU RSGV | 12" MAX. | AIS Cert. Only | NSF |
| VALVES, GATE* | VERTICAL, RESILIENT WEDGE | J&S Valve | Dallas Special | C509, COG 502.6.COD & DWU RSGV | 12" MAX. | AIS Cert. Only | NSF |

* MUST HAVE 316 SS BOLTS. BOTH RED EPOXY OR BITUMINOUS EXTERIOR COATINGS ARE ALSO ACCEPTABLE.

* AWWA C-515 RSGVs WITH REDUCED WALL THICKNESSES ARE NOT ACCEPTABLE.

| Water Meter AMR Lids | AMR | Manufacturer | | | | | |
|-----------------------------|------------|---------------------|--|--------------------|-----|-----|---|
| WATER METER AMR LIDS | PLASTIC | DFW PLASTICS | | DWU SPECIFICATIONS | 12" | N/A | - |
| WATER METER AMR LIDS | PLASTIC | DFW PLASTICS | | DWU SPECIFICATIONS | 20" | N/A | - |
| WATER METER AMR LIDS | PLASTIC | ACCUCAST | | DWU SPECIFICATIONS | 12" | N/A | - |
| WATER METER AMR LIDS | PLASTIC | PENTAIR | | DWU SPECIFICATIONS | 12" | N/A | - |

DALLAS WATER UTILITIES
APPROVED MATERIALS BY TRADE NAME IN COMPLIANCE WITH
AMERICAN IRON AND STEEL REGULATIONS

Revised July 2021 214-670-8017

| BASIC PRODUCT CATEGORY | PRODUCT SUB-CATEGORY | MANUFACTURER | MODEL, TYPE, OR STYLE APPROVED | GOVERNING SPECIFICATION | EXCEPTIONS | AIS CERTIFIED | NSF 61 CERTIFIED |
|------------------------|----------------------|--------------|--------------------------------|-------------------------|------------|---------------|------------------|
| WATER METER AMR LIDS | PLASTIC | BASS & HAYS | 3 LID P6 | DWU SPECIFICATIONS | 12" | N/A | |

DALLAS WATER UTILITIES
APPROVED MATERIALS BY TRADE NAME IN COMPLIANCE WITH
AMERICAN IRON AND STEEL REGULATIONS

Revised July 2021 214-670-8017

| BASIC PRODUCT CATEGORY | PRODUCT SUB-CATEGORY | MANUFACTURER | MODEL, TYPE, OR STYLE APPROVED | GOVERNING SPECIFICATION | EXCEPTIONS | AIS CERTIFIED | NSF 61 CERTIFIED |
|-----------------------------|----------------------|---------------------|--------------------------------|-------------------------|------------|---------------|------------------|
| Water Meter AMR Lids | AMR | Manufacturer | | | | | |
| WATER METER AMR LIDS | HYBRID | HUBBELL | HYBRID UTILITY COVER | DWU SPECIFICATIONS | 12" | N/A | |

| | | | | | | | |
|---------------------------|-----------------------|-------------------------------|------------------------------------|-----------|--|----------------|---|
| Water Meter Vaults | Large Services | Manufacturer | | | | | |
| WATER METER VAULTS | CONCRETE | AMERICAN INDUSTRIAL PRECAST | MUST HAVE APPROVED LIFTING DEVICES | DWU SPECS | | AIS Cert. Only | - |
| WATER METER VAULTS | CONCRETE | BROOKS/OLDCASTLE PRECAST | MUST HAVE APPROVED LIFTING DEVICES | DWU SPECS | | AIS Cert. Only | - |
| WATER METER VAULTS | CONCRETE | CONCRETE PRODUCTS (CPI) | MUST HAVE APPROVED LIFTING DEVICES | DWU SPECS | | AIS Cert. Only | - |
| WATER METER VAULTS | CONCRETE | HANSON | MUST HAVE APPROVED LIFTING DEVICES | DWU SPECS | | AIS Cert. Only | - |
| WATER METER VAULTS | CONCRETE | NEW BASIS (DALWORTH QUICKSET) | MUST HAVE APPROVED LIFTING DEVICES | DWU SPECS | | AIS Cert. Only | - |
| WATER METER VAULTS | CONCRETE | TURNER | MUST HAVE APPROVED LIFTING DEVICES | DWU SPECS | | AIS Cert. Only | - |

| | | | | | | | |
|--|----------------------------|------------------------|--------------------------------------|-----------|--|----------------|----|
| Water Meter Boxes | Small Services | Manufacturer | | | | | |
| WATER METER BOXES FOR 3/4" & 1" SERVICES | PLASTIC WITH DI RING & LID | BASS & HAYS MID STATES | MS18DAL BOX, BH-3PD LID, BH-4PD RING | DWU SPECS | | AIS Cert. Only | NA |
| WATER METER BOXES FOR 1 1/2" & 2" SERVICES | PLASTIC WITH DI RING & LID | BASS & HAYS MID STATES | MS30DAL BOX, BH-5PD LID & RING | DWU SPECS | | AIS Cert. Only | NA |

* GALVANIZED BOXES ARE NOT ACCEPTABLE.

DALLAS WATER UTILITIES
APPROVED MATERIALS BY TRADE NAME IN COMPLIANCE WITH
AMERICAN IRON AND STEEL REGULATIONS

Revised July 2021 214-670-8017

| BASIC PRODUCT CATEGORY | PRODUCT SUB-CATEGORY | MANUFACTURER | MODEL, TYPE, OR STYLE APPROVED | GOVERNING SPECIFICATION | EXCEPTIONS | AIS CERTIFIED | NSF 61 CERTIFIED |
|------------------------|--------------------------|---------------------|--|------------------------------------|--------------|---------------|------------------|
| W/M Couplings | MIP x Compression | Manufacturer | | | | | |
| WATER METER COUPLINGS | MIP X COMPRESSION 90 | FORD | L84-xx-Q | DWU SPECS & PURCHASING DESCRIPTION | | N/A | UL |
| WATER METER COUPLINGS | MIP X COMPRESSION 90 | FORD | | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | UL |
| WATER METER COUPLINGS | MIP X COMPRESSION 90 | McDONALD | 4779MQ | DWU SPECS & PURCHASING DESCRIPTION | | N/A | TRUESDAIL |
| WATER METER COUPLINGS | MIP X COMPRESSION 90 | MUELLER | H-15531 | DWU SPECS & PURCHASING DESCRIPTION | | N/A | UL |
| WATER METER COUPLINGS | MIP X COMPRESSION 90 | CAMBRIDGE | 105NL-Series | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | MIP X COMPRESSION 90 | McDONALD | 74779MQ | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | MIP X COMPRESSION 90 | MUELLER | H-15531 | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| W/M Couplings | Brass Misc | | | | | | |
| WATER METER COUPLINGS | BRASS - CROOKED | FORD | 3/4" - L38-23 and 1" - L38-44 | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | UL |
| WATER METER COUPLINGS | BRASS - CROOKED | FORD | | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | UL |
| WATER METER COUPLINGS | BRASS - CROOKED | McDONALD | 3/4" - 4621 DALLAS 1" - 4623 DALLAS | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | TRUESDAIL |
| WATER METER COUPLINGS | BRASS - CROOKED | MUELLER | H-10892 | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | UL |
| WATER METER COUPLINGS | BRASS - CROOKED | CAMBRIDGE | 405NL-Series | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | BRASS - CROOKED | McDONALD | 3/4" - 74621 DALLAS 1" - 74623 DALLAS | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | BRASS - CROOKED | MUELLER | H-10892E | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | BRASS - MIP x MIP ELL | FORD | L88-77 | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | UL |
| WATER METER COUPLINGS | BRASS - MIP x MIP ELL | FORD | | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | UL |
| WATER METER COUPLINGS | BRASS - MIP x MIP ELL | JAMES JONES | J2604 | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | UL |
| WATER METER COUPLINGS | BRASS - MIP x MIP ELL | CAMBRIDGE | 105NL-Series | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | BRASS - MIP x MIP ELL | McDONALD | | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | BRASS - MIP x MIP ELL | MUELLER | H15538 | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |

DALLAS WATER UTILITIES
APPROVED MATERIALS BY TRADE NAME IN COMPLIANCE WITH
AMERICAN IRON AND STEEL REGULATIONS

Revised July 2021 214-670-8017

| BASIC PRODUCT CATEGORY | PRODUCT SUB-CATEGORY | MANUFACTURER | MODEL, TYPE, OR STYLE APPROVED | GOVERNING SPECIFICATION | EXCEPTIONS | AIS CERTIFIED | NSF 61 CERTIFIED |
|------------------------|---------------------------|---------------------|--------------------------------|------------------------------------|----------------------------|---------------|------------------|
| W/M Couplings | Meter Flange | Manufacturer | | | | | |
| WATER METER COUPLINGS | 1 1/2" BRASS METER FLANGE | JAMES JONES* | J129H | DWU SPECS & PURCHASING DESCRIPTION | *FLANGE MUST BE 3/4" THICK | N/A | - |
| WATER METER COUPLINGS | 1 1/2" BRASS METER FLANGE | McDONALD* | 610F | DWU SPECS & PURCHASING DESCRIPTION | *FLANGE MUST BE 3/4" THICK | N/A | - |
| WATER METER COUPLINGS | 1 1/2" BRASS METER FLANGE | MIDCO | | DWU SPECS & PURCHASING DESCRIPTION | *FLANGE MUST BE 3/4" THICK | N/A | - |
| WATER METER COUPLINGS | 1 1/2" BRASS METER FLANGE | WHITE RHINO | TUFF | DWU SPECS & PURCHASING DESCRIPTION | *FLANGE MUST BE 3/4" THICK | N/A | - |
| WATER METER COUPLINGS | 1 1/2" BRASS METER FLANGE | ACCUCAST | DALLAS | DWU SPECS & PURCHASING DESCRIPTION | *FLANGE MUST BE 3/4" THICK | N/A | |
| WATER METER COUPLINGS | 2" BRASS METER FLANGE | JAMES JONES* | J129H | DWU SPECS & PURCHASING DESCRIPTION | *FLANGE MUST BE 3/4" THICK | N/A | - |
| WATER METER COUPLINGS | 2" BRASS METER FLANGE | McDONALD* | 610F | DWU SPECS & PURCHASING DESCRIPTION | *FLANGE MUST BE 3/4" THICK | N/A | - |
| WATER METER COUPLINGS | 2" BRASS METER FLANGE | MIDCO | | DWU SPECS & PURCHASING DESCRIPTION | *FLANGE MUST BE 3/4" THICK | N/A | - |
| WATER METER COUPLINGS | 2" BRASS METER FLANGE | WHITE RHINO | TUFF | DWU SPECS & PURCHASING DESCRIPTION | *FLANGE MUST BE 3/4" THICK | N/A | - |
| WATER METER COUPLINGS | 2" BRASS METER FLANGE | ACCUCAST | DALLAS | DWU SPECS & PURCHASING DESCRIPTION | *FLANGE MUST BE 3/4" THICK | N/A | - |

| | | | | | | | |
|-----------------------|---------------------|---------------------|---|--|--|----------------|---|
| W/M Couplings | Flange Bolts | Manufacturer | | | | | |
| WATER METER COUPLINGS | 1 1/2" FLANGE BOLTS | | 5/8" X 2 1/4" HEXHEAD CAPSCREW, GRADE 2, ZINC PLATED, SAR | | | AIS Cert. Only | - |
| WATER METER COUPLINGS | 2" FLANGE BOLTS | | 5/8" X 2 1/4" HEXHEAD CAPSCREW, GRADE 2, ZINC PLATED, SAR | | | AIS Cert. Only | - |

| | | | | | | | |
|--------------------|--|---------------------|--|--|--|--|--|
| W/M Tubing | Tubing | Manufacturer | | | | | |
| WATER METER TUBING | 3/4-INCH TO 2-INCH -SOFT COPPER (TYPE K) | | | | | | |

| | | | | | | | |
|-----------------------|-----------------------|---------------------|--------------|------------------------------------|--------------|-----|-----------|
| W/M Couplings | Straight | Manufacturer | | | | | |
| WATER METER COUPLINGS | 3/4" BRASS - STRAIGHT | FORD | C38-23-2.5 | DWU SPECS & PURCHASING DESCRIPTION | | N/A | UL |
| WATER METER COUPLINGS | 3/4" BRASS - STRAIGHT | FORD | | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | UL |
| WATER METER COUPLINGS | 3/4" BRASS - STRAIGHT | McDONALD | 4622 DALLAS | DWU SPECS & PURCHASING DESCRIPTION | | N/A | TRUESDAIL |
| WATER METER COUPLINGS | 3/4" BRASS - STRAIGHT | MUELLER | H-10890 | DWU SPECS & PURCHASING DESCRIPTION | | N/A | UL |
| WATER METER COUPLINGS | 3/4" BRASS - STRAIGHT | CAMBRIDGE | 417NL-T3M3 | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | 3/4" BRASS - STRAIGHT | McDONALD | 74622 DALLAS | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | 3/4" BRASS - STRAIGHT | MUELLER | H-10890E | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | 1" BRASS - STRAIGHT | FORD | C38-44-2.625 | DWU SPECS & PURCHASING DESCRIPTION | | N/A | UL |
| WATER METER COUPLINGS | 1" BRASS - STRAIGHT | FORD | | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | UL |
| WATER METER COUPLINGS | 1" BRASS - STRAIGHT | McDONALD | 4624 DALLAS | DWU SPECS & PURCHASING DESCRIPTION | | N/A | TRUESDAIL |
| WATER METER COUPLINGS | 1" BRASS - STRAIGHT | MUELLER | H-10890 | DWU SPECS & PURCHASING DESCRIPTION | | N/A | UL |

DALLAS WATER UTILITIES
APPROVED MATERIALS BY TRADE NAME IN COMPLIANCE WITH
AMERICAN IRON AND STEEL REGULATIONS

Revised July 2021 214-670-8017

| BASIC PRODUCT CATEGORY | PRODUCT SUB-CATEGORY | MANUFACTURER | MODEL, TYPE, OR STYLE APPROVED | GOVERNING SPECIFICATION | EXCEPTIONS | AIS CERTIFIED | NSF 61 CERTIFIED |
|------------------------------|----------------------------|---------------------|--------------------------------|------------------------------------|--------------|---------------|------------------|
| WATER METER COUPLINGS | 1" BRASS - STRAIGHT | CAMBRIDGE | 417NL-T4M4 | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | 1" BRASS - STRAIGHT | McDONALD | 74624 DALLAS | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | 1" BRASS - STRAIGHT | MUELLER | H-10890E | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| Water Meter Couplings | FIP | Manufacturer | | | | | |
| WATER METER COUPLINGS | FIP x COMPRESSION COUPLING | FORD | C14-xx Q | DWU SPECS & PURCHASING DESCRIPTION | | N/A | UL |
| WATER METER COUPLINGS | FIP x COMPRESSION COUPLING | FORD | | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | UL |
| WATER METER COUPLINGS | FIP x COMPRESSION COUPLING | McDONALD | 4754Q | DWU SPECS & PURCHASING DESCRIPTION | | N/A | TRUESDAIL |
| WATER METER COUPLINGS | FIP x COMPRESSION COUPLING | MUELLER | H-15451 | DWU SPECS & PURCHASING DESCRIPTION | | N/A | UL |
| WATER METER COUPLINGS | FIP x COMPRESSION COUPLING | CAMBRIDGE | 117NL-Series | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | FIP x COMPRESSION COUPLING | McDONALD | 74754Q | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | FIP x COMPRESSION COUPLING | MUELLER | H-15451E | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| Water Meter Couplings | MIP | Manufacturer | | | | | |
| WATER METER COUPLINGS | MIP x COMPRESSION COUPLING | FORD | C84-xx-Q SERIES | DWU SPECS & PURCHASING DESCRIPTION | | N/A | UL |
| WATER METER COUPLINGS | MIP x COMPRESSION COUPLING | FORD | C84-xx-Q SERIES | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | UL |
| WATER METER COUPLINGS | MIP x COMPRESSION COUPLING | McDONALD | 4753Q | DWU SPECS & PURCHASING DESCRIPTION | | N/A | TRUESDAIL |
| WATER METER COUPLINGS | MIP x COMPRESSION COUPLING | MUELLER | H-15428 | DWU SPECS & PURCHASING DESCRIPTION | | N/A | UL |
| WATER METER COUPLINGS | MIP x COMPRESSION COUPLING | CAMBRIDGE | 117NL-Series | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | MIP x COMPRESSION COUPLING | McDONALD | 74753Q | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |
| WATER METER COUPLINGS | MIP x COMPRESSION COUPLING | MUELLER | H-15428E | DWU SPECS & PURCHASING DESCRIPTION | NO LEAD ONLY | N/A | NSF |