

Memorandum



CITY OF DALLAS

DATE June 5, 2017

TO Honorable Members of the Public Safety Committee:
Adam Medrano (Chair), B. Adam McGough (Vice Chair), Sandy Greyson, Tiffinni A. Young,
Jennifer S. Gates, Philip T. Kingston

SUBJECT **Statistical Data / Administrative (Fire) Reports**

This is an informational memo to provide you with a brief description of statistical data and fire reports for April 18, 2017 – May 7, 2017.

Statistical Data for this period:

| <u>Dallas Fire-Rescue Calls</u> | <u>Totals</u> | <u>Percentage</u> |
|---------------------------------|---------------|-------------------|
| Total Incidents | 13,489 | 100% |
| Fire | 2,267 | 16% |
| EMS | 11,211 | 83% |
| Specialize Incidents | 11 | 1% |

Significant fires that occurred during this period:

| <u>Date</u> | <u>Multiple Alarm Level</u> | <u>Number of Units</u> | <u>Personnel</u> | <u>Hours on Scene</u> | <u>Incident Work Hours</u> |
|-------------|-----------------------------|------------------------|------------------|-----------------------|----------------------------|
| 4/26/17 | 2-Alarm | 39 | 110 | 3 | 330 |
| 4/29/17 | 3-Alarm | 36 | 98 | 6 | 588 |

There were 2 (two) injuries and 1 (one) fatality that occurred as a result of fire incidents.

The total value of property that received fire damage during this period was \$915,900.00.

The total value of property saved from fire damage during this period was \$10,350,180.00.

Please contact me if you have any questions or need additional information.


Jon Fortune
Assistant City Manager

[Attachment]

cc: Honorable Mayor and Members of the City Council
T.C. Broadnax, City Manager
Larry Casto, City Attorney
Craig D. Kinton, City Auditor
Rosa A. Rios, City Secretary
Daniel F. Solis, Administrative Judge
Kimberly Bizzor Tolbert, Chief of Staff to the City Manager
Majed A. Al-Ghafry, Assistant City Manager
Raquel Favela, Chief of Economic Development & Neighborhood Services

Jo M. (Jody) Puckett, P.E., Interim Assistant City Manager
Joey Zapata, Assistant City Manager
M. Elizabeth Reich, Chief Financial Officer
Nadia Chandler Hardy, Chief of Community Services
Theresa O'Donnell, Chief of Resilience
Directors and Assistant Directors

Public Safety Committee

Administrative Fire Reports

Summary

June 2017

| DATE | ADDRESS | COUNCIL DISTRICT | TYPE | CAUSE | LOSS | ALARM |
|-------------|---------------------|-------------------------|-------------------------------|--------------|--------------|--------------|
| A. 04/18/17 | 6912 Redstart Lane | 9 (Clayton) | 1-Story Frame Dwelling | Undetermined | \$115,000.00 | 1 Alarm |
| B. 04/26/17 | 1910 Pacific Avenue | 14 (Kingston) | 20-Story High Rise Commercial | Accidental | \$1,500.00 | 2 Alarm |
| C. 04/29/17 | 4217 Mint Way | 3 (Thomas) | 1-Story Brick Commercial | Undetermined | \$780,000.00 | 3 Alarm |
| D. 05/06/17 | 3829 Frank Street | 7 (Young) | 1-Story Frame Dwelling | Accidental | 19,400.00 | 1 Alarm |

One Alarm Fire (A)

| Date of Fire: | April 18, 2017 | Time of Fire | 2:59 AM | | | | | | | | | | | | |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------------|--------------|---------------|-----------|--------------|-------------|----------|-------------|-------------|--------------|--------------|--------------|--|
| Response Time | 4 Minutes 11 Seconds | | | | | | | | | | | | | | |
| Location | 6912 Redstart Lane | Service Area | Northeast | | | | | | | | | | | | |
| Bldg. Type | 1-Story Frame Dwelling | Council District | 9 (Clayton) | | | | | | | | | | | | |
| Business Name | Residence | | | | | | | | | | | | | | |
| Fire Alarm System | Yes | Operational | No | | | | | | | | | | | | |
| Cause | Undetermined | | | | | | | | | | | | | | |
| Value/ Damage Estimate | <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$181,420.00</td> <td style="text-align: right;">\$75,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$50,000.00</td> <td style="text-align: right;">\$40,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$231,420.00</td> <td style="text-align: right; border-top: 1px solid black;">\$115,000.00</td> </tr> </tbody> </table> | | | <u>Value</u> | <u>Damage</u> | Building: | \$181,420.00 | \$75,000.00 | Content: | \$50,000.00 | \$40,000.00 | TOTAL | \$231,420.00 | \$115,000.00 | |
| | <u>Value</u> | <u>Damage</u> | | | | | | | | | | | | | |
| Building: | \$181,420.00 | \$75,000.00 | | | | | | | | | | | | | |
| Content: | \$50,000.00 | \$40,000.00 | | | | | | | | | | | | | |
| TOTAL | \$231,420.00 | \$115,000.00 | | | | | | | | | | | | | |
| Narrative | <p>This is an undetermined fire that resulted in moderate structural damage. Upon arrival, firefighter found smoke and fire coming out the front door and windows. The fire originated in the office and traveled down the hallway to the living room. Engine 48 was the first arriving company.</p> | | | | | | | | | | | | | | |

Two Alarm Fire (B)

| Date of Fire: | April 26, 2017 | Time of Fire | 2:25 AM | | | | | | | | | | | | |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|---------------|--------------|---------------|-----------|-----------------|------------|----------|--------|--------|--------------|-----------------|------------|--|
| Response Time | 1 Minute 59 Seconds | | | | | | | | | | | | | | |
| Location | 1910 Pacific Avenue | Service Area | Central | | | | | | | | | | | | |
| Bldg. Type | 20-Story High Rise Commercial | Council District | 14 (Kingston) | | | | | | | | | | | | |
| Business Name | Boxer Security | | | | | | | | | | | | | | |
| Fire Alarm System | Yes | Operational | Yes | | | | | | | | | | | | |
| Cause | Accidental | | | | | | | | | | | | | | |
| Value/ Damage Estimate | <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$10,000,000.00</td> <td style="text-align: right;">\$1,500.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$0.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$10,000,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$1,500.00</td> </tr> </tbody> </table> | | | <u>Value</u> | <u>Damage</u> | Building: | \$10,000,000.00 | \$1,500.00 | Content: | \$0.00 | \$0.00 | TOTAL | \$10,000,000.00 | \$1,500.00 | |
| | <u>Value</u> | <u>Damage</u> | | | | | | | | | | | | | |
| Building: | \$10,000,000.00 | \$1,500.00 | | | | | | | | | | | | | |
| Content: | \$0.00 | \$0.00 | | | | | | | | | | | | | |
| TOTAL | \$10,000,000.00 | \$1,500.00 | | | | | | | | | | | | | |
| Narrative | <p>This is an accidental fire that resulted in two separate fires at the listed location. The second fire was an indirect result of the first fire. The fires resulted in both a heat source too close to combustibles and an electrical malfunction. Both fires resulted in minimum structural damage. Engine 18 was the first arriving company.</p> | | | | | | | | | | | | | | |

Three Alarm Fire (C)

| | | | |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------|
| Date of Fire: | April 29, 2017 | Time of Fire | 4:30 PM |
| Response Time | 3 Minutes 48 Seconds | | |
| Location | 4217 Mint Way | Service Area | Southwest |
| Bldg. Type | 1-Story Brick Commercial | Council District | 3 (Thomas) |
| Business Name | National Container Corp. | | |
| Fire Alarm System | Unknown | Operational | Unknown |
| Cause | Undetermined | | |
| Value/ Damage Estimate | <u>Value</u> | <u>Damage</u> | |
| | Building: \$915,260.00 | \$700,000.00 | |
| | Content: \$100,000.00 | \$80,000.00 | |
| | TOTAL | \$1,015,260.00 | \$780,000.00 |
| Narrative | <p>This is an undetermined fire that is still under investigation. Upon arrival, firefighters found smoke coming from the top of the structure. The fire caused major structural damage and a portion of the building to collapse. Due to the amount of structural damage and unknown chemicals stored in the building, investigators were unable to enter the structure for further investigation. Engine 49 was the first arriving company.</p> | | |

One Alarm Fire (D)

| Date of Fire: | May 6, 2017 | Time of Fire | 8:44 AM | | | | | | | | | | | | |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------|--------------|---------------|-----------|-------------|-------------|----------|------------|------------|--------------|-------------|-------------|--|
| Response Time | 1 Minute 15 Seconds | | | | | | | | | | | | | | |
| Location | 3829 Frank Street | Service Area | Southeast | | | | | | | | | | | | |
| Bldg. Type | 1-Story Frame Dwelling | Council District | 7 (Young) | | | | | | | | | | | | |
| Business Name | Single Family Dwelling | | | | | | | | | | | | | | |
| Fire Alarm System | Unknown | Operational | Unknown | | | | | | | | | | | | |
| Cause | Accidental | | | | | | | | | | | | | | |
| Value/ Damage Estimate | <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$14,400.00</td> <td style="text-align: right;">\$14,400.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$5,000.00</td> <td style="text-align: right;">\$5,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$19,400.00</td> <td style="text-align: right; border-top: 1px solid black;">\$19,400.00</td> </tr> </tbody> </table> | | | <u>Value</u> | <u>Damage</u> | Building: | \$14,400.00 | \$14,400.00 | Content: | \$5,000.00 | \$5,000.00 | TOTAL | \$19,400.00 | \$19,400.00 | |
| | <u>Value</u> | <u>Damage</u> | | | | | | | | | | | | | |
| Building: | \$14,400.00 | \$14,400.00 | | | | | | | | | | | | | |
| Content: | \$5,000.00 | \$5,000.00 | | | | | | | | | | | | | |
| TOTAL | \$19,400.00 | \$19,400.00 | | | | | | | | | | | | | |
| Narrative | <p>This is an accidental fire that resulted from a candle that was left unattended. Upon arrival, firefighters reported fire on the Delta side of the structure. The fire originated in one of the bedrooms of the dwelling and resulted in a total loss. Engine 24 was the first arriving company.</p> | | | | | | | | | | | | | | |