

RECEIVED

PUBLIC SAFETY COMMITTEE
DALLAS CITY COUNCIL COMMITTEE AGENDA

2016 MAY -5 AM 11:00

CITY SECRETARY
DALLAS, TEXAS

MONDAY, MAY 9, 2016
CITY HALL
COUNCIL BRIEFING ROOM, 6ES
1500 MARILLA
DALLAS, TEXAS 75201
11:00 A.M. – 12:30 P.M.

Chair, Council Member Adam Medrano
Vice Chair, Council Member B. Adam McGough
Council Member Sandy Greyson
Council Member Tiffinni A. Young
Council Member Jennifer S. Gates
Council Member Philip T. Kingston

Call to Order

1. Approval of Minutes from the April 25, 2016 Public Safety Committee Meeting

BRIEFINGS

2. Training Division Overview
Deputy Chief Frank C. McKinley
Dallas Fire-Rescue
3. Special Operations Division
Acting Deputy Chief Jeffrey Brinker
Dallas Fire-Rescue
4. Municipal Court Update
Compliance and Enforcement
Assistant Director Ryan Rogers &
Deputy Chief City Marshal Paul Hansen
Court & Detention Services
5. Administrative (Fire) Reports
Deputy Chief Tameji Berry
Dallas Fire-Rescue
 - A. 7201 East Grand Service Road, West #245
 - B. 14255 Preston Road #828
 - C. 8634 Wingate Drive
 - D. 8204 Elmbrook Drive
 - E. 14606 Dallas Parkway #1057
 - F. 3825 Latimer Street
 - G. 1510 Dennison Street
 - H. 13929 North Central Service Road, SB
 - I. 9877 Brockbank Drive #135
 - J. 12365 Plano Road
 - K. 3353 Lombardy Lane #515
 - L. 2381 Blue Creek Drive
 - M. 1810 Park Row Avenue

Adjourn



Adam Medrano, Chair
Public Safety Committee

A closed executive session may be held if the discussion of any of the above agenda items concerns one of the following:

1. Contemplated or pending litigation, or matters where legal advice is requested of the City Attorney. Section 551.071 of the Texas Open Meetings Act.
2. The purchase, exchange, lease or value of real property, if the deliberation in an open meeting would have a detrimental effect on the position of the City in negotiations with a third person. Section 551.072 of the Texas Open Meetings Act.
3. A contract for a prospective gift or donation to the City, if the deliberation in an open meeting would have a detrimental effect on the position of the City in negotiations with a third person. Section 551.073 of the Texas Open Meetings Act.
4. Personnel matters involving the appointment, employment, evaluation, reassignment, duties, discipline or dismissal of a public officer or employee or to hear a complaint against an officer or employee. Section 551.074 of the Texas Open Meetings Act.
5. The deployment, or specific occasions for implementation of security personnel or devices. Section 551.076 of the Texas Open Meetings Act.
6. Deliberations regarding economic development negotiations. Section 551.087 of the Texas Open Meetings Act.

NOTICE:

"Pursuant to Section 30.06, Penal Code (trespass by license holder with a concealed handgun), a person licensed under Subchapter H, Chapter 411, Government Code (handgun licensing law), may not enter this property with a concealed handgun."

"De acuerdo con la sección 30.06 del código penal (ingreso sin autorización de un titular de una licencia con una pistola oculta), una persona con licencia según el subcapítulo h, capítulo 411, código del gobierno (ley sobre licencias para portar pistolas), no puede ingresar a esta propiedad con una pistola oculta."

"Pursuant to Section 30.07, Penal Code (trespass by license holder with an openly carried handgun), a person licensed under Subchapter H, Chapter 411, Government Code (handgun licensing law), may not enter this property with a handgun that is carried openly."

"De acuerdo con la sección 30.07 del código penal (ingreso sin autorización de un titular de una licencia con una pistola a la vista), una persona con licencia según el subcapítulo h, capítulo 411, código del gobierno (ley sobre licencias para portar pistolas), no puede ingresar a esta propiedad con una pistola a la vista."

Public Safety Committee Meeting Record

The Public Safety Committee meetings are recorded. Agenda materials are available online at www.dallascityhall.com. Recordings may be reviewed/copied by contacting the Public Safety Committee Coordinator at 214-670-3316.

Meeting Date: Monday, April 25, 2016

Convened: 11:06 A.M.

Adjourned: 11:57 A.M.

Committee Members Present:

Council Member Adam Medrano, Chair
Council Member B. Adam McGough, Vice Chair
Council Member Sandy Greyson
Council Member Tiffinni A. Young
Council Member Philip T. Kingston

Committee Members Absent:

Council Member Jennifer S. Gates

Other Council Members Present:

Staff Present:

Assistant City Manager Eric D. Campbell, CMO
Police Chief David O. Brown, DPD
Assistant Director Donzell Gipson, DPD

Assistant Chief Randall Blankenbaker, DPD
Rick Watson, DPD

AGENDA:

Call to Order

1. Approval of Minutes from the April 11, 2016 Public Safety Committee Meeting

Presenter(s): Council Member Medrano, Chair

Information Only:

Action Taken/Committee Recommendation(s):

A motion was made to approve the April 11, 2016 minutes.

Motion made by: Council Member Young

Item passed unanimously:

Item failed unanimously:

Motion Seconded by: Council Member Greyson

Item passed on a divided vote:

Item failed on a divided vote:

2. Dallas Police Department Crime Report

Presenter(s): Police Chief David O. Brown, DPD

Information Only:

Action Taken/Committee Recommendation(s):

This briefing provided the committee with an update on the Crime Report for January 1 – March 31, 2016. Council Member Young asked why she has zero homeless initiatives in her district (slide 13) when there are homeless encampments in her district. Staff will look into this and get back with Council Member Young. Council Member Medrano, Chair, would like DPD to provide a taskforce list and the areas they are working in to the committee.

Motion made by:

Item passed unanimously:

Item failed unanimously:

Motion Seconded by:

Item passed on a divided vote:

Item failed on a divided vote:

3. Safelight Program Update

Presenter(s): Assistant Director Donzell Gipson, DPD

Information Only:

Action Taken/Committee Recommendation(s):

This briefing provided the committee with an updated on the DPD's Safelight Program.

Motion made by:

Item passed unanimously:

Item failed unanimously:

Motion Seconded by:

Item passed on a divided vote:

Item failed on a divided vote:

4. Upcoming Agenda Item(s)

Presenter(s): Council Member Medrano, Chair

Information Only:

Action Taken/Committee Recommendation(s):

A motion was made to move forward to full council for approval.

Motion made by: Council Member Greyson

Item passed unanimously:

Item failed unanimously:

Motion Seconded by: Council Member Young

Item passed on a divided vote:

Item failed on a divided vote:

APPROVED BY:

ATTEST:

Adam Medrano, Chair
Public Safety Committee

Crystal Lee, Coordinator
Public Safety Committee

Memorandum



DATE: May 6, 2016

TO: Honorable Members of the Public Safety Committee:
Adam Medrano (Chair), B. Adam McGough (Vice Chair), Sandy Greyson, Tiffinni A. Young,
Jennifer S. Gates, Philip T. Kingston

SUBJECT: **Training Division Overview**

On Monday, May 9, 2016, you will be briefed on the Dallas Fire-Rescue Training Division by Deputy Chief Frank C. McKinley of the Dallas Fire-Rescue Department.

The briefing materials are attached for your review.

Please contact me if you have any questions or need additional information.



Eric D. Campbell
Assistant City Manager

[Attachment]

cc: Honorable Mayor and Members of the City Council
A.C. Gonzalez, City Manager
Christopher D. Bowers, (I) City Attorney
Craig D. Kinton, City Auditor
Rosa A. Rios, City Secretary
Daniel F. Solis, Administrative Judge
Ryan S. Evans, First Assistant City Manager

Jill A. Jordan, P.E., Assistant City Manager
Mark McDaniel, Assistant City Manager
Joey Zapata, Assistant City Manager
Jeanne Chipperfield, Chief Financial Officer
Sana Syed, Public Information Officer
Elsa Cantu, Assistant to the City Manager – Mayor & Council

DALLAS FIRE-RESCUE DEPARTMENT

Training Division Overview

**Public Safety Committee
May 9, 2016**



MISSION STATEMENT

To provide training for new and incumbent members to ensure that Dallas Fire-Rescue (DFR) remains prepared to respond to any emergency incident and provide the best customer service possible:

New Recruits

In-Service



NEW RECRUIT TRAINING

DFR fire recruit training exceeds the Texas Commission on Fire Protection's (TCFP) minimum training curriculum of 468 hours.

TCFP curriculum topics include:

- Self Contained Breathing Apparatus (SCBA)
- Forcible Entry
- Ventilation
- Communications
- Building Construction



NEW RECRUIT TRAINING

TCFP curriculum topics continued:

- Search and Rescue
- Fire Science
- Flashover
- Fire Hose Use
- Incident Management
- Hazardous Materials



NEW RECRUIT TRAINING

In addition to the TCFP topics, the recruits are trained on topics which are unique to our department. DFR requires additional training for a total curriculum exceeding 900 hours.

Training topics include:


- High-Rise Firefighting
- DART/ DART Tunnel
- Love Field and Dallas Executive Airport
- Diversity Training



NEW RECRUIT TRAINING

DFR recruit training entails various physical training exercises and timed skills:

- Timed 1.5 Mile Run
- Timed Ventilation Skill
- Timed High-Rise Tower Climb
- Daily Physical and Skills Training
- Ladder Climb



NEW RECRUIT TRAINING

DFR recruit instructors provide extensive live fire training instruction per TCFP guidelines.

During the typical training day, DFR instructors stage unannounced fires in the burn building to simulate life at the fire station.

Instructors provide feedback and coaching to ensure optimum performance.



RECRUIT BURN NIGHT

Each recruit class has a burn night where family and friends are invited for a demonstration of techniques, which includes skills such as rescue, fire attack, and ventilation learned during the academy. This allows the recruits to showcase their newly learned skills upon completion of the Academy.






NEW RECRUIT EMS TRAINING

Recruits are required to have emergency medical response training in order to obtain a Basic Structure Fire Protection certification from the Texas Commission on Fire Protection. DFR recruits must successfully complete the Emergency Medical Technician course (272 hours) provided through Brookhaven Community College.



IN-SERVICE TRAINING

Graduation-learning never ends



Training Continues

IN-SERVICE TRAINING

The Program Goals of In-Service Training

- Maximize the professional and safety aspects of all Fire and EMS personnel through standardization of training.
- Provide all members a mechanism for continual professional development and growth.
- Disseminate information on new innovations in the firefighting profession.

IN-SERVICE TRAINING

Goals continued:

- Reinforce, refresh and retrain on various skills to deliver quality service to our citizens.
- Enhance our system for documenting the academic and skills training each member receives annually.
- To achieve the training standards required by the Texas Commission on Fire Protection.

IN-SERVICE TRAINING

Training modules are developed and delivered at the Training Center 2 to 3 times per year:

- Officer Development
- SCBA
- MayDay Survival
- Search and Rescue
- Vehicle Extrication
- Thermal Imager



IN-SERVICE TRAINING

Training Topics for 2016 include:

- Active Shooter
- Self Contained Breathing Apparatus
- Survival Skills
- Rapid Intervention Team- Pak



PROFESSIONAL DEVELOPMENT

Fire Officer I and Fire Instructor I Certification Training provides newly promoted and veteran fire officers with supervisory tools that enhance their ability to supervise employees and manage emergency incidents.

Topics taught include:

- Leadership/Legal Issues
- Simulation Training
- Employee Coaching and Counseling
- DFR and City of Dallas Policies



AFFILIATIONS

DFR Training Officers continually strive to enhance training through membership and participation in local and national training associations such as Fire Instructors Association of North Texas (FIANT).

These associations permit DFR Training Officers to keep up on the latest trends in fire and EMS service related instruction.

TRAINING DIVISION OVERVIEW

Questions?



Memorandum



DATE: May 6, 2016

TO: Honorable Members of the Public Safety Committee:
Adam Medrano (Chair), B. Adam McGough (Vice Chair), Sandy Greyson, Tiffinni A. Young,
Jennifer S. Gates, Philip T. Kingston

SUBJECT: **Special Operations Division**

On Monday, May 9, 2016, you will be briefed on the Dallas Fire-Rescue Special Operations Division by Acting Deputy Chief Jeffrey Brinker of the Dallas Fire-Rescue Department.

The briefing materials are attached for your review.

Please contact me if you have any questions or need additional information.



Eric D. Campbell
Assistant City Manager

[Attachment]

cc: Honorable Mayor and Members of the City Council
A.C. Gonzalez, City Manager
Christopher D. Bowers, (I) City Attorney
Craig D. Kinton, City Auditor
Rosa A. Rios, City Secretary
Daniel F. Solis, Administrative Judge
Ryan S. Evans, First Assistant City Manager

Jill A. Jordan, P.E., Assistant City Manager
Mark McDaniel, Assistant City Manager
Joey Zapata, Assistant City Manager
Jeanne Chipperfield, Chief Financial Officer
Sana Syed, Public Information Officer
Elsa Cantu, Assistant to the City Manager – Mayor & Council

SPECIAL OPERATIONS DIVISION

Dallas Fire-Rescue



Public Safety Committee
May 9, 2016



SPECIAL OPERATIONS DIVISION

- Special Operations is responsible for providing many highly specialized services in support of the Department's daily mission

SPECIAL OPERATIONS DIVISION

- Special Operations Division is comprised of several areas;
 - Aircraft Rescue Firefighting (ARFF)
 - Hazardous Materials (HazMat)
 - Urban Search and Rescue (USAR)
 - Water Assets
 - Wildland Interface

SPECIAL OPERATIONS DIVISION



- ARFF – Love Field
 - Covers 1300 acres
 - Over 590 aircraft operations daily
 - General Aviation & Daily passenger service

SPECIAL OPERATIONS DIVISION

- ARFF – Love Field
 - Stations 21 & 42
 - 3 Crash response vehicles
 - 1 ARFF Engine Company



SPECIAL OPERATIONS DIVISION



- ARFF – Executive
 - 1,070 acres
 - General aviation
- Response
 - Station 40/49
 - 1 Crash response vehicle
 - 1 ARFF Truck 40
 - 1 ARFF Engine 49

SPECIAL OPERATIONS DIVISION



- HazMat
 - 1 Response station
 - 10 members on duty each day
 - Coordinated by a Captain and Lieutenant

SPECIAL OPERATIONS DIVISION



- HazMat
 - Average 40 calls per month
 - Not a dedicated unit
 - Regional asset to North Central Texas Council of Governments (NCTCOG)
 - Team has mutual aid agreements

SPECIAL OPERATIONS DIVISION



- Urban Search and Rescue (USAR)
 - City of Dallas asset
 - Regional asset
 - State of Texas asset

SPECIAL OPERATIONS DIVISION



- USAR – City & Regional Asset
 - Type 3 team
 - 2 response stations
 - 6 response units
 - 24 members on duty each day

SPECIAL OPERATIONS DIVISION



- USAR – City & Regional Asset
 - Structure Collapse
 - Technical search
 - Rope rescue
 - Trench rescue
 - Confined Space rescue
 - People pinned extrication
 - Rapid Intervention on major fires

SPECIAL OPERATIONS DIVISION



- USAR Tx-TF2 – State Asset
 - Type 1 team
 - 210 members
 - 3 million dollars in equipment
 - Heavy extrication and search
 - Dallas is the sponsoring agency
 - Regional partners

SPECIAL OPERATIONS DIVISION



- USAR Tx-TF2 – State Asset
 - Has responded to every hurricane to hit Texas since 2006
 - Has initiated advancements in the search and rescue community

SPECIAL OPERATIONS DIVISION



- Water Assets
 - Marine 1
 - Rescue Boats
 - Swift water team



SPECIAL OPERATIONS DIVISION



- Marine 1
 - Primary response to Lake Ray Hubbard
 - One of areas busiest water locations
 - 25 foot vessel
 - 1,000 gpm capability
 - Thermal and sonar capabilities

SPECIAL OPERATIONS DIVISION



- Rescue boats
 - Primary response to White Rock Lake and Mountain Creek
 - Rescue platforms
 - Able to connect together
 - Sonar capabilities

SPECIAL OPERATIONS DIVISION



- Swift water
 - Primary response to any moving water
 - Special inflatable boat
 - Larger motor
 - Specific training on rescues in moving water

SPECIAL OPERATIONS DIVISION

- Wildland Interface
 - 4 Brush Units
 - 4 Booster
 - 2 Trail Units
 - Texas Intrastate Fire Mutual Aid System (TIFMAS) resource





SPECIAL OPERATIONS DIVISION

Questions

Memorandum



DATE: May 6, 2016

TO: Honorable Members of the Public Safety Committee:
Adam Medrano (Chair), B. Adam McGough (Vice Chair), Sandy Greyson, Tiffinni A. Young,
Jennifer S. Gates, Philip T. Kingston

SUBJECT: **Municipal Court Update Compliance and Enforcement**

On Monday, May 9, 2016, you will be briefed on the Municipal Court Update Compliance and Enforcement by Assistant Director Ryan Rogers and Deputy Chief City Marshal Paul Hansen of the Court & Detention Services Department.

The briefing materials are attached for your review.

Please contact me if you have any questions or need additional information.



Eric D. Campbell
Assistant City Manager

[Attachment]

cc: Honorable Mayor and Members of the City Council
A.C. Gonzalez, City Manager
Christopher D. Bowers, (I) City Attorney
Craig D. Kinton, City Auditor
Rosa A. Rios, City Secretary
Daniel F. Solis, Administrative Judge
Ryan S. Evans, First Assistant City Manager

Jill A. Jordan, P.E., Assistant City Manager
Mark McDaniel, Assistant City Manager
Joey Zapata, Assistant City Manager
Jeanne Chipperfield, Chief Financial Officer
Sana Syed, Public Information Officer
Elsa Cantu, Assistant to the City Manager – Mayor & Council

Municipal Court Update Compliance and Enforcement

Public Safety Committee

May 9, 2016



Briefing Purpose


Review important measures in determining a Municipal Court's ability to drive compliance

- Municipal Court Responsibilities
- Measure #1 - Case Clearance
- Measure #2 - Dismissal Rates
- Other Enforcement Initiatives
- Future Efforts



Municipal Court Responsibilities

- Administer Class C citations and civil citations
 - Jurisdiction over 1,052 violation types
 - Receive approx. 200,000 citations annually



NOTE: Chart includes 3,132 "V" citations for Community Court



Municipal Court Responsibilities


Group	Basic Functions	FTEs	Direct Report
Clerks / Marshals 	Update Cases & Records Collections & Accounting Enforce & Confirm Warrants	138	City Manager
Prosecutors 	Prosecute Cases & Defend Appeals Support Staff	26*	City Attorney
Judiciary / Bailiffs 	Adjudicate Cases Courtroom Security	39**	City Council

NOTES: Uses FY16 Budget numbers, *Includes 16 municipal court prosecutors and 3 office-wide support staff allocated to this unit, ** Includes 12 full-time Judges and 2.2 FTEs for Associates



Measure #1 - Case Clearance

Cases Resolved Needs to Match or Better New Cases Filed



Measure #1 - Case Clearance

Improving the Clearance Rates Through:



Reminder letters, postcards, and phone calls



Renewed Focus on Warrants



12 New Marshals



New Collections Agency Contract




Increased Online Accessibility



Measure #1 - Case Clearance


Case Resolved Need to Match or Better New Cases Filed



Measure #2 - Lowering Dismissals

How Those Cases are Resolved Matters

Case Clearance & Dismissal Rates



Measure #2 - Lowering Dismissals




Improving the Dismissal Rates:



Measure #2 - Lowering Dismissals

How Those Cases are Resolved Matters

Case Clearance & Dismissal Rates




Significant
Decrease In
Dismissals




Increased Compliance

Citation Counts and Gen. Fund Collection Per Citation



Marshal's Environmental Enforcement

- Community engagement, prevention and arrest
- North Texas Crime Commission; reward program
- Use of rapid and fixed surveillance technology




60 *Criminal
Illegal
Dumping
Cases from
Surveillance
Cameras



Marshal's Environmental Enforcement

■ Review of 135 criminal cases* from FY 14/15 to date (62% pending adjudication)

**all cases higher than a Misdemeanor "C" municipal violation*




Marshal's Warrant Enforcement



■ Compliance Strategies:

- Focus on new warrants with contact details
- Phone, email and send postcard when warrant issued
- Pursue public databases and technology



Future Efforts

- **Further Expanding Online Options**
- **License Plate Readers and Cameras**
- **Indigency Process**
- **Police Liaison**



Questions?



Memorandum



DATE: May 6, 2016

TO: Honorable Members of the Public Safety Committee:
Adam Medrano (Chair), B. Adam McGough (Vice Chair), Sandy Greyson, Tiffinni A. Young,
Jennifer S. Gates, Philip T. Kingston

SUBJECT: **Administrative (Fire) Reports**

On Monday, May 9, 2016, you will be briefed on the Administrative (Fire) Reports.

This is an informational memo to provide the Public Safety Committee with a brief description of fire reports for March 19, 2016 – April 7, 2016.

During this period, the following significant fires occurred:

<u>Multiple Alarm Level</u>	<u>Totals</u>
4-Alarm	1
3-Alarm	1
2-Alarm	7

There was 2 (two) civilian injuries and 3 (three) civilian fatalities that occurred as a result of fire incidents.

Eric D. Campbell
Assistant City Manager

[Attachment]

cc: Honorable Mayor and Members of the City Council
A.C. Gonzalez, City Manager
Christopher D. Bowers, (I) City Attorney
Craig D. Kinton, City Auditor
Rosa A. Rios, City Secretary
Daniel F. Solis, Administrative Judge
Ryan S. Evans, First Assistant City Manager

Jill A. Jordan, P.E., Assistant City Manager
Mark McDaniel, Assistant City Manager
Joey Zapata, Assistant City Manager
Jeanne Chipperfield, Chief Financial Officer
Sana Syed, Public Information Officer
Elsa Cantu, Assistant to the City Manager – Mayor & Council

Public Safety Committee

Administrative Fire Reports

Summary

April 2016

DATE	ADDRESS	COUNCIL DISTRICT	TYPE	CAUSE	LOSS	ALARM
A. 03/19/16	7201 East Grand Service Road, West #245	District 2	2-Story Brick Commercial Motel	Undetermined	\$25,000.00	1 Alarm
B. 03/20/16	14255 Preston Road #828	District 11	3-Story Stucco Apartments	Accidental	\$1,000.00	2 Alarms
C. 03/21/16	8634 Wingate Drive	District 13	2-Story Detached Garage	Accidental	\$27,500.00	2 Alarms
D. 03/26/16	8204 Elmbrook Drive	District 2	3-Story Brick Commercial	Undetermined	\$45,000.00	2 Alarms
E. 03/26/16	14606 Dallas Parkway #1057	District 11	2-Story Frame Townhome Apartments	Accidental	\$120,000.00	2 Alarms
F. 03/27/16	3825 Latimer Street	District 7	1-Story Frame Residence	Accidental	\$42,500.00	1 Alarm
G. 03/29/16	1510 Dennison Street	District 6	1-Story Frame Dwelling	Accidental	\$5,000.00	1 Alarm
H. 03/29/16	13929 North Central Service Road, Southbound	District 11	1-Story Frame Restaurant	Accidental	\$10,000.00	2 Alarms
I. 04/04/16	9877 Brockbank Drive #135	District 6	2-Story Stucco Apartments	Accidental	\$230,000.00	4 Alarms
J. 04/05/16	12365 Plano Road	District 10	3-Story Frame Apartments	Incendiary	\$80,000.00	2 Alarms
K. 04/06/16	3353 Lombardy Lane #515	District 6	3-Story Frame Apartments	Accidental	\$49,250.00	3 Alarms
L. 04/06/16	2381 Blue Creek Drive	District 3	1-Story Frame Residential	Undetermined	\$20,000.00	1 Alarm
M. 04/07/16	1810 Park Row Avenue	District 7	2-Story Frame Commercial	Accidental	\$20,000.00	2 Alarms

One Alarm Fire (A)

Date of Fire:	March 19, 2016	Time of Fire	10:59 AM												
Response Time	3 Minutes 14 Seconds														
Location	7201 East Grand Service Road, West #245	Service Area	Central												
Bldg. Type	2-Story Brick Commercial Motel	Council District	2 (Medrano)												
Business Name	Tampico Motel														
Fire Alarm System	Unknown	Operational	N/A												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$650,000.00</td> <td style="text-align: right;">\$15,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$10,000.00</td> <td style="text-align: right;">\$10,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$660,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$25,000.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$650,000.00	\$15,000.00	Content:	\$10,000.00	\$10,000.00	TOTAL	\$660,000.00	\$25,000.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$650,000.00	\$15,000.00													
Content:	\$10,000.00	\$10,000.00													
TOTAL	\$660,000.00	\$25,000.00													
Narrative	<p>This is an undetermined fire that originated towards the center of the motel room, adjacent to the bed. The fire was contained to the motel room and exterior overhead structure causing major fire damage. This fire remains "under investigation". Engine 19 was the first arriving company.</p>														

Two Alarm Fire (B)

Date of Fire:	March 20, 2016	Time of Fire	3:29 PM												
Response Time	4 Minutes 26 Seconds														
Location	14255 Preston Road #828	Service Area	North Central												
Bldg. Type	3-Story Stucco Apartments	Council District	11 (Kleinman)												
Business Name	Clearview Apartments														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%; text-align: center;"><u>Value</u></th> <th style="width: 40%; text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$12,781,000.00</td> <td style="text-align: right;">\$1,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$0.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$12,781,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$1,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$12,781,000.00	\$1,000.00	Content:	\$0.00	\$0.00	TOTAL	\$12,781,000.00	\$1,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$12,781,000.00	\$1,000.00													
Content:	\$0.00	\$0.00													
TOTAL	\$12,781,000.00	\$1,000.00													
Narrative	<p>This is an accidental fire that resulted from a carelessly discarded cigarette which ignited the balcony of the apartment. The fire spread between the wood trusses causing minor damage to the balcony. Engine 56 was the first arriving company.</p>														

Two Alarm Fire (C)

Date of Fire:	March 21, 2016	Time of Fire	7:17 PM												
Response Time	3 Minutes 14 Seconds														
Location	8634 Wingate Drive	Service Area	Northwest												
Bldg. Type	2-Story Detached Garage	Council District	13 (Gates)												
Business Name	N/A														
Fire Alarm System	No	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$180,000.00</td> <td style="text-align: right;">\$17,500.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$40,000.00</td> <td style="text-align: right;">\$10,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$220,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$27,500.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$180,000.00	\$17,500.00	Content:	\$40,000.00	\$10,000.00	TOTAL	\$220,000.00	\$27,500.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$180,000.00	\$17,500.00													
Content:	\$40,000.00	\$10,000.00													
TOTAL	\$220,000.00	\$27,500.00													
Narrative	<p>This is an accidental fire that originated in the shed area adjacent to the detached garage. The fire spread throughout the garage, storage, and surrounding fencing of the structures addressed #8627 and #8647. The fire caused severe smoke and fire damage to the structure and contents. Engine 42 was the first arriving company.</p>														

Two Alarm Fire (D)

Date of Fire:	March 26, 2016	Time of Fire	2:33 PM												
Response Time	1 Minute and 55 Seconds														
Location	8204 Elmbrook Drive #217	Service Area	Northwest												
Bldg. Type	3-Story Brick Commercial	Council District	2 (Medrano)												
Business Name	The Atrium on Elmbrook														
Fire Alarm System	Yes	Operational	Yes												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$1,850,000.00</td> <td style="text-align: right;">\$25,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$20,000.00</td> <td style="text-align: right;">\$20,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$1,870,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$45,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$1,850,000.00	\$25,000.00	Content:	\$20,000.00	\$20,000.00	TOTAL	\$1,870,000.00	\$45,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$1,850,000.00	\$25,000.00													
Content:	\$20,000.00	\$20,000.00													
TOTAL	\$1,870,000.00	\$45,000.00													
Narrative	<p>This is an undetermined fire. Firefighters arrived to find heavy flames coming from the second floor window towards the rear portion of the building. The fire caused major smoke and moderate structure damage throughout the second floor. Due to the extent of the fire damage, the physical evidence that could have been examined to determine the cause and the origin of the fire were destroyed. Engine 47 was the first arriving company.</p>														

Two Alarm Fire (E)

Date of Fire:	March 26, 2016	Time of Fire	4:00 PM												
Response Time	4 Minutes 50 Seconds														
Location	14606 Dallas Parkway #1057	Service Area	North Central												
Bldg. Type	2-Story Frame Townhome Apartments	Council District	11 (Kleinman)												
Business Name	The Davenport Apartments														
Fire Alarm System	Unknown	Operational	No												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$2,009,600.00</td> <td style="text-align: right;">\$100,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$20,000.00</td> <td style="text-align: right;">\$20,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$2,029,600.00</td> <td style="text-align: right; border-top: 1px solid black;">\$120,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$2,009,600.00	\$100,000.00	Content:	\$20,000.00	\$20,000.00	TOTAL	\$2,029,600.00	\$120,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$2,009,600.00	\$100,000.00													
Content:	\$20,000.00	\$20,000.00													
TOTAL	\$2,029,600.00	\$120,000.00													
Narrative	<p>This is an accidental fire that resulted from unattended cooking. An occupant of the apartment unit inadvertently left a burner in the "on" position on the stove, which continued to cook after the occupant walked away. The fire spread throughout the apartment resulting in a total loss. Engine 56 was the first arriving company.</p>														

One Alarm Fire (F)

Date of Fire:	March 27, 2016	Time of Fire	9:23 PM												
Response Time	2 Minutes 41 Seconds														
Location	3825 Latimer Street	Service Area	Southeast												
Bldg. Type	1-Story Frame Residence	Council District	7 (Young)												
Business Name	N/A														
Fire Alarm System	Unknown	Operational	Unknown												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$40,000.00</td> <td style="text-align: right;">\$40,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$2,500.00</td> <td style="text-align: right;">\$2,500.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$42,500.00</td> <td style="text-align: right; border-top: 1px solid black;">\$42,500.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$40,000.00	\$40,000.00	Content:	\$2,500.00	\$2,500.00	TOTAL	\$42,500.00	\$42,500.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$40,000.00	\$40,000.00													
Content:	\$2,500.00	\$2,500.00													
TOTAL	\$42,500.00	\$42,500.00													
Narrative	<p>This is an accidental fire that resulted from careless use of a heat source. An occupant of the residence utilized a lighter to check whether gasoline that was recently poured into the storage tank of a generator located in the living room exceeded the fill-line. The lighter ignited the vapors from the gasoline which then flashed to all available vapors to the room subsequently causing the living room and attic to burn. Major fire damage ensued to the structure and its contents. The fire also caused damage to the structure of address #3827. Truck 24 was the first arriving company.</p>														

One Alarm Fire (G)

Date of Fire:	March 29, 2016	Time of Fire	4:45 AM												
Response Time	2 Minutes 2 Seconds														
Location	1510 Dennison Street.	Service Area	Southwest												
Bldg. Type	1-Story Frame Dwelling	Council District	6 (Alonzo)												
Business Name	N/A														
Fire Alarm System	No	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$5,870.00</td> <td style="text-align: right;">\$4,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$1,500.00</td> <td style="text-align: right;">\$1,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$7,370.00</td> <td style="text-align: right; border-top: 1px solid black;">\$5,000.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$5,870.00	\$4,000.00	Content:	\$1,500.00	\$1,000.00	TOTAL	\$7,370.00	\$5,000.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$5,870.00	\$4,000.00													
Content:	\$1,500.00	\$1,000.00													
TOTAL	\$7,370.00	\$5,000.00													
Narrative	<p>This is an undetermined fire that originated in the living room. The fire spread from the living room to the adjacent bedroom and hallway before advancing to the attic. Major fire damage occurred resulting in damage so severe that investigators could not immediately identify its cause. This investigation is ongoing. Engine 36 was the first arriving company.</p>														

Two Alarm Fire (H)

Date of Fire:	March 29, 2016	Time of Fire	12:37 PM												
Response Time	4 Minutes 58 Seconds														
Location	13929 North Central Service Road, Southbound	Service Area	North Central												
Bldg. Type	1-Story Frame Restaurant	Council District	11 (Kleinman)												
Business Name	FIREPIT														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$1,189,630.00</td> <td style="text-align: right;">\$10,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$0.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$1,189,630.00</td> <td style="text-align: right; border-top: 1px solid black;">\$10,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$1,189,630.00	\$10,000.00	Content:	\$0.00	\$0.00	TOTAL	\$1,189,630.00	\$10,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$1,189,630.00	\$10,000.00													
Content:	\$0.00	\$0.00													
TOTAL	\$1,189,630.00	\$10,000.00													
Narrative	<p>This is an accidental fire that originated from combustibles located too close to a heat source. Construction workers, repairing the roof, ignited wooden members of the attic space while utilizing a propane fueled torch. The fire spread from the roof adjacent to the fire pit signage and spread downward causing moderate fire damage to the roof and the attic space. Truck 57 was the first arriving company.</p>														

Four Alarm Fire (I)

Date of Fire:	April 4, 2016	Time of Fire	10:33 AM												
Response Time	3 Minutes 10 Seconds														
Location	9877 Brockbank Drive #135	Service Area	Northwest												
Bldg. Type	2-Story Stucco Apartments	Council District	6 (Alonzo)												
Business Name	Southwood Apartments														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$150,000.00</td> <td style="text-align: right;">\$150,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$80,000.00</td> <td style="text-align: right;">\$80,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$230,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$230,000.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$150,000.00	\$150,000.00	Content:	\$80,000.00	\$80,000.00	TOTAL	\$230,000.00	\$230,000.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$150,000.00	\$150,000.00													
Content:	\$80,000.00	\$80,000.00													
TOTAL	\$230,000.00	\$230,000.00													
Narrative	<p>This is an accidental fire that resulted from careless hot-work operations performed by maintenance personnel. While repairing a leaky faucet in the kitchen of unit #135, a worker ignited wooden structures surrounding pipe utilizing welding equipment. The fire spread into the kitchen walls and advanced through the ceiling, attic, and then the roof. The roof eventually collapsed resulting in extensive fire damage and a total building loss. There were multiple exposures, including units #134 and units #136 through #141. Engine 43 was the first arriving company.</p>														

Two Alarm Fire (J)

Date of Fire:	April 5, 2016	Time of Fire	8:03 PM												
Response Time	3 Minutes 51 Seconds														
Location	12365 Plano Road	Service Area	Northeast												
Bldg. Type	3-Story Frame Apartments	Council District	10 (McGough)												
Business Name	Waterchase Apartments														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Incendiary														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$300,000.00</td> <td style="text-align: right;">\$80,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$0.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$300,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$80,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$300,000.00	\$80,000.00	Content:	\$0.00	\$0.00	TOTAL	\$300,000.00	\$80,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$300,000.00	\$80,000.00													
Content:	\$0.00	\$0.00													
TOTAL	\$300,000.00	\$80,000.00													
Narrative	<p>This is an incendiary fire that caused severe fire damage to the attic area and to one third floor apartment. First responding firefighters reported fire and smoke coming from the roof upon arrival. Engine 57 was the first responding company.</p>														

Three Alarm Fire (K)

Date of Fire:	April 6, 2016	Time of Fire	3:04 PM												
Response Time	1 Minute 27Seconds														
Location	3353 Lombardy Lane #515	Service Area	Northwest												
Bldg. Type	3-Story Frame Apartments	Council District	6 (Alonzo)												
Business Name	Bayou Bend														
Fire Alarm System	Unknown	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$8,000,000.00</td> <td style="text-align: right;">\$41,250.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$8,000.00</td> <td style="text-align: right;">\$8,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$8,008,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$49,250.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$8,000,000.00	\$41,250.00	Content:	\$8,000.00	\$8,000.00	TOTAL	\$8,008,000.00	\$49,250.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$8,000,000.00	\$41,250.00													
Content:	\$8,000.00	\$8,000.00													
TOTAL	\$8,008,000.00	\$49,250.00													
Narrative	<p>This is an accidental fire that originated in the kitchen of apartment #515 that was caused by a mechanical or electrical malfunction at the dishwasher. The fire spread from the structure to the breezeway of the first floor then vertically to the third floor breezeway before causing moderate fire damage and severe smoke damage throughout the apartment. Engine 43 was the first responding company.</p>														

One Alarm Fire (L)

Date of Fire:	April 6, 2016	Time of Fire	11:38 PM												
Response Time	1 Minute 55 Seconds														
Location	2381 Blue Creek Drive	Service Area	South Central												
Bldg. Type	1-Story Frame Residential	Council District	3 (Thomas)												
Business Name	N/A														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$48,550.00</td> <td style="text-align: right;">\$15,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$50,000.00</td> <td style="text-align: right;">\$5,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$98,550.00</td> <td style="text-align: right; border-top: 1px solid black;">\$20,000.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$48,550.00	\$15,000.00	Content:	\$50,000.00	\$5,000.00	TOTAL	\$98,550.00	\$20,000.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$48,550.00	\$15,000.00													
Content:	\$50,000.00	\$5,000.00													
TOTAL	\$98,550.00	\$20,000.00													
Narrative	<p>This fire is undetermined. The fire most probably originated near the front window area. Witnesses stated that fire vented from the living room area onto the front porch and began rolling out the front window and door. The fire then spread to the adjacent walls and ceiling before causing major fire damage. Truck 25 was the first arriving company.</p>														

Two Alarm Fire (M)

Date of Fire:	April 7, 2016	Time of Fire	12:28 AM												
Response Time	2 Minutes 7 Seconds														
Location	1810 Park Row Avenue	Service Area	Southeast												
Bldg. Type	2-Story Frame Commercial	Council District	7 (Young)												
Business Name	Lane Staffing														
Fire Alarm System	No	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$140,000.00</td> <td style="text-align: right;">\$20,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$14,000.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$154,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$20,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$140,000.00	\$20,000.00	Content:	\$14,000.00	\$0.00	TOTAL	\$154,000.00	\$20,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$140,000.00	\$20,000.00													
Content:	\$14,000.00	\$0.00													
TOTAL	\$154,000.00	\$20,000.00													
Narrative	<p>This is an accidental fire that resulted from an unspecified electrical short of fixed wiring. The fire originated on the second floor before responding firefighters found fire and smoke showing from an exterior south side wall. The fire spread throughout the open space and attic area causing moderate damage to the structure. Engine 6 was the first responding company.</p>														